


Bidders are directed to comply the following checklist along with the sealed envelope of bidding documents while participating the quotation as per schedule date and time.

SR. NO	BIDDER DOCUMENTS	MENTIONED PAGE NO. (To Filled By the Tenderer)
Required Documents to Participate in Bidding for F.Y 2023-24:-		
1	<u>Written Application</u>* on Firm's Letter Head Pad for the Work you are going to participate under this bidding document.	
2	Copy of Registration Certificate, (Active NTN Certificate) with Federal Board of Revenue.	
3	Copy of Registration Certificate, (Active PNTN Certificate) with Punjab Revenue Authority Punjab	
4	Copy of STN Registration Certificate, (Active STN Certificate) with Federal Board of Revenue. (For Purchase items Only)	
		

* *Not required for the Downloaded Tendering Documents*

Note: Bidders may be directed to provide forth-said information, prior to the opening, of the Quotation if the Executive Engineer ECD-M deems necessary.

Contractor

Executive Engineer
ECD-M; UAF

UNIVERSITY OF AGRICULTURE, FAISALABAD

Item Rate (Details Notice of Inviting DNIQ) / Percentage Age Rate Quotation & Contract for Works

Name of the Firm:		(To Whom the Quotation is Issued)		
Sr.#	Name of Work	Amount (Rs.)	Quotation Fee	Time Limit*
1	Replacement of Damage parts of Turbine Installed near the Fatima Hall, UAF	144,536/-	100/-	Two Weeks
2	Replacement of damaged/ irreparable main pipeline feeding to married hostel residences, UAF	102,603/-	100/-	Two Weeks
3	Remaining work of Public health/ wash room at House No. 07 Lalazar Colony, UAF	169,819/-	100/-	Two Weeks
4	Replacement of Master Clock machine 6ft (four sides) complete at main Campus, UAF	118,000/-	100/-	Two Weeks
5	Repair and maintenance of 25 Lalazar Colony, UAF	112,500/-	100/-	Two Weeks
6	Repair and Maintenance work to House No. 04 Bilal Colony, UAF	187,358/-	100/-	Two Weeks
7	Construction of damaged boundary wall to House No. 45, 46 Lalazar, UAF	113,117/-	100/-	Two Weeks
8	Civil and Public health work to House No. 03 Main water supply Lalazar Colony, UAF	194,525/-	100/-	Two Weeks
9	Distempering, Plastering, Painting to House No. 24 Bilal Colony, UAF	155,584/-	100/-	Two Weeks
10	Plastering, Painting work etc. House No. 04 at International Villah Rajawala Colony, UAF	194,448/-	100/-	Two Weeks
* Note: - Time Extension (if any) should not be more than original completion time mentioned in the W.O. In case of any contradiction, this provision will prevail. However, this can be right off with the prior approval of the Competent Authority, UAF any time during the execution of the work under specific circumstances.				
Dead Line for submission of Quotation:			---19-02-2024-----	
Opening of Quotation :			---19-02-2024-----	

Issued by:

Executive Engineer (ECD-M)
University of Agriculture,
Faisalabad.

Date: -----

Signature: -----
(OFFICE STAMP)

Note:

The officer / Quotation Opening committee is competent to reject the Quotation, which does not bear the signature and stamp of the issuing officer in favor of the contractor/firm to whom the tender-documents was issued against prescribed fee (Non-Refundable) for the purpose/ work requested thereto. However, the Quotation documents can be downloaded Free of Cost from UAF website. The Quotation documents in a sealed envelope must reach to the **Office of Executive Engineer, University of Agriculture Faisalabad** up to schedule of closing.

Contractor

Executive Engineer
ECD-M; UAF

GENERAL DIRECTIONS

FOR

THE GUIDANCE OF THE QUOTATIONER

1. These directions are provided to assist the quotationer in preparing and submitting his quotation. The quotation shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.
2. All necessary documents, such as copies of specifications (excluding standard specification books, **MRS, 1st Bi-Annual 2024 District Faisalabad**), contract documents, including bill of quantities, estimated scheduled rates and any other documents required in connection with the preparation of quotation or execution of works, signed by the engineer-in-charge will accompany the quotation form and the cost of such annexed documents will be reflected in the cost of the quotation form.
3. The quotationer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his quotation.
4. No single quotation shall include more than one work. A quotationer who wishes to quotation for two or more works shall submit quotation for each work, separately.
5. The memorandum of work quotation for, and the schedule of materials and equipment to be supplied by the engineer-in-charge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the engineer-in-charge before the quotation form is issued. At this stage the quotationer should ensure that the quotation form so issued is complete in all respects.
6. The quotationer shall note that the ultimate responsibility for the quality of work and its conformity with the specifications and drawings rests solely with the successful bidder whose quotation is accepted.
7. The quotationer shall, at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the quotation and entering into contract, and shall determine and satisfy himself by such means as he may consider necessary or desirable as to all matters pertaining to the quotation. The quotationer shall also satisfy himself before submitting his quotation as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and transportation facilities in the area. The quotationer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his quotation. The engineer-in-charge shall not assume any responsibility regarding information gathered interpretation or deduction, which the quotationer may arrive at, from the date that may be furnished with the contract documents.
8. (a) The quotationer shall fill up the Bill of Quantities and indicate the percentage rate above or below the MRS of rates for the "MRS items" on which he is willing to undertake each item of work. No premium will be quoted by the contractor against non-MRS/item rates, for which the rate and amount has already been filled in by the engineer-in-charge in the bid schedule. (b) In case quotations are called on item rate basis (DNIT), the quotationer shall quote his own unit rate in the Bill of quantities on which he is willing to undertake each item of work.
9.
 - i. The quotation shall work out the amount against each item of work in the Bill of Quantities and will indicate the total amount of his quotation (including the cost of Non-MRS items rates for which the rate and amount has already been filled in by the engineer-in-charge in the Bill of Quantities) on which he is willing to complete the works. The total amount worked out in the Bill of Quantities shall be entered by the quotationer in his quotation as his quotation price for the work. In case of discrepancy between amounts in figures and in words, the amount in words shall prevail.
 - ii. Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the quotationer will be extended in working out of the amount of the quotation and the total amount of the bid schedule will be adjusted accordingly.
 - iii. If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule.
 - iv. If it is found that the quotationer has not entered any unit rate and amount against any of the pay items of the bid schedule, the engineer-in-charge shall fill in the blanks by noting the word "NIL" In such blanks at the time of opening of the quotation. Such pay items shall be deemed to be covered by the rates of other items.
 - v. If the quotationer does not accept the adjusted/corrected amount of quotation according to the above provision, his quotation shall be rejected, and the earnest money forfeited.
10. The quotation, which proposes any alteration in the works specified in the Bill of quantities or in the time allowed for carrying out the works or any other condition mentioned by the Engineer-in-charge, will be liable to rejection. The quotationer shall sign each and every page of the quotation and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the quotation duly signed by the quotationer. Any addition or alteration made after filing the forms shall duly have attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection.

Contractor

**Executive Engineer
ECD-M; UAF**

11. The quotationer shall fill in the quotation documents, in ink. Errors, if any, shall be scored out, and corrections re-written legibly and attested by the quotationer. Any addition or alteration made after filling the form shall be duly attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection. Any quotation with unattested correction shall be attested by the quotationer in the presence of other quotationers at the time of opening of the quotation except that no correction shall be permissible in the rate or amount of the bid schedule or in the quoted price after the opening of the quotation.
12. Additional Clause (s) for a particular work shall be typed on separate sheet(s) by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets. The quotationer shall not add or delete any additional clause(s) in the additional clauses sheet (s), provided by the Engineer-in-charge.
13. The quantities mentioned in the Bill of Quantities are estimated quantities, to be used for preparing quotations, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein.
14. (i) The quotation shall be signed by the person (s) duly authorized to do so. In the event of the quotation being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the quotation and it must disclose that the firm is duly registered under the Partnership Act, 1932, or any other law in force.

(ii) The quotation submitted by a joint venture of two or more firms shall be accompanied by a document of formation of the joint venture, duly registered and authenticated by competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person (s) authorized to represent it and accept it obligate, the participation of several firms forming the joint venture and any other information of necessary to permit a full appraisal of its function.

(iii) A quotation submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.

(iv) In all cases, the quotation must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.
15. Each quotationer shall be deemed to have satisfied himself before quotation as to the correctness and sufficiency of his quotation and of the rates and prices stated in the bid schedule which rates and prices shall, except in so far as it is otherwise expressly provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.
16. The quotationer may modify or withdraw his quotation after submission, provided that the modification or notice of withdrawal is received in writing by the engineer-in-charge prior to the prescribed deadline for submission of quotations. The quotationer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "MODIFICATION or WITHDRAWAL as appropriate. No quotation may be modified subsequent to the deadline for submission of quotation. Withdrawal of a quotation during the interval between the deadline for submission of quotations and the expiration of the period of quotation validity i.e. sixty (60) days as specified by the quotationer in the Form of Quotation may result in the forfeiture of the quotation security.
17. The quotationer shall submit the original Quotation Documents complete in all respects and keep a copy of the quotation for his own record. The original should be sealed in an inner and an outer envelope, duly marking the envelopes as "ORIGINAL". The sealed envelope shall (a) be addressed to engineer-in-charge (b) and bear the following identification: Quotation for (Name of Contract), (Reference Number of Quotation), and the words "DO NOT OPEN BEFORE (Time and Date, set for opening)". The envelopes shall indicate the name and address of the quotationer to enable the quotation to be returned unopened in case it is declared to have been received late or is otherwise unacceptable. If the envelope is not sealed the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the quotation submitted. A quotation opened prematurely because of improper identification will be rejected.
18. The quotationer shall indicate in the space provided in the quotation his full and proper address at which notice may be legally served on him and to which all correspondence in connection with his quotation and the contract is to be sent.
19. The presentation of a quotation implies full acceptance on the part of the quotationer of these instructions and all

Contractor

**Executive Engineer
ECD-M; UAF**

other conditions set forth in the contract document.

- 20. Any quotation received by the Executive Engineer (Engineer-in-charge) after the deadline for submission offenders prescribed in the Notice Inviting Quotations will be returned unopened to the quotationer.
- 21. The Engineer-in-charge or his duly authorized officer (not below the rank of Assistant Engineer) will open quotations in the presence of intending quotationers or their authorized agents, who may be present at the time. The officer opening the quotation will announce the names of the quotationer, quotation rates and the presence of requisite quotation security.
- 22. Promptly after the opening of Quotations, the Engineer-in-charge will undertake a detailed evaluation of quotations. The Engineer-in-charge will determine whether each quotation is substantially responsive to the requirements of the quotation documents and conforms to all the terms, conditions and specifications of the quotation documents without material deviation or reservation. If a quotation is not substantially responsive to the requirements of the quotation documents, it will be rejected by the engineer-in-charge and may not subsequently be made responsive by the quotationer having corrected or withdrawn the non-confirming deviation or reservation.
- 23. Except for information to be read out by the Engineer-in-charge at the time of opening quotations in accordance with Para 21 above, no information relating to the examination, clarification, evaluation and comparison of quotations and recommendations concerning the award of contract shall not be disclosed to quotationers or other persons not officially concerned with such process. Any effort by the quotationer to influence the process of examination, clarification, evaluation and comparison of quotations, and in decisions concerning award of contact/work, may-result in the rejection of his quotation.
- 24. The Engineer-in-charge shall have the right of the rejecting all or any of the quotations without assigning any reason thereof. The Engineer-in-charge will not be bound to award the contract to the lowest or to any other quotationer.
- 25. Contractor/ Venders are instructed to attach/ Print the detail Notice of inviting Tender/Quotation (DNIT) to whom the plan to participate.
- 26. Separate bidding documents is required for each work under this Quotation.

I/We.....

(Name of the contractor)

The undersigned Quotationer, having examined the GENERAL DIRECTIONS for work of

..... *(Name of the work)*

and the works associated therewith, and having examined the site of the above named works, or having caused the site to be visited OR our behalf by my/our competent and reliable agent, and having satisfied myself/ourselves as to all conditions under which the above named work must be performed, hereby offer to execute, complete and maintain the whole of the above mentioned work including its ancillary works associated therewith, in accordance with entire satisfaction of the Executive Engineer /Assistant Executive Engineer & I/We understand that you are not bound to accept the lowest or any quotation you may receive, and you will not defray any expenses incurred by me/us in bidding.

Yours faithfully,

(Signature of Quotationer)/Seal

Dated this Day of 2024

Contractor

**Executive Engineer
ECD-M; UAF**

BID SCHEDULE

1. Schedule of item (MRS & Input Rates)

Name of work: _____

(To be filled in by the quotationer)

Sr. No.	Items in schedule of rates		Description	Estimated quantity	Unit of Rates	Schedule of rates		Amount (Rs....)
	Page No.	Serial No.				Labour	Composite	
1	2	3	4	5	6	7	8	9

Mandatory to Write in Words: (Urdu/English)

Total cost of MRS Items Rs. _____

Contractor

Executive Engineer

ECD-M; UAF

BID SCHEDULE

1. Schedule of item (N.S. Items)

Name of work _____

(To be filled in by the quotationer)

Sr. No	Pay item No. of reference to special specification supplied	Description of item	Estimated quantity	Unit of Rates	Unit rate To be filled in the contractors where not already filled by the Executive Engineer		Amount (To be filled in by the contractor when not already filled in by the project director for items against which the unit rate have already been filled in by him)
					In figure	In Words	
1	2	3	4	5	6	7	8

Mandatory to Write in Words: (Urdu/English)

Total cost of item rates Rs. _____

Contractor

Executive Engineer

ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 06/2024 Sr. No. 01

Name of Work:

REPLACEMENT OF DAMAGE PARTS OF TURBINE INSTALLED NEAR THE FATIMA HALL, UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Providing and installing M.S. blind pipe socketed/welded joint, M.S. reducer (where necessary) ,in tubewell bore hole, including jointing/ welding with strainer, etc complete:-e) 6" i/d, 3/16" (150 mm i/d 5 mm) thick labour only 2x66	120.00	rft		
2	Providing and installing M.S. blind pipe socketed/welded joint, M.S. reducer (where necessary) ,in tubewell bore hole, including jointing/ welding with strainer, etc complete:-e) 6" i/d, 3/16" (150 mm i/d 5 mm) thick	6.00	rft		
3	Making bolts and nuts of iron rods 1" dia 10 rft long shaft = 2x10x1.21 per kg 24.20kg	24.20	%kg		
4	Providing and Fixing of M.s Spadal Brackects for 6" dia Column Pipe	5.00	No.s		
5	Providing and Fixing Spadal Bush (Rubber) 2½"x4" Size for One Cusic Turbine	7.00	No.s		
6	Providing and Fixing of Nut Bolt ½" dia upto 3" long	70.00	No.s		
7	Providing and Fixing of M.S Sockets 2"x3" Size	5.00	No.s		
				Total	
				ADD PST @ 5%	
				G. TOTAL	

Mandatory to Write in Words: (Urdu/English)

Contractor

Executive Engineer

ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 06/2024 Sr. No. 02

Name of Work: Replacement of damaged/ irreparable main pipeline feeding to married hostel residences, UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Excavation of trenches in all kinds of soil, except cutting rock, for watersupply pipelines upto 5 ft. (1.5 m) depth from ground level, including trimming, dressing sides leveling the beds of trenches to correct grade and cutting pits for joints, etc. complete in all respects	402.50	%0cft		
2	Providing, laying, testingand commissioning of POLYPROPYLENE RANDOM COPOLYMER (PPRC) water supply pipe made of (Dadex/Popular/Beta/BBJ) with specified pressure rating PN (PRESSURE NOMINAL) and conforming to DIN 8077-8078 code i/c cost of solvent,specials,making jharries complete in all respect as approved and directed by Engineer Incharge.(Internal/External Diameters mentioned b)PN-20 pipe (iii)(1") 32 mm	26.00	p.rft		
3	Providing, laying, testingand commissioning of POLYPROPYLENE RANDOM COPOLYMER (PPRC) water supply pipe made of (Dadex/Popular/Beta/BBJ) with specified pressure rating PN (PRESSURE NOMINAL) and conforming to DIN 8077-8078 code i/c cost of solvent,specials,making jharries complete in all respect as approved and directed by Engineer Incharge.(Internal/External Diameters mentioned b)PN-20 pipe (vi)(2") 63 mm	67.00	p.rft		
4	Providing, laying, cutting, jointing, testing and disinfecting G.I. pipeline in trenches, with socket joints, using G.I.pipes of B.S.S. 1387-1967 complete in all respects, with specials and valves.ii) Medium Quality b) ¾" i/d (20 mm) 2.65mm thick	80.00	rft		
5	Providing and fixing CP heavy duty brass Ball valve with CP handle of specified diameter made of Faisal/ Sonex/ Master best quality or equivalent complete in all respect as approved and directed by the Engineer Incharge.i) 1/2" dia	1.00	each		
6	Providing and fixing CP heavy duty brass Ball valve with CP handle of specified diameter made of Faisal/ Sonex/ Master best quality or equivalent complete in all respect as approved and directed by the Engineer Incharge.v) 1½" dia	1.00	each		
7	P/Fixing PPRC L-bow 32mmx¾" dadex made as approved site Engineer	2.00	each		
8	P/Fixing PPRC L-BOW 32/ 25mmx1/2" dadex made as approved site Engineer	4.00	each		
9	Making connection for new watersupply lines with the	1.00	per		

Contractor

Executive Engineer

ECD-M; UAF

	running main, including excavation of trench and refilling, complete, but excluding cost of pipe and specials, etc Diameter of running main: i) upto 6" i/d (150 mm		connecti on		
10	Rehandling of earthwork: a) Lead upto a single throw of Kassi, phaorah or shovel	362.25	%0cft		
11	Boring for tubewell in all types of soil except shingle and rock, from ground level to 100 ft. (30 m) depth, including sinking and withdrawing of casing pipe, complete: -4" dia	24.00	rft		
Total					
ADD PST @ 5%					
G. TOTAL					
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer

ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 06/2024 Sr. No. 03

Name of Work: Remaining work of Public health/ wash room at House No. 07 Lalazar Colony, UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Dismantling cement concrete 1:2:4 plain	6.01	%cft		
2	Dismantling cement concrete 1:4:8 plain	16.52	%cft		
3	Dismantling glazed or encaustic tiles, etc	183.75	%sft		
4	Removing cement or lime plaster	112.00	%sft		
5	Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:-(b) Ratio 1: 4: 8	16.52	%cft		
6	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	6.01	%cft		
7	Applying floating coat of cement 1/32" (0.8 mm) thick.	112.00	%sft		
8	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	112.00	%sft		
9	Providing and applying wall putty of 2mm thickness over plastered surface (new surface)top repare the surface even and smooth complete in all respect.	112.00	%sft		
10	Distempering 3 coats on new surface	160.00	%sft		
11	painting door and window any typ 2 coats on old surface	35.00	%sft		
12	painting saches fanlight wire guazed or glazed door and window 2 coats on old surfce	18.00	%sft		
13	Providing and laying superb quality Ceramic tile floors of Master brand of specified size ,Glossy /Matt /Texture of approved Color and Shade as per approved design with adhesive bond ,over 3/4" thick (1;2) cement sand plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects and as approved and directed by the Engineer Incharge i)12"x18"/12"x24"/10"x24" /8"x24"/12"x36"	50.08	sft		
14	Providing and laying superb quality Ceramic tiles dado of Master brand of specified size, Glossy/ Matt/ Texture skirting/ dado of approved Color and Shade with adhesive bond over 1/2" thick (1:2) cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects as approved and directed by the Engineer In charge i)12"x18"/12"x24"/10"x24" /8"x24"/12"x36"	185.16	sft		
15	Providing, fixing, testing and commissioning of μ-PVC (Unplasticized Polyvinyl Chloride) Nikasi/ SWV pipe, Dadex/ Popular/ Beta or equivalent, plain/ Bell Ended/ Z-Joints conforming to BS 4514/ BS 5255 EN-1329 including the cost of special sand Solvents complete in all respects, as per drawings & specification sand/ or as approved and directed by the Engineer Incharge Type b) (SDR 32.5/SN-8) (v)4"(110 mm)	10.00	rft		
16	Providing and installing P.V.C. bends, of B.S.S.i) Class `B' working pressure b) 4" i/d (100 mm)	1.00	each		

Contractor

Executive Engineer

ECD-M; UAF

17	Providing and installing P.V.C. tees, of B.S.S (i) Class `B' working pressure:-b) 4" i/d (100 mm)	1.00	each		
18	Constructing gully grating chamber, 12"x12", (300x300mm) complete in all respects:B)concrete Gully trap 6,457.20 -457.05= 6000.15	1.00	each		
19	Providing, laying, testing and commissioning of POLYPROPYLENE RANDOM COPOLYMER (PPRC) water supply pipe made of (Dadex/Popular/Beta/BBJ) with specified pressure rating PN (PRESSURE NOMINAL) and conforming to DIN 8077-8078 code i/c cost of solvent, specials, making jharries complete in all respect as approved and directed by Engineer Incharge.(Internal/External Diameters mentioned b)PN-20 pipe (iii)(1") 32 mm	40.00	p.rft		
20	Providing and fixing CP heavy duty brass Ball valve with CP handle of specified diameter made of Faisal/ Sonex/ Master best quality or equivalent complete in all respect as approved and directed by the Engineer Incharge.iii) 1" dia	1.00	each		
21	P/Fixing PPRC L-bow 32mmx¾" dadex made as approved site Engineer	2.00	each		
22	P/Fixing PPRC L-BOW 32/ 25mmx1/2" dadex made as approved site Engineer	6.00	each		
23	P/Fixing of C.P Nipple 1"x½"	6.00	each		
24	Providing, fixing, testing and commissioning of µ-PVC (Unplasticized poly vinyl Chloride) Nikasi/ waste pipe Fittings make of dadex/Popular/Beta/BBJ conforming to code EN-140 Including the cost of Solvents complete in all respect as approved and directed by the Engineer In charge(a) P-Trap(i) 4" dia	1.00	each		
25	Providing and Fixing of Plastic Body Double Cover Jali Good Quality	1.00	each		
26	Providing and fitting glazed earthen ware wash hand basin / vanity 56x40 cm (22"x16") including bracket set, waste pipe and waste coupling, etc.i) white, with pedestal	1.00	each		
				Total	
				ADD PST @ 5%	
				G. TOTAL	
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer

ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 06/2024 Sr. No. 04**Name of Work: Replacement of Master Clock Machine 6ft (four sides) complete at main Campus, UAF**

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Supply of Clock Six Feet Four Side Master Made With 06 Month Warranty as Approved by Authority	1.00	each		
				Total	
				ADD GST @ 18%	
				G. TOTAL	

Mandatory to Write in Words: (Urdu/English)**Contractor****Executive Engineer****ECD-M; UAF**

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 06/2024 Sr. No. 05

Name of Work: Repair and maintenance of 25 Lalazar Colony, UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	P/Fixing Floor Trape Jali 6"x6" double cover as approved site Engineer)	1.00	each		
2	Providing and fitting glazed earthen ware wash hand basin 56x40 cm (22"x16") including bracket set, waste pipe and waste coupling, etc.i) white, with pedestal	1.00	each		
3	Providing and fixing chromium plated tee stop cock 15mm (½").	4.00	each		
4	Providing and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tees top cocks, lever type BasinMixer, doubleBibCock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge (iv) Open Type Wall Shower	1.00	each		
5	Providing and fixing of Bib cock faisal made ½" dia	1.00	each		
6	Providing and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tees top cocks, lever type BasinMixer, doubleBibCock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge (ii) Lever Type Basin Mixer	1.00	each		
7	Providing and fitting European Coupled set of Water Closet (WC) and flushing Cistern of PORT Abr and (full size) i/c the cost of CP/ rubber connection, thimble, seat cover and rawal bolts complete in all respects as approved and directed by the Engineer Incharge.	1.00	each		
8	Providing and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tees top cocks, lever type BasinMixer, double Bib Cock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge (v) Muslim shower	1.00	each		
9	Providing and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tees top cocks, lever type BasinMixer, doubleBibCock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge (iii) Double Bib Cock	1.00	each		

Contractor

Executive Engineer

ECD-M; UAF

10	Providing and fixing BATHROOM ACCESSORIES (7-piece set) MASTER BRAND - One Cosmetic Shelf, One Towel rod with bracket, One soap dish, One double hook, One towel ring, brush holder, toilet paper holder & looking glass i/c the cost of hardwares etc complete in all respect as approved and directed by the Engineer incharge	1.00	each		
11	Distempering 2 coats on old surface	1984.00	%sft		
12	Scarping old distemper or paint on wall	793.60	%sft		
				Total	
				ADD PST @ 5%	
				G. TOTAL	
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer

ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 06/2024 Sr. No. 06

Name of Work: Repair and Maintenance work to House No. 04 Bilal Colony, UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Distempering 2 coats on old surface	13995.00	%sft		
2	Scarping old distemper or paint on wall	2799.00	%sft		
3	painting door and window any type 2 coats on old surface	862.08	%sft		
				Total	
				ADD PST @ 5%	
				G. TOTAL	

Mandatory to Write in Words: (Urdu/English)

Contractor

Executive Engineer

ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 06/2024 Sr. No. 07

Name of Work: Construction of damaged boundry wall to House No. 45, 46 Lalazar, UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Dismantling brick work in lime or cement mortar.	82.50	%cft		
2	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) 1) By Manual ii) in ordinary soil	176.00	%0cft		
3	Providing, laying, watering and ramming brick or stone ballast 1½"to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects.	29.04	%cft		
4	Pacca brick work in foundation and plinth in 1:6 cement sand mortor	90.75	%cft		
5	Pacca Brick work other then building in ground floor level 1:6 c/s mortor	66.00	%cft		
6	Providing and laying damp proof course of cement concrete 1:2: 4(using cement, sand and shingle), including bitumen coating 1½" thick (40 mm)	33.00	%sft		
7	Pacca brick work other than building upto 10ft. (3 m) Ratio 1:4 (labour only Bricks will be old used)	122.63	%cft		
8	cement plaster 1:4 ratio upto 20 ft height ½" thickness	687.00	%sft		
				Total	
				ADD PST @ 5%	
				G. TOTAL	

Mandatory to Write in Words: (Urdu/English)

Contractor

Executive Engineer

ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 06/2024 Sr. No. 08

Name of Work: Civil and Public health work to House No. 03 Main water supply Lalazar Colony, UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Dismantling cement concrete 1:2:4 plain	5.76	%cft		
2	Dismantling cement concrete 1:4:8 plain	15.84	%cft		
3	Dismantling glazed or encaustic tiles, etc	102.00	%sft		
4	Removing cement or lime plaster	126.00	%sft		
5	Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:-(b) Ratio 1: 4: 8	15.84	%cft		
6	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	5.76	%cft		
7	Cement pointing struck joints, on walls, upto 20' (6.00 m) hieght:-a)ratio 1:2	42.00	%sft		
8	Grouting 4½"(113 mm) dry brick work with cement mortar ratio 1: 5	48.00	%sft		
9	Applying floating coat of cement 1/32" (0.8 mm) thick.	126.00	%sft		
10	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	126.00	%sft		
11	Cement plaster 3/8" (10 mm) thick under soffit of R.C.C.roof slabs only, upto 20' height. Ratio 1:3	48.00	%sft		
12	Glazing with panes (24 oz. to 26 oz.), using putty and deodar wooden fillets	2.00	sft		
13	Providing and applying wall putty of 2mm thickness over plastered surface (new surface)top repare the surface even and smooth complete in all respect.	174.00	%sft		
14	Distempering 3 coats on new surface+ Priming coat of chalk under distemper	174.00	%sft		
15	Providing and laying superb quality Ceramic tile floors of Master brand of specified size ,Glossy /Matt /Texture of approved Color and Shade as per approved design with adhesive bond ,over 3/4" thick (1;2) cement sand plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects and as approved and directed by the Engineer Incharge i)12"x18"/12"x24"/10"x24" /8"x24"/12"x36"	50.08	sft		
16	Providing and laying superb quality Ceramic tiles dado of Master brand of specified size, Glossy/ Matt/ Texture skirting/ dado of approved Color and Shade with adhesive bond over 1/2" thick (1:2) cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects as approved and directed by the Engineer In chargei)12"x18"/12"x24"/10"x24" /8"x24"/12"x36"	176.25	sft		

Contractor

Executive Engineer

ECD-M; UAF

17	Providing, fixing, testing and commissioning of μ -PVC (Unplasticized polyvinyl Chloride) Nikasi/waste pipe make of dadex/ Popular/ Beta/ BBJ plain/ socket ended conforming to code EN-1401 of specified SDR (Standard Dimension Ratio) including the cost of specials and Solvents complete in all respect as approved and directed by the Engineer Incharge.Type (SDR 32.5/SN-8)v4"(110 mm)	26.00	rft		
18	Constructing gully grating chamber, 12"x12", (300x300mm) complete in all respects:B)concrete Gully trap 6,457.20 -457.05= 6000.15	1.00	each		
19	Providing, laying, testingand commissioning of POLYPROPYLENE RANDOM COPOLYMER (PPRC) water supply pipe made of (Dadex/Popular/Beta/BBJ) with specified pressure rating PN (PRESSURE NOMINAL) and conforming to DIN 8077-8078 code i/c cost of solvent,specials,making jharries complete in all respect as approved and directed by Engineer Incharge.(Internal/External Diameters mentioned b)PN-20 pipe (iii)(1") 32 mm	40.00	p.rft		
20	P/Fixing PPRC L-bow 32mmx $\frac{3}{4}$ " dadex made as approved site Engineer	2.00	each		
21	P/Fixing PPRC L-BOW 32/ 25mmx $\frac{1}{2}$ " dadex made as approved site Engineer	6.00	each		
22	P/Fixing of C.P Nipple 1"x $\frac{1}{2}$ "	6.00	each		
23	Providing and fixing, waste pipe of PVC:-repalacement item i) 3 cm (1 $\frac{1}{4}$ "	1.00	each		
24	Providing, fixing, testing and commissioning of μ -PVC (Unplasticized poly vinyl Chloride) Nikasi/ waste pipe Fittings make of dadex/Popular/Beta/BBJ conforming to code EN-140 1including the cost of Solvents complete in all respect as approved and directed by the EngineerIn charge(a) P-Trap(i) 4" dia	2.00	each		
25	Providing and fitting glazed earthen ware water closet,squatter type (Orisa pattern), combined with foot rest i) white	1.00	each		
26	P/Fixing Floor Trape Jali 6"x6" double cover as approved site Engineer)	1.00	each		
27	Providing and fixing chromium plated tee stop cock 15mm ($\frac{1}{2}$ ").	3.00	each		
28	Providing and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tees top cocks, lever type BasinMixer, double Bib Cock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge (v) Muslim shower	1.00	each		

Contractor

Executive Engineer

ECD-M; UAF

29	Providing and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tees top cocks, lever type BasinMixer, doubleBibCock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge (iii) Double Bib Cock	1.00	each		
30	Providing and fitting plastic made low down flushing cistern 13.63 litre (3 gallons) capacity, including bracket set, copper connection, etc. complete i) white color	1.00	each		
31	Providing and fixing BATHROOM ACCESSORIES (7-piece set) MASTER BRAND - One Cosmetic Shelf, One Towel rod with bracket, One soap dish, One double hook, One towel ring, brush holder, toilet paper holder & looking glass i/c the cost of hardwares etc complete in all respect as approved and directed by the Engineer incharge	1.00	each		
32	Cutting hole 4"x6" (100x150 mm) in stone masonry or brick wall with chisel, repairing masonry and removing debris within one chain lead.	6.00	p.hole		
				Total	
				ADD PST @ 5%	
				G. TOTAL	
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer

ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 06/2024 Sr. No. 09**Name of Work: Distemping, Plastering, Painting to Hopuse No. 24 Bilal Colony, UAF**

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Cement plaster 1:4 c/s mortor ¾" thickness	710.39	%sft		
2	Distemping 2 coats on old surface	8486.38	%sft		
3	Scarping old distemper or paint on wall	424.32	%sft		
4	painting door and window any typ 2coats on old surface	509.85	%sft		
5	painting saches fanlight wire gauzed or glazed door and window	322.25	%sft		
				Total	
				ADD PST @ 5%	
				G. TOTAL	

Mandatory to Write in Words: (Urdu/English)**Contractor****Executive Engineer****ECD-M; UAF**

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 06/2024 Sr. No. 10

Name of Work:	Plastering, Painting work etc. House No. 04 at International Villah Rajawala Colony, UAF
----------------------	---

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Grouting 4½"(113 mm) dry brick work with cement mortar ratio 1: 5	628.00	%sft		
2	Nicking concrete surface (A)Cement concrete surface	252.00	%sft		
3	cement plaster 1:4 ratio upto 20 ft height ½" thickness	73.00	%sft		
4	cement plaster 1:4 ratio upto 20 ft height ¾" (20 mm) thick	12.00	%sft		
5	Distempering 2 coats on old surface	8717.21	%sft		
6	Scaraping old distemper or paint on wall	1743.44	%sft		
7	painting door and window any typ 2coats on old surface	1202.24	%sft		
8	painting saches fanlight wire guazed or glazed door and window	464.62	%sft		
9	Providing and applying weather shield paint of approved quality on external surface of building including preparation of surface, application of primer complete in all respect old surface:	518.64	%sft		
				Total	
				ADD PST @ 5%	
				G. TOTAL	

Mandatory to Write in Words: (Urdu/English)

Contractor

Executive Engineer

ECD-M; UAF