



University of Agriculture, Faisalabad

Bidding Documents

Tender No.85/2022

SPECIAL INSTRUCTIONS

- No cutting, erasing is allowed in the Tender bid.
- Bid offered strictly in accordance with the bid document will only be accepted.
- Only typed bid will be accepted
- Call Deposit Receipt (CDR) will be preferred. However, Bank Guarantee may also be accepted in case of performance security. CDR and Bank Guarantee be deposited in the University relevant account and in that eventuality, the release of the requisite amount would be made in shape of crossed cheque after deductions of necessary taxes and bank charges
- All bidders and the representative visits the University of Agriculture, Faisalabad must ensure safety measures for COVID-19 as directed by the Govt. of Pakistan

THIS IS FOR STRICT COMPLIANCE, FAILING WHICH THE RESPECTIVE BID SHALL STAND CANCELLED

Contents

Section I.....	3
Invitation for Bids.....	3
Section II.....	5
Instructions to Bidders.....	5
Table of Clauses.....	6
Section III.....	27
Bid Data Sheet.....	27
Section IV.....	31
General Condition of Contract	32
Section V.	
Special Conditions of Contract.....	44
Table of Clauses	
Section VI.	
Schedule of Requirement	51
Section VII	
Technical Specifications	55
Section VIII.....
Sample Forms.....	77
Bids Form & Price Schedule	78,79
<i>Manufacturer's Authorization Form.....</i>	<i>80</i>

Section I.

Invitation for Bids



UNIVERSITY OF AGRICULTURE, FAISALABAD
(TENDER NOTICE No.85/2022)

The prospective bidders having Income Tax, General Sales Tax, Provincial Sales Tax (if applicable) registered with relevant authority/department are invited to submit sealed tenders on the basis of Single Stage (two envelop procedure) for purchase of **Lab. Equipment, Plant & Machinery** under project titled “**Quality Seed Production and Supply to the Farming Community for Ensuring Food Security in Pakistan**” (Domain **6: Seed Mechanization**) (in accordance with the bidding document) for the Department of Farm Machinery and Power at University of Agriculture, Faisalabad.

Date of Receiving and Opening	05.08.2022	Receiving Time	11:00 a.m.
		Opening Time	11:30 a.m.
		Bid Security	2% of the Estimated Cost
		Tender Fee	Rs.500/-
			(Free, if Download)
* Link for free Download: http://uaf.edu.pk/directorates/dpiv/dpiv_tenders.html			

1. The prospective bidder may download the bidding document carrying all details free of cost at the *link mentioned above or may have bidding document from the **Directorate of Procurement & Inventory Control (DPIC), University of Agriculture, Faisalabad (UAF)** subject to production of deposit receipt of Rs. 500/- in the University Income Account (No.11-9/NBP, UAF Branch). The bidders shall drop the bids in the Tender Box or sent through Courier as per schedule. The bids will be opened at **DPIC** as per date & time mentioned above.

2. The UAF will not be responsible for any cost or expense incurred by the bidder in connection with the preparation or delivery of bids. In case of official holiday on the day of submission, the next day will be treated as closing date.

Note: The bid must be dropped in the Tender Box available in Director Room and not to be handed over to any person of the Directorate if the bid is sent by in person or through post, the same instructions be passed on to the Courier.

DIRECTOR (DPIC)
(For & On behalf of the Committee)
Phone#041-9200898, 9200161 Extn.3503/3504/3505/3506/3507
E.Mail: dpic@uaf.edu.pk
store_officer@uaf.edu.pk

Section II.

Instructions to Bidders

Table of Clauses

A. Introduction	7
1. Source of Funds	7
2. Eligible Bidders	7
3. Eligible Goods and Services	7
4. Cost of Bidding.....	7
B. The Bidding Documents	8
5. Content of Bidding Documents	8
6. Clarification of Bidding Documents	8
7. Amendment of Bidding Documents	8
C. Preparation of Bids	9
8. Language of Bid.....	9
9. Documents Constituting the Bid.....	9
10. Bid Form	9
11. Bid Prices	10
12. Bid Currencies	12
13. Documents Establishing Bidder’s Eligibility and Qualification.....	12
14. Documents Establishing Goods’ Eligibility and Conformity to Bidding Documents	13
15. Bid Security	13
16. Period of Validity of Bids	14
17. Format and Signing of Bid.....	14
D. Submission of Bids	15
18. Sealing and Marking of Bids	15
19. Deadline for Submission of Bids	15
20. Late Bids	15
21. Modification and Withdrawal of Bids	15
E. Opening and Evaluation of Bids	16
22. Opening of Bids by the Purchaser	16
23. Clarification of Bids.....	16
24. Preliminary Examination	16
25. Conversion to Single Currency.....	18
26. Evaluation and Comparison of Bids	19
27. Domestic Preference	21
28. Contacting the Purchaser	21
F. Award of Contract	21
29. Post-qualification	21
30. Award Criteria	22
31. Purchaser’s Right to Vary Quantities at Time of Award.....	22
32. Purchaser’s Right to Accept Any Bid and to Reject Any or All Bids	23
33. Notification of Award	23
34. Signing of Contract.....	23
35. Performance Security	23
36. Corrupt or Fraudulent Practices	23
37. Blacklisting and deregistration.....	25

Instructions to Bidders

A. Introduction

1. **Source of Funds** University of Agriculture, Faisalabad.
2. **Eligible Bidders**
 - 2.1 The invitation for Bids is opened to all supplier having trade relations with Pakistan and registration for National Tax Number & Sales Tax Number with Federal Board of Revenue
 - 2.2 Bidders should not be associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Purchaser to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods to be purchased under this Invitation for Bids.
 - 2.3 Only Government owned enterprises may participate, only if they are legally allowed.
 - 2.4 bidders shall not be under a declaration of ineligibility in accordance with ITB 36.1&37 by any Government organization. The bidder shall provide affidavit to this effect.
3. **Eligible Goods and Services**
 - 3.1 All goods and related services to be supplied under the contract shall have their origin in eligible source countries, and all expenditures made under the contract will be limited to such goods and services.
 - 3.2 For purposes of this clause, “origin” means the place where the goods are mined, grown, or produced, or the place from which the related services are supplied. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components.
 - 3.3 The origin of goods and services is distinct from the nationality of the Bidder.
4. **Cost of Bidding**
 - 4.1 The Bidder shall bear all costs associated with the preparation and submission of its bid, and the Purchaser named in the bid date sheet, hereinafter referred to as “the purchaser” will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

B. The Bidding Documents

- 5. Content of Bidding Documents**
- 5.1 The goods required, bidding procedures, and contract terms are prescribed in the bidding documents. In addition to the Invitation for Bids, the bidding documents include:
- (a) Instructions to Bidders (ITB)
 - (b) Bid Data Sheet
 - (c) General Conditions of Contract (GCC)
 - (d) Special Conditions of Contract (SCC)
 - (e) Schedule of Requirements
 - (f) Technical Specifications
 - (g) Bid Form and Price Schedules
 - (h) Manufacturer's Authorization Form
 - (i) Integrity pact.
 - (j) Mechanism of Blacklisting and Deregistration
- 5.2 The Bidder is expected to examine all instructions, forms, terms, and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or to submit a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in the rejection of its bid.
- 6. Clarification of Bidding Documents**
- 6.1 A prospective Bidder requiring any clarification of the bidding documents may notify the Purchaser in writing at the Purchaser's address indicated in the **Bid Data Sheet**. The Purchaser will respond in writing to any request for clarification of the bidding documents which it receives prior to the deadline for the submission of bids prescribed in ITB Clause 19.1. Written copies of the Purchaser's response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective bidders that have received the bidding documents.
- 7. Amendment of Bidding Documents**
- 7.1 At any time prior to the deadline for submission of bids, the Purchaser, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, may modify the bidding documents by amendment.
- 7.2 All prospective bidders that have received the bidding documents will be notified of the amendment in writing and will be binding on them.
- 7.3 In order to allow prospective bidders reasonable time in which to take the amendment into account in preparing their bids, the Purchaser, at its discretion, may extend the deadline for the submission of bids.

C. Preparation of Bids

- 8. Language of Bid** 8.1 The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Purchaser shall be written in English. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified above, in which case, for purposes of interpretation of the Bid, the translation shall govern.
- 9. Documents Constituting the Bid** 9.1 The bid prepared by the Bidder shall comprise the following components:
- (a) a Bid Form and a Price Schedule completed in accordance with ITB Clauses 10, 11, and 12;
 - (b) documentary evidence established in accordance with ITB Clause 13 that the Bidder is eligible to bid and is qualified to perform the contract if its bid is accepted;
 - (c) documentary evidence established in accordance with ITB Clause 14 that the goods and ancillary services to be supplied by the Bidder are eligible goods and services and conform to the bidding documents; and
 - (d) bid security furnished in accordance with ITB Clause 15.
- 10. Bid Form** 10.1 The Bidder shall complete the Bid Form and the appropriate Price Schedule furnished in the bidding documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.
- 10.2 Bidders tendering for engineering goods produced in Pakistan shall be accorded a price preference in rupees up to a specific percentage (in proportion to the value addition) of the lowest quoted landed cost of an item of foreign origin with similar specifications as mentioned in the tenders:
- (1) Provided that-
 - (a) The saving in foreign exchange is not less than the amount of price preference: and
 - (b) It is ensured that in each case of such preference, the total import requirements for producing the supplies tendered for locally manufactured items has been duly indicated by the bidders.
 - (2) Price preference shall be allowed as under:-
 - (a) Having minimum of twenty percent value addition through indigenous manufacturing price preference shall fifteen percent;
 - (b) Having over twenty percent and up to thirty percent value addition through indigenous manufacturing, price preference shall be twenty percent, and
 - (c) Having over thirty percent value addition through indigenous manufacturing, price preference shall be twenty five percent.

- (3) For the purpose of granting a margin of domestic preference bids will be classified into following groups.

Group.A. Bids offering engineering goods produced in Pakistan.

Group.B. Bids offering good of foreign origin to be imported by the purchaser through the supplier's Local (Pakistan) Agent.

Group.C. Bids offering good of foreign origin to be imported by the purchaser directly.

11. Bid Prices

11.1 The Bidder shall indicate on the appropriate Price Schedule the unit prices (where applicable) and total bid price of the goods it proposes to supply under the contract.

11.2 Prices indicated on the Price Schedule shall be entered separately in the following manner or specified otherwise in the Bid Data Sheet:-

- a). for goods offered from within Pakistan;

the price shall be quoted on FOR UAF basis. (FOR means the price of goods quoted by the bidder shall be inclusive of all costs, expenses, charges, duties and taxes etc. whatsoever incidental to their delivery, installation and commissioning as the case may be at UAF site).

- b) for goods offered from abroad by the LOCAL AGENT:

the price shall be quoted Cost and Freight (CFR), Carriage Paid to (Duty Paid) (CPT) Karachi seaport or Lahore/Faisalabad airport Pakistan, as the case may be. The bidder shall also add all cost expenses, charges, duties and taxes etc. whatsoever expect customs, incidental to delivery installation/commissioning of goods from the port of destination to UAF site. The bidder, in quoting the price, shall be free to use transportation in abroad except transit and means of transport through/of Israel. The LC at sight, as on Usance basis and Advance Payment will be governed as per following:-

i. LC AT SIGHT

The bidder shall provide Performa Invoice of principal on CPT/CFR basis as per supply order along with Insurance / Cover Note and CDR **within fortnight** in favor of Director (DPIC) as security equal to 100% amount of the goods to initiate the LC at sight.

ii. LC ON USANCE BASIS

In case the bidder, is unable to provide CDR in favor of Director (DPIC) as security equal to 100% amount of the goods to be imported, may chose this option and shall provide Performa Invoice of principal on CPT/CFR basis as per supply order along with Insurance / Cover Note **within fortnight** to initiate the LC on usance basis (minimum usance period 60 days from the date of Airway Bill **OR** 90 days from the date of Bill of Lading).

iii. ADVANCE PAYMENT

The bidder shall provide Performa Invoice of principal on CPT/CFR basis as per supply order along with Insurance / Cover Note and CDR **within fortnight** in favor of Director (DPIC) as

security equal to 100% amount of the goods to be imported to proceed for advance payment to the exporter. However, this option will be had where the value of the goods to be imported is up to US \$ 10,000 or varied in accordance with the instructions of the State Bank of Pakistan and Pakistan Customs issued from time to time and remittance will also be made accordingly.

iv. OPEN ACCOUNT

In case the bidder has not opted for import through LC (at sight or Usance basis or advance payment) may opt this option and shall provide Performa Invoice of principal on CPT/CFR basis as per supply order **within fortnight**. However, remittance will be made maximum up to six months from the date of filing of Goods Declaration (GD) form or otherwise as per Foreign Exchange Manual of State Bank of Pakistan and Pakistan Customs or instruction issued in this regard from time to time.

v. CONTRACT / COLLECTION

In case the bidder has not opted the options referred to “i to iv” above and may opt for this option. The bidder shall provide Performa Invoice of principal on CPT/CFR basis as per supply order **within fortnight**. The minimum period for remittance will be 60 days from the date of Airway Bill **OR** 90 days from the date of Bill of Lading. However, remittance will be made as per Foreign Exchange Manual of State Bank of Pakistan and Pakistan Customs or instruction issued in this regard from time to time.

vi. INCIDENTAL CHARGES FOR IMPORT OF GOODS:

All charges (Inside/outside Pakistan) like insurance, LC/bank and clearance of consignment from port/custom authorities will be borne by the bidder.

vii. RELEASE OF CDR

In case of LC at sight and advance payment to exporter, the CDR equal to 100% amount of the shipment as security will be released by Director (DPIC) after receiving of satisfactory inspection/installation/commissioning report from convener tender committee concerned.

viii. INITIATION OF REMITTANCE TO THE EXPORTER

In case of LC on usance basis, import on Open Account and Contract / Collection basis, the Director (DPIC) will initiate remittance through the concern bank to the exporter after receiving the satisfactory inspection/installation/commissioning report from the purchaser or the convener tender committee as the case may be.

DELIVERY PERIOD

After receiving the transmitted LC (at sight OR Usance Basis) OR swift acknowledgment against advance payment / proof of advance payment OR supply order on “Open Account” or “Contract / Collection” basis, the local supplier is responsible to provide complete set of shipping documents [i.e. Airway Bill/Seaway Bill/Bill of Lading, Commercial Invoice, Packing List, Country of Origin Certificate and any other document(s) related to shipment (if required) along with detail of bidder’s clearing agent for issuance of authority letter for clearance of consignment from port / custom authorities] ***within 6 weeks from the date of opening of LC (at sight or usance basis), advance payment and date of supply order for import of goods on “Open Account” or “Contract / Collection” basis. Moreover, after clearance of consignment by bidder from port / custom authorities, will deliver the consignment to the purchaser along with complete set of post shipment documents***

within 05 days from the date of Authority Letter. After expiry of the requisite period, firm will require to apply for extension in delivery period. However, after due scrutiny the Committee may extend the delivery period with liquidated damages as per applicable rate if the delay is on part of the bidder or without liquidated damages if the delay is on the part of the procuring agency or due to “force majeure”.

NOTE:

In case of late submission of Proforma Invoice, shipping documents and delivery of goods, difference of exchange rate on higher side as well as liquidated damages shall be recovered out of belongings of the bidders @ 0.67% of the value of the goods up to maximum 10% of the value of goods.

11.3 The terms CFR, CPT, etc., shall be governed by the rules prescribed in the current edition of *Incoterms* published by the International Chamber of Commerce, Paris or otherwise specified in the Bid Data Sheet and SCC

11.4 The Bidder’s separation of price components in accordance with ITB Clause 11.2 above will be solely for the purpose of facilitating the comparison of bids by the Purchaser and will not in any way limit the Purchaser’s right to contract on any of the terms offered.

11.5 Prices quoted by the Bidder shall be fixed during the Bidder’s performance of the contract and not subject to variation on any account, unless otherwise specified in the Bid Data Sheet. A bid submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to ITB Clause 24. If, however, in accordance with the Bid Data Sheet, prices quoted by the Bidder shall be subject to adjustment during the performance of the contract, a bid submitted with a fixed price quotation will not be rejected, but the price adjustment would be treated as zero.

12. Bid Currencies

12.1 Prices shall be quoted in the following currencies:

- (a) For goods and services that the Bidder will supply from within the Purchaser Country, the prices shall be quoted in Pak Rupees, unless otherwise specified in the **Bid Data Sheet**.
- (b) For goods and services that the Bidder will supply from outside the Purchaser Country, the prices shall be quoted in any currency. However the payment will only be made by the purchaser in pak rupees in case of ITB clause 11.2 (b) and SCC.

13. Documents Establishing Bidder’s Eligibility and Qualification

13.1 Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, documents establishing the Bidder’s eligibility to bid and its qualifications to perform the contract if its bid is accepted.

13.2 The documentary evidence of the Bidder’s eligibility to bid shall establish to the Purchaser’s satisfaction that the Bidder, at the time of submission of its bid, is from an eligible country as defined under ITB Clause 2.

13.3 The documentary evidence of the Bidder’s qualifications to perform the contract if its bid is accepted shall establish to the Purchaser’s satisfaction:

- (a) that, in the case of a Bidder offering to supply goods under the contract which the Bidder did not manufacture or otherwise produce, the Bidder has been duly authorized by

the goods' Manufacturer or producer to supply the goods in the Purchaser Country;

- (b) that the Bidder has the financial, technical, and production capability necessary to perform the contract;
- (c) that, in the case of a Bidder not doing business within the Purchaser Country, the Bidder is or will be (if awarded the contract) represented by an Agent in that country equipped and able to carry out the Supplier's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications; and
- (d) that the Bidder meets the qualification criteria listed in the **Bid Data Sheet**.

14. Documents Establishing Goods' Eligibility and Conformity to Bidding Documents

- 14.1 Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, documents establishing the eligibility and conformity to the bidding documents of all goods and services which the Bidder proposes to supply under the contract.
- 14.2 The documentary evidence of the eligibility of the goods and services shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.
- 14.3 The documentary evidence of conformity of the goods and services to the bidding documents may be in the form of literature, drawings, and data, and shall consist of:
 - (a) a detailed description of the essential technical and performance characteristics of the goods;
 - (b) a list giving full particulars, including available sources and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period to be specified in the **Bid Data Sheet**, following commencement of the use of the goods by the Purchaser; and
 - (c) an item-by-item commentary on the Purchaser's Technical Specifications demonstrating substantial responsiveness of the goods and services to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.
- 14.4 For purposes of the commentary to be furnished pursuant to ITB Clause 14.3(c) above, the Bidder shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Purchaser in its Technical Specifications, are intended to be descriptive only and not restrictive. The Bidder may substitute alternative standards, brand names, and/or catalogue numbers in its bid, provided that it demonstrates to the Purchaser's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

15. Bid Security

- 15.1 Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, a bid security @ 2% of the Estimated Cost or in the amount specified otherwise in the **Bid Data Sheet**.
- 15.2 The bid security is required to protect the Purchaser against the risk of Bidder's conduct which would warrant the security's

forfeiture, pursuant to ITB Clause 15.7.

15.3 The bid security shall be denominated in the currency of the bid or in another freely convertible currency, and shall be in one of the following forms:

(a) Call deposit receipt (CDR).

15.4 Any bid not secured in accordance with ITB Clauses 15.1 and 15.3 will be rejected by the Purchaser as nonresponsive, pursuant to ITB Clause 24.

15.5 Unsuccessful bidders' bid securities will be discharged or returned as promptly as possible but not later than thirty (30) days after the expiration of the period of bid validity prescribed by the Purchaser pursuant to ITB Clause 16.

15.6 The successful Bidder's bid security will be discharged upon the Bidder signing the contract, pursuant to ITB Clause 34, and furnishing the performance security, pursuant to ITB Clause 35.

15.7 The bid security may be forfeited:

(a) if a Bidder:

(i) withdraws its bid during the period of bid validity specified by the Bidder on the Bid Form, or

(ii) does not accept the correction of errors pursuant to ITB Clause 24.2; or

(b) in the case of a successful Bidder, if the Bidder fails:

(i) to sign the contract in accordance with ITB Clause 34; or

(ii) to furnish performance security in accordance with ITB Clause 35.

**16. Period of
Validity of
Bids**

16.1 Bids shall remain valid for the period specified in the **Bid Data Sheet** after the deadline date of bid submission prescribed by the Purchaser, pursuant to ITB Clause 19. A bid valid for a shorter period shall be rejected by the Purchaser as nonresponsive.

16.2 In exceptional circumstances, the Purchaser may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The bid security provided under ITB Clause 15 shall also be suitably extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid.

**17. Format and
Signing of
Bid**

17.1 The Bidder shall prepare an original bid indicated in the **Bid Data Sheet**, clearly marking each "TECHNICAL BID" and "FINANCIAL BID," as appropriate. In the event of any discrepancy between them, the original shall govern.

17.2 The original bid shall be typed and signed by the Bidder or a person or persons duly authorized to bind the Bidder to the contract. All pages of the bid, except for unamended printed literature, shall be initialed by the person or persons signing the bid.

- 17.3 Any interlineations, erasures, or overwriting shall be valid only if they are initialed by the person or persons signing the bid.
- 17.4 The Bidder shall furnish information as described in the Form of Bid on commissions or gratuities, if any, paid or to be paid to agents relating to this Bid, and to contract execution if the Bidder is awarded the contract.

D. Submission of Bids

18. Sealing and Marking of Bids

- 18.1 The Bidder shall seal the Technical and Financial Bid in separate envelopes, duly marking the envelopes as “TECHNICAL” and “FINANCIAL.” The envelopes shall then be sealed in an outer envelope.
- 18.2 The inner and outer envelopes shall:
- (a) be addressed to the Purchaser at the address given in the **Bid Data Sheet**; and
 - (b) bear the Project name indicated in the Bid Data Sheet, the Invitation for Bids (IFB) title and number indicated in the Bid Data Sheet, and a statement: “DO NOT OPEN BEFORE,” to be completed with the time and the date specified in the **Bid Data Sheet**, pursuant to ITB Clause 22.1.
- 18.3 The inner envelopes shall also indicate the name and address of the Bidder to enable the bid to be returned unopened in case it is declared “late.”
- 18.4 If the outer envelope is not sealed and marked as required by ITB Clause 18.2, the Purchaser will assume no responsibility for the bid’s misplacement or premature opening.

19. Deadline for Submission of Bids

- 19.1 Bids must be received by the Purchaser at the address specified under ITB Clause 18.2 (a) not later than the time and date specified in the **Bid Data Sheet**.
- 19.2 The Purchaser may, at its discretion, extend this deadline for the submission of bids by amending the bidding documents in accordance with ITB Clause 7, in which case all rights and obligations of the Purchaser and bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

20. Late Bids

- 20.1 Any bid received by the Purchaser after the deadline for submission of bids prescribed by the Purchaser pursuant to ITB Clause 19 will be rejected and returned unopened to the Bidder.

21. Modification and Withdrawal of Bids

- 21.1 The Bidder may modify or withdraw its bid after the bid’s submission, provided that written notice of the modification, including substitution or withdrawal of the bids, is received by the Purchaser prior to the deadline prescribed for submission of bids.
- 21.2 The Bidder’s modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of ITB Clause 18. A withdrawal notice may also be sent by fax, but followed by a signed confirmation copy, postmarked not later than the deadline for submission of bids.
- 21.3 No bid may be modified after the deadline for submission of bids.
- 21.4 No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity

specified by the Bidder on the Bid Form. Withdrawal of a bid during this interval may result in the Bidder's forfeiture of its bid security, pursuant to the ITB Clause 15.7.

E. Opening and Evaluation of Bids

- 22. Opening of Bids by the Purchaser**
- 22.1 The Purchaser will open all bids in the presence of bidders' representatives who choose to attend, at the time, on the date, and at the place specified in the **Bid Data Sheet**. The bidders' representatives who are present shall sign a register evidencing their attendance.
- 22.2 The bidders' names, bid modifications or withdrawals, bid prices, discounts, and the presence or absence of requisite bid security and such other details as the Purchaser, at its discretion, may consider appropriate, will be announced at the opening. No bid shall be rejected at bid opening, except for late bids, which shall be returned unopened to the Bidder pursuant to ITB Clause 20.
- 22.3 Bids (and modifications sent pursuant to ITB Clause 21.2) that are not opened and read out at bid opening shall not be considered further for evaluation, irrespective of the circumstances.
- 22.4 The Purchaser will prepare minutes of the bid opening.
- 23. Clarification of Bids**
- 23.1 During evaluation of the bids, the Purchaser may, at its discretion, ask the Bidder for a clarification of its bid. The request for clarification and the response shall be in writing, and no change in the prices or substance of the bid shall be sought, offered, or permitted.
- 24. Preliminary Examination**
- 24.1 The Purchaser will examine the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the bids are generally in order.
- 24.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If there is a discrepancy between words and figures, the amount in words will prevail. If the Supplier does not accept the correction of the errors, its bid will be rejected, and its bid security may be forfeited.
- 24.3 The Purchaser may waive any minor informality, nonconformity, or irregularity in a bid which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any Bidder.
- 24.4 Prior to the detailed evaluation, pursuant to ITB Clause 26, the Purchaser will determine the substantial responsiveness of each bid to the bidding documents. For purposes of these Clauses, a substantially responsive bid is one which conforms to all the terms and conditions of the bidding documents without material deviations. Deviations from, or objections or reservations to critical provisions, **such as** those concerning Bid Security (ITB Clause 15), Applicable Law (GCC Clause 31), and Taxes and Duties (GCC Clause 33), will be deemed to be a material

deviation. The Purchaser's determination of a bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence.

- 24.5 If a bid is not substantially responsive, it will be rejected by the Purchaser and may not subsequently be made responsive by the Bidder by correction of the nonconformity.

25. Conversion to Single Currency

25.1 To facilitate evaluation and comparison, the Purchaser will convert all bid prices expressed in the amounts in various currencies in which the bid prices are payable to either:

- (a) Purchaser Country at the selling exchange rate established for similar transactions by the State Bank of Pakistan and National Bank of Pakistan or specified otherwise;

25.2 The currency selected for converting bid prices to a common base for the purpose of evaluation is Pak Rupees to be converted as per rate of the bank shown in ITB 25.1 (a) on the date of opening of the financial bid or specified otherwise in the **Bid Data Sheet**.

26. Evaluation and Comparison of Bids

26.1 The Purchaser will evaluate and compare the bids which have been determined to be substantially responsive, pursuant to ITB Clause 24.

26.2 The Purchaser's evaluation of a bid will take into account, in addition to the bid price quoted in accordance with ITB Clause 11.2, one or more of the following factors as specified in the **Bid Data Sheet**, and quantified in ITB Clause 26.3:

- (a) delivery schedule offered in the bid;
- (b) deviations in payment schedule from that specified in the Special Conditions of Contract;
- (c) the cost of components, mandatory spare parts, and service;
- (d) the availability in the Purchaser's country of spare parts and after-sales services for the equipment offered in the bid;
- (e) the projected operating and maintenance costs during the life of the equipment;
- (f) the performance and productivity of the equipment offered; and/or
- (g) other specific criteria indicated in the **Bid Data Sheet** and/or in the Technical Specifications.

26.3 For factors retained in the Bid Data Sheet pursuant to ITB 26.2, one or more of the following quantification methods will be applied, as detailed in the Bid Data Sheet:

- (a) *Delivery schedule.*
 - (i) The goods covered under this invitation are required to be delivered (shipped) within an acceptable range of weeks specified in the Schedule of Requirement. No credit will be given to earlier deliveries, and bids offering delivery beyond this range will be treated as nonresponsive. Within this acceptable range, an adjustment per week, as specified in the **Bid Data Sheet**, will be added for evaluation to the bid price of bids offering deliveries later than the earliest delivery period specified in the Schedule of Requirements.
- (b) *Deviation in payment schedule.*
 - (i) The SCC stipulates the payment schedule offered by the Purchaser. If a bid deviates from the schedule it will be considered as non-responsive bid.
- (c) *Cost of spare parts.*
 - (i) The list of items and quantities of major assemblies, components, and selected spare parts, likely to be required during the initial period of operation shall be specified by the bidder. The total cost of these items, at the unit prices quoted in each bid, will be added to the bid price.

or

- (ii) The bidder will draw up a list of high-usage and high-value items of components and spare parts, along with estimated quantities of usage in the initial

period of operation. The total cost of these items and quantities will be computed from spare parts unit prices submitted by the Bidder and added to the bid price.

- (d) *Spare parts and after sales service facilities in the Purchaser's country.*

The cost to the Purchaser of establishing the minimum service facilities and parts inventories, if outlined in the **Bid Data Sheet** or elsewhere in the bidding documents, if quoted separately, shall be added to the bid price.

- (e) *Operating and maintenance costs.*

Since the operating and maintenance costs of the goods under procurement form a major part of the life cycle cost of the equipment, these costs will be evaluated in accordance with the criteria specified in the **Bid Data Sheet** or in the Technical Specifications.

- (f) *Performance and productivity of the equipment.*

- (i) Goods offered shall have a minimum productivity specified under the relevant provision in the Technical Specifications to be considered responsive. Evaluation shall be based on the cost per unit of the actual productivity of goods offered in the bid or otherwise specified in the **Bid Data Sheet** or in the Technical Specifications.

- (g) *Specific additional criteria*

Other specific additional criteria to be considered in the evaluation and the evaluation method shall be detailed in the **Bid Data Sheet** and/or the Technical Specifications.

26.4. **Delivery Schedule.**

As mentioned in Bid Data Sheet.

27. Domestic Preference

- 27.1 If the **Bid Data Sheet** so specifies, the Purchaser will grant a margin of preference to goods manufactured in the Purchaser's country for the purpose of bid comparison, in accordance with the procedures outlined in subsequent paragraphs, provided the Bidder shall have established to the satisfaction of the Purchaser that its bid complies with the criteria specified in ITB Clause 10.2 (a):
- 27.2 The Purchaser will first review the bids to confirm the appropriateness of, and to modify as necessary, the bid group classification to which bidders assigned their bids in preparing their Bid Forms and Price Schedules, pursuant to ITB Clauses 10 and 11.
- 27.3 All evaluated bids in each group will then be compared among themselves to determine the lowest evaluated bid of each group. The lowest evaluated bid of each group will next be compared with the lowest evaluated bids of the other groups. If this comparison results in a bid from Group A or Group B being the lowest, it will be selected for contract award.
- 27.4 If, as a result of the preceding comparison, the lowest evaluated bid is from Group C, all Group C bids will then be further compared with the lowest evaluated bid from Group A, after adding to the evaluated bid price of the imported goods offered in each Group C bid, for the purpose of this further comparison only:
- (a) the amount of customs duties and other import taxes that a nonexempt importer would have to pay for the importation of goods offered in each Group C bid;

If the Group A bid in the further comparison is the lowest, it will be selected for award. If not, the lowest evaluated bid from Group C, as determined from the comparison under ITB Clause 27.3 above, will be selected for award.

28. Contacting the Purchaser

- 28.1 From the time of bid opening to the time of contract award, if any bidder wishes to contact the Purchaser on any matter related to the bid, it should do so in writing.
- 28.2 Any effort by a Bidder to influence the Purchaser in its decisions on bid evaluation, bid comparison, or contract award may result in the rejection of the Bidder's bid.

F. Award of Contract**29. Post-qualification**

- 29.1 In the absence of prequalification, the Purchaser will determine to its satisfaction whether the Bidder that is selected as having submitted the lowest evaluated responsive bid is qualified to perform the contract satisfactorily, in accordance with the criteria listed in ITB Clause 13.3.
- 29.2 The determination will take into account the Bidder's financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB Clause

13.3, as well as such other information as the Purchaser deems necessary and appropriate.

29.3 An affirmative determination will be a prerequisite for award of the contract to the Bidder. A negative determination will result in rejection of the Bidder's bid, in which event the Purchaser will proceed to the next lowest evaluated bid to make a similar determination of that Bidder's capabilities to perform satisfactorily.

**30. Award
Criteria**

30.1 Subject to ITB Clause 32, the Purchaser will award the contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined to be the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the contract satisfactorily.

**31. Purchaser's
Right to Vary
Quantities at
Time of
Award**

31.1 The Purchaser reserves the right at the time of contract award to increase or decrease, as per requirement, the quantity of goods and services originally specified in the Schedule of Requirements without any change in unit price or other terms and conditions.

- 32. Purchaser's Right to Accept Bid and to Reject All Bids** 32.1 The Purchaser reserves the right to accept bid and to annul the bidding process and reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder or bidders.
- 33. Notification of Award** 33.1 Prior to the expiration of the period of bid validity, the Purchaser will notify/inform the successful and unsuccessful Bidder in writing by letter or by Fax/ e-mail, or telephonically, that its bid has been accepted and unaccepted as the case may be.
- 33.2 The notification of award will constitute the formation of the Contract.
- 33.3 Upon the successful Bidder's furnishing of the performance security pursuant to ITB Clause 35, the Purchaser will discharge bid security to each unsuccessful Bidder on his written request, pursuant to ITB Clause 15.
- 33.4 If, after notification of award, a Bidder wishes to ascertain the grounds on which its bid was not selected, it should address its request to the Purchaser. The Purchaser will promptly respond in writing to the unsuccessful Bidder.
- 34. Signing of Contract** 34.1 After 10 days from the announcement of evaluation report, the Purchaser will send supply order or Formal Contract as the case may be to successful bidder. In case of formal contract, the successful bidder will send back the contract to the purchaser duly signed within 7 days from the issuance date. Failing which the Purchaser reserves the right under ITB Clause 15.7.
- 35. Performance Security** 35.1 Within Seven (07) days from the issuance of acceptance letter from the Purchaser, the successful Bidder shall furnish the performance security in shape of any bank instrument as desired in Page # 1 of Bidding Document. In case the amount of bid security is equal or greater than the value of the goods to be supplied then the bidder shall not require furnishing the performance security separately and the bid security will be retained to meet the requirement of performance security.
- 35.2 Failure of the successful Bidder to comply with the requirement of ITB Clause 35.1 shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, in which event the Purchaser may make the award to the next lowest evaluated Bidder or call for new bids. **The purchaser can also purchase at risk and cost of the 1st lowest bidder (from 2nd lowest bidder or from market).**
- 36. Corrupt or Fraudulent Practices** 36.1 The purchaser as well as Bidders/Suppliers/Contractors should observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the PPRA Govt. of the Punjab;
- (a) the terms set forth below as follows:
- (i) "corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and
- (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Purchaser, and includes collusive practice among

Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Purchaser of the benefits of free and open competition;

- (b) The purchaser will reject a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;
- (c) The Purchaser will declare a firm ineligible, either indefinitely or for a stated period of time, to be awarded a University Contract if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing, a University Contract.

36.2 Furthermore, Bidders shall be aware of the provision stated in Clauses 5.4 and 24.1 of the General Conditions of Contract.

37. Blacklisting

(1) A procuring agency may, for a specified period debar a bidder or contractor from participating in any public procurement process of the procuring agency, if the bidder or contractor has:

- (a) acted in a manner detrimental to the public interest or good practices;
- (b) consistently failed to perform his obligation under the contract;
- (c) not performed the contract up to the mark; or
- (d) indulged in any corrupt practice

2. If a procuring agency debars a bidder or contractor under sub-rule (1), the procuring agency;

- (a) shall forward the decision to the Authority for publication on the website of the Authority; and
- (b) may request the Authority to debar the bidder or contractor for procurement of all procuring agencies.

(3) The Managing Director PPRA, Punjab may debar a bidder or contractor of any procuring agency from participating in any public procurement process of all or some of the procuring agencies for such period as the Managing Director may determine.

(4) Any person aggrieved by a declaration made under rule 20 or a decision under sub-rule (1) of this rule may, within thirty days from the date of the publication of the information on the website of the Authority, file a representation before the Managing Director and the Managing Director may pass such order on the representation as he may deem fit.

(5) Any person or procuring agency aggrieved by an order under sub-rule (3) or (4) may, within thirty days of the order, file a representation before the Chairperson and the Chairperson may pass such order on the representation as it may deem appropriate.

(6) The mechanism or process for barring a bidder or contractor from participating in procurement process of a procuring agency, procuring agencies and a representation under this rule is specified in the Appendix-1

Appendix - I

Subject: **MECHANISM OF BLACKLISTING**

BLACKLISTING MECHANISM OR PROCESS

1. The procuring agency may, on information received from any resource, issue show cause notice to a bidder or contractor.
2. The show cause notice shall contain:
 - (a) precise allegation, against the bidder or contractor;
 - (b) the maximum period for which the procuring agency proposes to debar the bidder or contractor from participating in any public procurement of the procuring agency; and
 - (c) the statement, if needed, about the intention of the procuring agency to make a request to the Authority for debarring the bidder or contractor from participating in public procurements of all the procuring agencies.
3. The procuring agency shall give minimum of seven days to the bidder or contractor for submission of written reply of the show cause notice.
4. In case, the bidder or contractor fails to submit written reply within the requisite time, the procuring agency may issue notice for personal hearing to the bidder or contractor/ authorize representative of the bidder or contractor and the procuring agency shall decide the matter on the basis of available record and personal hearing, if availed.
5. In case the bidder or contractor submits written reply of the show cause notice, the procuring agency may decide to file the matter or direct issuance of a notice to the bidder or contractor for personal hearing.
6. The procuring agency shall give minimum of seven days to the bidder or contractor for appearance before the specified officer of the procuring agency for personal hearing.
7. The procuring agency shall decide the matter on the basis of the available record and personal hearing of the bidder or contractor, if availed.
8. The procuring agency shall decide the matter within fifteen days from the date of personal hearing unless the personal hearing is adjourned to a next date and in such an eventuality, the period of personal hearing shall be reckoned from the last date of personal hearing.
9. The procuring agency shall communicate to the bidder or contractor the order of debarring the bidder or contractor from participating in any public procurement with a statement that the bidder or contractor may, within thirty days, prefer a representation against the order before the Managing Director of the Authority.
10. The procuring agency shall, as soon as possible, communicate the order of blacklisting to the Authority with the request to upload the information on its website.
11. If the procuring agency wants the Authority to debar the bidder or contractor from participating in any public procurement of all procuring agencies, the procuring agency shall specify reasons for such dispensation.

12. The Authority shall immediately publish the information and decision of blacklisting on its website.

13. In case of request of a procuring agency under para 11 or representation of any aggrieved person under rule 21 of UAF Procurement Rules 2014, the Managing Director shall issue a notice for personal hearing to the parties and call for record of proceedings of blacklisting. The parties may file written statements and documents in support of their contentions.

14. In case of representation of any aggrieved person or procuring agency under rule 21 of UAF Procurement Rules 2014, the Chairperson shall issue a notice for personal hearing to the parties and may call for the record of the proceedings. The parties may file written statements and documents in support of their contentions.

15. In every order of blacklisting under rule 21 of UAF Procurement Rules 2014, the procuring agency shall record reasons of blacklisting and also reasons for short, long or medium period of blacklisting.

16. The Authority shall upload all the decisions under rule 21 of UAF Procurement Rules 2014, available with it, on its website. But the name of a bidder or contractor shall immediately be removed from the list of blacklisted persons on expiry of period of blacklisting or order of the competent authority to that effect, whichever is earlier.

17. An effort shall be made for electronic communication of all the notices and other documents pursuant to this mechanism or process.

37.1 The bidder shall provide undertaking that the firm not blacklisted by any of Provincial or Federal Government Department, Agency, Organization or autonomous body or private Sector Organization anywhere in Pakistan.

Section III.

Bid Data Sheet

Bid Data Sheet

The following specific data for the goods to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

A-Introduction	
ITB 2.1	The invitation for Bids is opened to all suppliers having registration for National Tax Number & Sales Tax Number with Federal Board of Revenue.
ITB2.3	Government owned enterprises may participate, only if they are legally allowed.
ITB 2.4	In addition to the contents of ITB 2.4 the bidder shall not be blacklisted by any organization of the Government of the Punjab as well as Federal Government. The bidder shall provide affidavit to this effect.
B- Bidding Documents	
ITB 5.1(h)	Not applicable
ITB 6.1	<p>Purchaser's address: Prof. Dr. Muhammad Azam Khan, Department of Farm Machinery and Power THROUGH</p> <p style="color: red;">Directorate of Procurement & Inventory Control (DPIC) University of Agriculture, Faisalabad Phone No. 041-9200898</p> <p style="color: red;"><u>FOR TECHNICAL RESPONSE:</u></p> <p>1. Prof. Dr. Muhammad Azam Khan, Department of Farm Machinery and Power 2. Engr. Hafiz Muhammad Nauman, Lecturer, Department of Farm Machinery and Power 3. Engr. Furqan Muhayodin, Lecturer, Department of Farm Machinery and Power</p>
C-Preparation of Bid	
ITB 8.1	Language of the bid. “English”
ITB 11.2	Prices on F.O.R. basis is required
ITB 11.2 (c) ITB 11.3	Not applicable
ITB 13.3 (d)	<p>Qualification requirements attached with Technical Bid:-</p> <p>1. Company /Bidder Profile:</p> <ol style="list-style-type: none"> a. Experience 2 Years from NTN Registration b. Name of owner/proprietor c. Copy of CNIC d. Date of Establishment, Age of Firm e. Copy of NTN and Sales Tax Registration f. Copy of Valid Professional Tax or previous year g. Submission of undertaking that the firm not blacklisted by any of Provincial or Federal Government Department, Agency, Organization or autonomous body or private Sector Organization anywhere in Pakistan

ITB 15.1	<u>Amount of bid security.</u> 2% of the Estimated Cost in shape of Call Deposit Receipt (CDR) in favour of Director (DPIC), UAF to be attached with the technical Bid. However, if attached with financial bid, please mention CDR No., Date and Bank Name
ITB 16.1	Bid validity period. 90 Days
ITB 17.1	Bid: Single Stage (two envelop procedure)
D-Submission of Bid	
ITB 18.2 (a)	Address for bid submission. Directorate of Procurement & Inventory Control (DPIC), University of Agriculture, Faisalabad (UAF)
ITB 18.2 (b)	Tender Notice No. 85/2022
ITB 19.1	Deadline for bid submission: 05.08.2022
E-Bid Evaluation	
ITB 25.1(a)	State Bank or a Commercial Bank to be read as State Bank of Pakistan and National Bank of Pakistan
ITB 25.2	The common base currency is PAK Rupee to be converted as per rate of the bank shown in ITB 25.1(a) of the bid data sheet on the date of opening of the financial bid.
ITB 26.3 (a)(i)	The SCC stipulates the payment schedule offered by the purchaser. If a bid deviates from the schedule then it will be considered as non-responsive.
ITB 26.3 (c)	The bidder will provide the cost of spare parts required to be replaced during whole life of the goods after the expiry of warranty period.
ITB 26.3 (e)	The bidder will provide :- i) Cost of consumables N/A ii) Unit of energy consumption per hour N/A iii) Life cycle of the goods N/A
ITB 26.3 (f)	Performance and productivity of Articles. As per Technical Specification
ITB 26.3 (g)	As per specification.
ITB 27	As per ITB clause 10.2 prior to the award of procurement contract
ITB 33	Subject to PPRA Rule 2014/UAF Procurement Rule 2014, the bidder with the lowest evaluated bid, if not in conflict with any other law, shall be awarded the procurement contract within the original or extended bid validity period after 10 days of announcement of the evaluation report.

Section IV.

General Conditions of Contract

Table of Clauses

1.	Definitions.....	32
2.	Application.....	33
3.	Country of Origin.....	33
4.	Standards.....	33
5.	Use of Contract Documents and Information; Inspection and Audit by Purchaser.....	33
6.	Patent Rights.....	34
7.	Performance Security.....	34
8.	Inspections and Tests.....	34
9.	Packing.....	35
10.	Delivery and Documents.....	35
11.	Insurance.....	36
12.	Transportation.....	36
13.	Incidental Services.....	37
14.	Spare Parts.....	37
15.	Warranty.....	37
16.	Payment.....	38
17.	Prices.....	39
18.	Change Orders.....	39
19.	Contract Amendments.....	39
20.	Assignment.....	39
21.	Subcontracts.....	39
22.	Delays in the Supplier's Performance.....	40
23.	Liquidated Damages.....	40
24.	Termination for Default.....	40
25.	Force Majeure.....	41
26.	Termination for Insolvency.....	41
27.	Termination for Convenience.....	42
28.	Settlement of Disputes.....	42
29.	Limitation of Liability.....	43
30.	Governing Language.....	43
31.	Applicable Law.....	43
32.	Notices.....	43
33.	Taxes and Duties.....	43

General Conditions of Contract

1. Definitions

- 1.1 In this Contract, the following terms shall be interpreted as indicated:
- (a) “The Contract” means the agreement entered into between the Purchaser and the Supplier, as recorded in the Contract Form signed by the parties, or the supply order issued by the purchaser to the supplier, as the case may be, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - (b) “The Contract Price” means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
 - (c) “The Goods” means all of the equipment, machinery, and/or other materials which the Supplier is required to supply to the Purchaser under the Contract.
 - (d) “The Services” means those services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.
 - (e) “GCC” means the General Conditions of Contract contained in this section.
 - (f) “SCC” means the Special Conditions of Contract.
 - (g) “The Purchaser” means the organization purchasing the Goods, as mentioned in Bid Data Sheet.
 - (h) “The Purchaser’s country” is **Pakistan**.
 - (i) “The Supplier” means the individual or firm supplying the Goods and Services under this Contract and **named in Supply Order**.
 - (j) “The University” means the **University of Agriculture, Faisalabad**.
 - (k) “The Project Site,” where applicable, means the place or places **named in Bid Data Sheet and technical specifications**
 - (l) “Day” means calendar day.

- 2. Application** 2.1 These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of the Contract.
- 3. Country of Origin** 3.1 All Goods and Services supplied under the Contract shall have their origin in the countries as elaborated in the **Technical Specifications**.
- 3.2 For purposes of this Clause, “origin” means the place where the Goods were mined, grown, or produced, or from which the Services are supplied. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 3.3 The origin of Goods and Services is distinct from the nationality of the Supplier.
- 4. Standards** 4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications, and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Goods’ country of origin. Such standards shall be the latest issued by the concerned institution.
- 5. Use of Contract Documents and Information; Inspection and Audit by Purchaser** 5.1 The Supplier shall not, without the Purchaser’s prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Purchaser in connection therewith, to any person other than a person employed by the Supplier in the performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The Supplier shall not, without the Purchaser’s prior written consent, make use of any document or information enumerated in GCC Clause 5.1 except for purposes of performing the Contract.
- 5.3 Any document, other than the Contract itself, enumerated in GCC Clause 5.1 shall remain the property of the Purchaser and shall be returned (all copies) to the Purchaser on completion of the Supplier’s performance under the Contract if so required by the Purchaser.
- 5.4 The Supplier shall permit the Purchaser to inspect the Supplier’s accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the Purchaser, if so required by the Purchaser.

- 6. Patent Rights** 6.1 The Supplier shall indemnify the Purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Purchaser's country.
- 7. Performance Security** 7.1 Within Seven (07) days from the issuance of acceptance letter from the Purchaser, the successful Bidder shall furnish the performance security in shape of CDR at the discretion of the Purchaser in the amount **specified in SCC**. In case the amount of bid security is equal or greater than the value of the goods to be supplied then the bidder shall not require furnishing the performance security separately, it will be retained or deducted from the bidder's claim on bidder's choice.
- 7.2 The proceeds of the performance security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
- 7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Purchaser and shall be in one of the following forms:
- (a) CDR issued by a reputable bank located in the Purchaser's country or abroad, acceptable to the Purchaser, in the form provided in the bidding documents or another form acceptable to the Purchaser.
- 7.4 The performance security will be discharged by the Purchaser and returned to the Supplier not later than thirty (30) days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless otherwise **specified in SCC**.
- 8. Inspections and Tests** 8.1 The Purchaser or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Purchaser. **SCC** and the Technical Specifications shall specify what inspections and tests the Purchaser requires and where they are to be conducted. The Purchaser shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.
- 8.2 The inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no

charge to the Purchaser.

- 8.3 Should any inspected or tested Goods fail to conform to the Specifications, the Purchaser may reject the Goods, and the Supplier shall either replace the rejected Goods or make alterations necessary to meet specification requirements free of cost to the Purchaser.
- 8.4 The Purchaser's right to inspect, test and, where necessary, reject the Goods after the Goods' arrival in the Purchaser's country shall in no way be limited or waived by reason of the Goods having previously been inspected, tested, and passed by the Purchaser or its representative prior to the Goods' shipment from the country of origin.
- 8.5 Nothing in GCC Clause 8 shall in any way release the Supplier from any warranty or other obligations under this Contract.

9. Packing

- 9.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the Purchaser.

10. Delivery and Documents

- 10.1 Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in the Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are specified in SCC.
- 10.2 For purposes of the Contract, "CFR," "CPT", the terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of *Incoterms* published by the International Chamber of Commerce, Paris.
- 10.3 Documents to be submitted by the Supplier are **specified in SCC**.

11. Insurance

- 11.1 The Goods supplied under the Contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery in the manner **specified in the SCC**.
- 11.2 Where delivery of the Goods is required by the Purchaser on a CFR or CPT basis, the Purchaser shall arrange and pay for cargo insurance, naming the supplier as beneficiary.

12. Transportation

- 12.1 Where the Supplier is required under Contract to deliver the Goods FOB, transport of the Goods, up to and including the point of putting the Goods on board the vessel at the specified port of loading, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under the Contract to deliver the Goods FCA, transport of the Goods and delivery into the custody of the carrier at the place named by the Purchaser or other agreed point shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
- 12.2 Where the Supplier is required under Contract to deliver the Goods CFR or CPT, transport of the Goods to the port of destination or such other named place of destination in the Purchaser's country, as shall be specified in the Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
- 12.3 Where the Supplier is required under the Contract to transport the Goods to a specified place of destination within the Purchaser's country, defined as the Project Site, transport to such place of destination in the Purchaser's country, including insurance and storage, as shall be specified in the Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price.
- 12.4 Where the Supplier is required under Contract to deliver the Goods CFR or CPT, no restriction shall be placed on the choice of carrier. Where the Supplier is required under Contract (a) to deliver the Goods FOB or FCA, and (b) to arrange on behalf and at the expense of the Purchaser for international transportation on specified carriers or on national flag carriers of the Purchaser's country, the Supplier may arrange for such transportation on alternative carriers if the specified or national flag carriers are not available to transport the Goods within the period(s) specified in the Contract.

13. Incidental Services

13.1 The Supplier may be required to provide any or all of the following services, including additional services, if any, **specified in SCC**:

- (a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- (e) training of the Purchaser's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

13.2 Prices charged by the Supplier for incidental services, if not included in the Contract Price for the Goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

14. Spare Parts

14.1 As **specified in SCC**, the Supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- (a) such spare parts as the Purchaser may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under the Contract; and
- (b) in the event of termination of production of the spare parts:
 - (i) advance notification to the Purchaser of the pending termination, in sufficient time to permit the Purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the Purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15. Warranty

15.1 The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in

design and materials unless provided otherwise in the Contract. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the Purchaser's specifications) or from any act or omission of the Supplier, that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.

15.2 This warranty shall remain valid for twelve (12) months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless **specified otherwise in SCC.**

15.3 The Purchaser shall promptly notify the Supplier in writing of any claims arising under this warranty.

15.4 Upon receipt of such notice, the Supplier shall, within the period specified in notice or in SCC and with all reasonable speed, repair or replace the defective Goods or parts thereof, without costs to the Purchaser.

15.5 If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in the notice or in SCC, the Purchaser may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Purchaser may have against the Supplier under the Contract.

16. Payment

16.1 The method and conditions of payment to be made to the Supplier under this Contract shall be **specified in SCC.**

16.2 The Supplier's request(s) for payment shall be made to the Purchaser in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and Services performed, and by documents submitted pursuant to GCC Clause 10, and upon fulfillment of other obligations stipulated in the Contract.

16.3 Payments shall be made promptly by the Purchaser, **but in no case later than thirty (30) days** after submission of an invoice or claim by the Supplier.

16.4 The currency or currencies in which payment is made to the Supplier under this Contract shall be **specified in SCC** subject to the following general principle: payment will be made in the currency or currencies in which the payment has been requested in the Supplier's bid.

16.5 All payments shall be made in the currency or currencies

specified in the SCC pursuant to GCC 16.4.

- 17. Prices** 17.1 Prices charged by the Supplier for Goods delivered and Services performed under the Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any price adjustments **authorized in SCC** or in the Purchaser's request for bid validity extension, as the case may be.
- 18. Change Orders** 18.1 The Purchaser may at any time, by a written order given to the Supplier pursuant to GCC Clause 32, make changes within the general scope of the Contract in any one or more of the following:
- (a) drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Purchaser;
 - (b) the method of shipment or packing;
 - (c) the place of delivery; and/or
 - (d) the Services to be provided by the Supplier.
- 18.2 If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or delivery schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this clause must be asserted within thirty (30) days from the date of the Supplier's receipt of the Purchaser's change order.
- 19. Contract Amendments** 19.1 Subject to GCC Clause 18, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.
- 20. Assignment** 20.1 The Supplier shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Purchaser's prior written consent.
- 21. Subcontracts** 21.1 The Supplier shall notify the Purchaser in writing of all subcontracts awarded under this Contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the Supplier from any liability or obligation under the Contract.
- 21.2 Subcontracts must comply with the provisions of GCC Clause 3.

- 22. Delays in the Supplier's Performance**
- 22.1 Delivery of the Goods and performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Purchaser in the Schedule of Requirements.
- 22.2 If at any time during performance of the Contract, the Supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the Director (DPIC) in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the Director (DPIC) shall evaluate the situation and may at its discretion extend the Supplier's time for performance, with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of Contract.
- 22.3 Except as provided under GCC Clause 25, a delay by the Supplier in the performance of its delivery obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 23, unless an extension of time is agreed upon pursuant to GCC Clause 22.2 without the application of liquidated damages.
- 23. Liquidated Damages**
- 23.1 Subject to GCC Clause 25, if the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Purchaser shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage **specified in SCC**. Once the maximum is reached, the Purchaser may consider termination of the Contract pursuant to GCC Clause 24.
- 24. Termination for Default**
- 24.1 The Purchaser, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate this Contract in whole or in part:
- (a) if the Supplier fails to deliver any or all of the Goods within the period(s) specified in the Contract, or within any extension thereof granted by the Purchaser pursuant to GCC Clause 22; or
 - (b) if the Supplier fails to perform any other obligation(s) under the Contract.
 - (c) if the Supplier, in the judgment of the Purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.

For the purpose of this clause:

“corrupt practice” means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.

“fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Purchaser of the benefits of free and open competition.

24.2 In the event the Purchaser terminates the Contract in whole or in part, pursuant to GCC Clause 24.1, the Purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.

25. Force Majeure

25.1 Notwithstanding the provisions of GCC Clauses 22, 23, and 24, the Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

25.2 For purposes of this clause, “Force Majeure” means an event beyond the control of the Supplier and not involving the Supplier’s fault or negligence and not foreseeable. Such events may include, but are not restricted to, acts of the Purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.

25.3 If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

26. Termination for Insolvency

26.1 The Purchaser may at any time terminate the Contract by giving written notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of

action or remedy which has accrued or will accrue thereafter to the Purchaser.

**27. Termination
for
Convenience**

27.1 The Purchaser, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.

27.2 The Goods that are complete and ready for shipment within thirty (30) days after the Supplier's receipt of notice of termination shall be accepted by the Purchaser at the Contract terms and prices. For the remaining Goods, the Purchaser may elect:

- (a) to have any portion completed and delivered at the Contract terms and prices; and/or
- (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Services and for materials and parts previously procured by the Supplier.

**28. Settlement of
Disputes**

28.1 If any dispute or difference of any kind whatsoever shall arise between the Purchaser and the Supplier in connection with or arising out of the Contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.

28.2 If the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Purchaser or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.

28.2.1 Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be finally settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under the Contract.

28.2.2 Arbitration proceedings shall be conducted in accordance with the rules of procedure **specified in the SCC.**

28.3 Notwithstanding any reference to arbitration herein,

- (a) the parties shall continue to perform their respective obligations under the Contract unless they otherwise

agree; and

- (b) the Purchaser shall pay the Supplier any monies due the Supplier.

29. Limitation of Liability

- 29.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6,
- (a) the Supplier shall not be liable to the Purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the Supplier to pay liquidated damages to the Purchaser and
 - (b) the aggregate liability of the Supplier to the Purchaser, whether under the Contract, in tort or otherwise, shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

30. Governing Language

- 30.1 The Contract shall be written in the language **specified in SCC**. Subject to GCC Clause 31, the version of the Contract written in the specified language shall govern its interpretation. All correspondence and other documents pertaining to the Contract which are exchanged by the parties shall be written in the same language.

31. Applicable Law

- 31.1 The Contract shall be interpreted in accordance with the laws of the Purchaser's country, unless otherwise **specified in SCC**.

32. Notices

- 32.1 Any notice given by one party to the other pursuant to this Contract shall be sent to the other party in writing or facsimile and confirmed in writing to the other party's address **specified in SCC**.
- 32.2 A notice shall be effective when delivered or on the notice's effective date, whichever is later.

33. Taxes and Duties

- 33.1 A foreign Supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the Purchaser's country and purchaser's country as **specified in SCC**.
- 33.2 A local Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Goods to the Purchaser.

Section V.

Special Conditions of Contract

Table of Clauses

1.	Performance Security (GCC Clause 7)	46
2.	Warranty (GCC Clause 15).....	46
3.	Payment (GCC Clause 16).....	46
4.	Settlement of Disputes (GCC Clause 28)	48
5.	Applicable Law (GCC Clause 31)	49
6.	Notices (GCC Clause 32).....	49
7.	Taxes and Duties (GCC Clause 33)	49

SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses.

1. Performance Security (GCC Clause 7)

GCC 7.1—

- A. For goods offered from within Pakistan and abroad by the local agent by Pakistan:

the successful Bidder shall furnish the performance security @ 10% for the warranty period of one year of the value of Supply Order or Contract in shape of CDR or any bank instrument except bank guarantee in favour of Director (DPIC), UAF within Seven (07) days from the issuance of acceptance and 10% performance security letters from the Purchaser for permanent equipment. In case the amount of bid security is equal or greater than the value of the performance security, then the bidder shall not require to furnish the performance security separately.

- B. 2% CDR or any bank instrument except bank guarantee in favour of Director (DPIC) already received in lieu of earnest money in case of general type/consumable good(s) will be retained by the office for 3 month from the day of supply of the respective good(s) or fully consumed whichever is earlier.

2. Inspection and Tests (GCC Clause 8)

GCC 8.1- By the concerned purchaser in accordance with the specifications or samples or both as required.

3. The representative of the firm(s) shall present the Authority Letter from the respective firm in the tender opening meetings with them, failing which he will not allowed to sit in the said meeting

4. Warranty (GCC Clause 15)

GCC15.2&15.4: One year parts warrantee free of cost labour and material etc. at site from the date of commissioning of goods.

5. Bid Prices (11.2 ITB)

- a). **for goods offered from within Pakistan;**

the price shall be quoted on FOR UAF basis. (FOR means the price of goods quoted by the bidder shall be inclusive of all costs, expenses, charges, duties and taxes etc. whatsoever incidental to their delivery, installation and commissioning as the case may be at UAF site).

- b) **If the firm quoted the rates on CFR/CPT basis, the firm is bound to quote the FOR prices also**

- c) **for goods offered from abroad by the LOCAL AGENT:**

the price shall be quoted Cost and Freight (CFR), Carriage Paid to (Duty Paid) (CPT) Karachi seaport or Lahore/Faisalabad airport Pakistan, as the case may be. The bidder shall also add all cost expenses, charges, duties, GST and other taxes to be paid at any stage within and outside Pakistan whatsoever incidental to delivery installation/commissioning of goods from the port of destination to UAF site. The bidder, in quoting the price, shall be free to use transportation in abroad except transit and means of transport through/of Israel. The LC at sight, as on Usance basis and Advance Payment will be governed as per following: -

i. LC AT SIGHT

The bidder shall provide Performa Invoice of principal on CPT/CFR basis as per supply order along with Insurance / Cover Note and CDR as security equal to 100% amount of the goods **within fortnight** in favor of Director (DPIC) to initiate the LC at sight.

ii. LC ON USANCE BASISs

The bidder shall provide Performa Invoice of principal on CPT/CFR basis as per supply order and CDR as security equal to 100% amount of the goods to be imported and shall provide Performa Invoice of principal on CPT/CFR basis as per supply order along with Insurance / Cover Note **within fortnight** to initiate the LC on usance basis (minimum usance period 60 days from the date of Airway Bill **OR** 90 days from the date of Bill of Lading).

iii. ADVANCE PAYMENT

The bidder shall provide Performa Invoice of principal on CPT/CFR basis as per supply order along with Insurance / Cover Note and CDR as security equal to 100% amount of the goods **within fortnight** in favor of Director (DPIC) to be imported to proceed for advance payment to the exporter. However, this option will be had where the value of the goods to be imported is up to US \$ 10,000 or varied in accordance with the instructions of the State Bank of Pakistan and Pakistan Customs issued from time to time and remittance will also be made accordingly.

iv. OPEN ACCOUNT

In case the bidder has not opted for import through LC (at sight or Usance basis or advance payment) may opt this option and shall provide Performa Invoice of principal on CPT/CFR basis as per supply order **within fortnight**. However, remittance will be made maximum up to six months from the date of filing of Goods Declaration (GD) form or otherwise as per Foreign Exchange Manual of State Bank of Pakistan and Pakistan Customs or instruction issued in this regard from time to time.

v. CONTRACT / COLLECTION

In case the bidder has not opted the options referred to “i to iv” above and may opt for this option. The bidder shall provide Performa Invoice of principal on CPT/CFR basis as per supply order **within fortnight**. The minimum period for remittance will be 60 days from the date of Airway Bill **OR** 90 days from the date of Bill of Lading. However, remittance will be made as per Foreign Exchange Manual of State Bank of Pakistan and Pakistan Customs or instruction issued in this regard from time to time.

vi. INCIDENTAL CHARGES FOR IMPORT OF GOODS:

All charges (Inside/outside Pakistan) like insurance taxes, duties etc., LC/bank and clearance of consignment from port/custom authorities will be borne by the bidder.

vii. RELEASE OF CDR

In case of LC at sight, Usance basis and advance payment to exporter, the CDR equal to 100% amount of the shipment as security will be released by Director (DPIC) after receiving of satisfactory inspection/installation/ commissioning report from convener tender committee concerned.

viii. INITIATION OF REMITTANCE TO THE EXPORTER

In case of LC on usance basis, import on Open Account and Contract / Collection basis, the Director (DPIC) will initiate remittance through the concern bank to the exporter after receiving the satisfactory inspection/installation/commissioning report from the purchaser or the convener tender committee as the case may be.

DELIVERY PERIOD

After receiving the transmitted LC (at sight **OR** Usance Basis) **OR** swift acknowledgment against advance payment / proof of advance payment **OR** supply order on “Open Account” or “Contract / Collection” basis, the local supplier is responsible to provide complete set of shipping documents [i.e. Airway Bill/Seaway Bill/Bill of Lading, Commercial Invoice, Packing List, Country of Origin Certificate and any other document(s) related to shipment (if required) along with detail of bidder’s clearing agent for issuance of authority letter for clearance of consignment from port / custom authorities] **within 12s weeks from the date of opening of LC (at sight or**

usage basis), advance payment and date of supply order for import of goods on “Open Account” or “Contract / Collection” basis. Moreover, after clearance of consignment by bidder from port / custom authorities, will deliver the consignment to the purchaser along with complete set of post shipment documents within 05 days from the date of Authority Letter. After expiry of the requisite period, firm will require to apply for extension in delivery period. However, after due scrutiny the Committee may extend the delivery period with liquidated damages as per applicable rate if the delay is on part of the bidder or without liquidated damages if the delay is on the part of the procuring agency or due to “force majeure”.

NOTE:s

- i. In case of late submission of Proforma Invoice, shipping documents and delivery of goods, liquidated damages shall be recovered out of belongings of the bidders @ 0.67% of the value of the goods up to maximum 10% of the value of goods.
- ii. In case of C&F/CPT exchange rate of NBP shall be freezed on the date of financial opening. The differential amount on higher side shall be deposited into concerned project account or University Account. If the rate on higher side of vice-versa, the UAF will pay the difference amount to vendor out of project / UAF account.

6. Payment (GCC Clause 16)**7. Prices (GCC Clause 17)**

GCC17.1: The successful bidder(s) shall provide the price reasonability certificate to the effect that the rates quoted are reasonable in accordance with the market. If it is found at any stage, the quoted rates are higher than the market ones or the item(s) have been provided to any other Institute/Department etc at less rates than the quoted ones. The firm undertakes to refund the difference amount to the purchaser on demand.

8. Change Orders (GCC Clause 18)

Not applicable

9. Liquidated Damages (GCC Clause 23)

GCC 23.1—Applicable rate:

The liquidated damages, if imposed, will be recovered at the rate of upto 0.67% of the value of goods supplied/installed/commission late per day or a part of a period exceeding the original delivery period, subject to the provision that the total liquidated damages thus imposed will not exceed 10% of the total value of the goods delivered/installed/commission late.

10. Settlement of Disputes (GCC Clause 28)

The settlement of dispute will be settled in accordance with mechanism for redressal of grievances and settlement of dispute as specified below:-

Complaints of bidder/contractor shall be disposed/settled by a committee and arbitration prior to the entry into force and after into force of procurement contract respectively. Accordingly, grievances committee with powers and terms of reference and method of arbitration are as under:-

A. Grievances Committee:

The committee comprises the following to address the complaints of the bidders prior to entry into force of the procurement contract:-

- | | | |
|------|------------------------------------------------------------------------------------------|-------------|
| i. | The Treasurer | (Convener) |
| ii. | Prof. Dr. Muhammad Azam Khan,
Deptt. of Farm Machinery & Power | (Member) |
| iii. | Resident Auditor or the Technical Expert(s) not
below the rank of Assistant Professor | (Member) |
| iv. | The Director (DPIC) | (Secretary) |

Any bidder feeling aggrieved by any act of the procuring agency after the submission of his bid may lodge a written complaint concerning his grievances not later than 10 days after the announcement of the bid evaluation report under rule 37 of the UAF Procurement Rules 2014.

The committee shall address the complaints of bidders that may occur prior to the entry into force of the procurement contract. The committee shall investigate and decide upon the complaint within fifteen days of the receipt of the complaint. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.

Any bidder not satisfied with the decision of the committee may lodge an appeal in the relevant court of jurisdiction.

B. Arbitration:

After coming into force of the procurement contract, all matters of dispute or difference except regarding rejection of goods by the Inspector under GCC clause 8 (Standard Bidding Document) or cancellation of the contract by the Purchaser, under GCC Clause 24 and 27 (Standard Bidding Document) arising out of the agreement between the parties thereto, the settlement of which is not otherwise specially provided for in contract agreement, shall be referred to arbitration as under:-

(a) Foreign Currency Contracts (CFR/CPT, etc.) made directly with Foreign Principal / Manufacturer

i. The dispute shall be referred for adjudication to two arbitrators one to be nominated by each party, who before entering upon the reference shall appoint an umpire by mutual agreement, and if they do not agree, a judge of the Superior Court will be requested to appoint the umpire. The arbitration proceedings shall be held in Pakistan and under Pakistan Law.

ii. The venue of arbitration shall be the place from which the contract is issued or such other places as the Purchaser at his discretion may determine.

iii. Arbitration award so given will be firm and final.

(b) Indigenous (FOR) contracts

The settlement of dispute, if not otherwise especially provided for in the contract shall be referred for the decision of Vice Chancellor, University of Agriculture, Faisalabad. His decision shall be final and binding on both the parties. The work under the contract shall if reasonably possible continue, under the proceedings before the Vice Chancellor and no account of such proceeding unless they are subject of the dispute.

Note:

- The arbitration award shall be recorded in writing.
- CFR/CPT, etc., contracts made through local agents would be dealt under sub para-B (b) above.

(c) Prior Notice for arbitration:

If the supplier intends to go for arbitration, he shall have to give 30 days notice in writing informing the purchaser of his intention to refer to the points of differences or dispute of arbitration. He shall have to define clearly the point of difference and or dispute in his notice.

C. Court Jurisdiction

Only the Courts at Faisalabad shall have exclusive jurisdiction to adjudicate upon any “lis” brought by either of the parties in relation to the contract.’

11. Applicable Law (GCC Clause 31)

GCC 31.1—UAF Procurement Rules 2014 and Laws governing in Pakistan

12. Notices (GCC Clause 32)

GCC 32.1: The Supplier shall provide address for notice purposes:

13. Taxes and Duties (GCC Clause 33)

14. Stamp Act

In accordance with the Stamp Act 1899 amended from time to time.

Section VI.

Schedule of Requirements

Schedule of Requirements

**Number Description Quantity Delivery schedule:
Supply within 12 weeks**

A-Purchase of Farm Machinery				
Sr. No	Name of Machine	Unit Cost (PKR)	Qty	Total cost in Million
1	Jib Crane	30000	1	0.03
2	Tractor Front Blade	200000	1	0.2
3	Front end loader	250000	2	0.5
4	Chisel plow	100000	2	0.2
5	Mold Bold Plow	200000	2	0.4
6	Offset Disc harrow	300000	3	0.9
7	Cultivator	142000	5	0.71
8	Planker	80000	5	0.4
9	Rotavator	200000	4	0.8
10	Laser land leveler	900000	1	0.9
11	Border disc	65000	2	0.13
12	Post hole digger	150000	1	0.15
13	Border Shaver	40000	2	0.08
14	Seed cum fertilizer drill	165000	1	0.165
15	Canola seed cum fertilizer drill	200000	1	0.2
16	Ridger	150000	3	0.45
17	Small Seed Vegetable seeder	250000	1	0.25
18	Pneumatic Multi-Crop Planter (Local)	400000	2	0.8
19	Pea Planter	300000	1	0.3
20	Fertilizer broadcaster	60000	2	0.12
21	Drone sprayer	2100000	1	2.1
22	Power sprayer	10000	6	0.06
23	Small seed vegetable thresher	500000	1	0.5
24	Canola seed thresher	1500000	1	1.5
25	Reaper Cum Binder	1000000	2	2
26	Multi-crop Combine Harvester with multiple attachments	21000000	1	21
27	Spinach harvester (Mini)	1500000	1	1.5
28	Carrot Harvester (imported)	1200000	1	1.2
29	Green pea Picker Machine (Mini)	186000	1	0.186
30	Maize Sheller	350000	1	0.35
31	Bailer (straw, hay, low moisture haylage)	4200000	1	4.2
32	Forage harvester/chopper (Silage Machine)	500000	1	0.5
33	Trolley	1500000	2	3
Subtotal-A				45.781

B- Repair and Maintenance Workshop				
1	Clamp Meter	1	16000	0.016
2	Weighing Instruments	3	16000	0.048
3	Oxygen and Acetylene Cylinder/LPG with all accessories (for gas welding) [2 Units]	2	80000	0.160
4	Hose, Welding and cutting Torch and regulators	2	96000	0.192

5	Tools and accessories		4	20000	0.080
6	Welding machine		2	150000	0.300
7	Cables and Electrodes wires		2	99000	0.198
8	Cleaning Instruments and working tables		10	200	0.002
			10	1000	0.010
			10	42800	0.428
9	Electrodes		100 kg	1000	0.100
			50 kg	2500	0.125
			20 kg	2000	0.040
			50 kg	6000	0.300
			20 kg	2500	0.05
			1000 pcs	100	0.1
10	Safety Equipment		50	4000	0.200
			20	2000	0.040
			10	4000	0.040
			10	10000	0.100
			10	7000	0.070
			10	15000	0.150
11	Work bench / workstation		5	30000	0.150
12	Hydraulic jack		5	35000	0.175
13	3 Ton Hydraulic Trolley Jack		1	50000	0.050
14	Drilling Machine with all accessories		2	250000	0.500
15	Metal grinding and polishing machine		1	100000	0.100
16	Hand-held Grinder with tools		3	6000	0.018
17	Allen keys		3	2000	0.006
18	Socket set		3	5000	0.015
19	Hexa blades		12 dozen	1200	0.0144
20	Workshop tool kit set		2	90000	0.180
21	Heat gun		2	60000	0.120
22	Electric silicone gun		4	6000	0.024
23	Wire stripper		2	5000	0.010
24	PCB drill kit		3	6000	0.018
25	Screwdriver set		3	4000	0.012
26	Tool Kit and torque wrenches with tools		2	30000	0.060
27	Digital Tachometer		1	14000	0.014
28	Digital torque meter		1	100000	0.100

29	Digital angle meter		1	20000	0.020
30	Measuring tape and Graduated cylinder		4	1000	0.004
31	File set		2	9300	0.0186
32	Riveter Gun with nozzles		1	10000	0.010
33	Heavy duty extension cord/lead (Cable Reel)		2	5000	0.010
34	Heavy duty extension cord/lead		2	2000	0.004
35	Electric paint spray gun		2	20000	0.040
36	Paint coating gauge (Paint meter)		1	50000	0.050
37	Adjustable wrench set		2	5000	0.010
38	Pipe wrench set		1	5000	0.005
39	C-clamp set		1	7000	0.007
40	Spanner set (Ring and open end)		1	4000	0.004
41	Plier set		2	1500	0.003
42	Hammer set		1	6000	0.006
43	Automatic engine washer		1	150000	0.150
44	Fuel injector tester		1	10000	0.010
45	Fuel injection pump calibration machine		1	2000000	2.000
46	Pneumatic torque wrench with all accessories		1	500000	0.500
47	Spring tester		1	264000	0.264
48	Tire shop		1	2000000	2.000
49	Testing tools (Valve grinder, compression pressure tester, measuring gauges, ridge reamer, battery tester, etc.)		1	2550000	2.550
Sub-Total B					11.981
Total A+B					57.762

Section VII.

Technical Specifications

TECHNICAL SPECIFICATIONS

The bidder shall quote the goods along with the serial number mentioned below against each and provide soft copy in MS Word Sheet without price. The quoted goods shall have point to point commentary.

A-Purchase of Farm Machinery					
Sr. No	Name of Machine	Description and Specifications	Unit Cost (PKR)	Qty	Total cost in Million
1	Jib Crane	Tractor mounted Capacity: 2 ton Lift height: 3 m ± 0.5 m Overall length: 2.5 m Pipe Thickness ≥ 9.5 mm (3/8 inches) 3 Point hitch type Zinc coated+ enamel paint (ICI or equivalent)	30000	1	0.03
2	Tractor Front Blade	Double-acting hydraulic ram cylinder (2), Compatible with 85 HP tractor attachment Blade size: 2×0.75 m (6.5×2.5 ft) with twin ram Cutting edge: 152×12.7 mm (6×0.5 inches) of carbon alloy steel reversible and replaceable Zinc coated+ enamel paint (ICI or equivalent)	200000	1	0.2
3	Front end loader	Capacity: 1000 + kg Bucket volume: ≥ 0.5 m ³ Bucket type: Closed Earth Self Leveling Bucket sheet thickness > 12.7 mm (4/8 inch) Bucket with Digging Teeth Pump: 9 Plunger Lift ram cylinder: 2 Bucket ram cylinder: 2 Hydraulic oil tank: 80 liters Spool valve: 2 Operating pressure: 210 bar Working Width ≥ 1.5 m Lift height > 3 m Compatible with 85 HP tractor attachment Zinc coated+ enamel paint (ICI or equivalent)	250000	2	0.5
4	Chisel plow	(5 tines, V-type frame, Replaceable shovel) Length (900 + mm) Width (1800 + mm) Height (1100 + mm) Tine Size: 100×30 mm, 762 mm long from outer side with the support of 75×9 mm MS angle and 12 + mm Thick MS plate Tine spacing 355 mm adjustable Weight (Approx.) 325 + kg Compatible with three-point linkage	100000	2	0.2

		system with 85 HP tractor of MS sheet thickness 15 mm + Zinc coated+ enamel paint (ICI or equivalent)			
5	Mold Bold Plow	3 Plow bottoms Length (1750 + mm) Width (1100 + mm) Height (925 + mm) Clearance under frame 500 mm Mold board sheet thickness 6 mm HRC ≥ 40 Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 mm + Weight (Approx. 325 + kg Zinc coated+ enamel paint (ICI or equivalent)	200000	2	0.4
6	Offset Disc harrow	16 discs Length in mounted position (2200 + mm) Length in trailed position (3400 + mm) Width (2200 + mm) Disc spacing 220 mm Diameter of disc 608 mm Thickness of disc sheet 4.5 mm HRC ≥ 40 Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 mm + Weight (Approx.) 850 + kg Zinc coated+ enamel paint (ICI or equivalent)	300000	3	0.9
7	Cultivator	(13 tines, 28 springs with 24, 10 mm spring coil) Length (940 + mm) Width (3000 + mm) Height (1050 + mm) Tine spacing 240 ± 10 mm Tine: forged 55×30 mm Shovel: forged 275×60×8 mm reversible HRC ≥ 40 Z type frame MS sheet thickness 9.5 + mm Angle iron with size 50*50 + mm /channel with size 75*42 + mm Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 mm + Weight (Approx.) 450 + kg Zinc coated+ enamel paint (ICI or equivalent)	142000	5	0.71
8	Planker	Base sheet thickness 19 mm, length 3.66 m, width 0.46 m, frame height 14 cm, thickness of frame sheet 9.5 mm, six struts of same size of the frame, mild steel material) Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 mm + Zinc coated+ enamel paint (ICI OR EQUIVALENT)	80000	5	0.4
9	Rotavator	2 No. of 48 Blades, Length (1830 +	200000	4	0.8

		<p>mm), Width (1900 + mm), Height (1000 + mm), flange spacing 230 + mm Weight (Approx.) 400 + kg</p> <p>2 No. of 60 Blades, Length (2600 + mm), Width (1900 + mm), Height (1000 + mm), flange spacing 230 + mm</p> <p>Blades rotator pipe: Seamless steel pipe o.d. 87 + mm wall thickness 6 + mm with forged axle ends of 60 + mm dia. Blades mounting plates: 07 and 10 Nos. 235 + mm dia., 12 + mm thick and 02 Nos. 150 + mm dia. on sides Blades: L-shaped, forged, 6 + mm thick of HRC \geq40 Weight (Approx.) 580 + kg Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 mm + Zinc coated+ enamel paint (ICI OR EQUIVALENT)</p>			
10	Laser land leveler	<p>Range: 80000 cm diameter, leveling accuracy \pm 10 % arc second, Self - leveling range \pm 5°, rotation 360°, 600 rpm rotation speed, Scrapper sheet thickness 1.6 cm)</p> <p>Scraper dimensions: Length (4400 + mm) Width (2570 + mm) Height (2000 + mm) Tires: 4 (size: 6.5-14, 6PR) Weight (Approx.) 1000 + kg Compatible with 85 HP tractor attachment Zinc coated+ enamel paint (ICI OR EQUIVALENT)</p>	900000	1	0.9
11	Border disc	<p>Disc Nos. 2 Disc Size: 66 cm diameter dual disc, thickness sheet 5 + mm HRC \geq40, Disc angle and tilt angle adjustable, Boarder width adjustable, 46 cm high border, 66 cm disc, 183 cm long MS square frame of 7.5 x 7.5 x 0.8 cm)</p> <p>Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 mm + Zinc coated+ enamel paint (ICI OR EQUIVALENT)</p>	65000	2	0.13
12	Post hole digger	<p>Auger diameter 09- and 18-inch, sheet thickness 15 + mm Working depth up to 36 inches Weight 200 + kg Pipe size 75 + mm, thickness 15 + mm Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 mm + Zinc coated+ enamel paint (ICI OR EQUIVALENT)</p>	150000	1	0.15
13	Border Shaver	<p>(Single side, Ridge height 200 -300 mm, Ridge width Top: 20 + cm / Bottom: 50</p>	40000	2	0.08

		+ cm, thickness sheet 5 + mm HRC \geq 40, Size 1.4×1.93×1.15 m, Weight 350 + kg) Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 + mm Zinc coated+ enamel paint (ICI OR EQUIVALENT)			
14	Seed cum fertilizer drill	17 tines adjustable Two feeding hoppers (capacity:150 + kg) and drive wheels, sheet thickness 1.6 + mm Fluted roller metering device with adjustable feed rate lever Land wheel size: 62×6 mm M.S Flat rim with stell lugs, 35 mm M.S round axel ad 4 mm MS sheet (Inner side) Or spokes of 15 mm MS round. Fluted wheel drive shaft diameter: 22 mm Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 + mm Zinc coated+ enamel paint (ICI OR EQUIVALENT)	165000	1	0.165
15	Canola seed cum fertilizer drill	Working width:13 + rows Row to row distance 18 to 45 cm adjustable Two feeding hoppers (capacity:150 + kg) and drive wheels, sheet thickness 1.6 + mm Fluted roller metering device with adjustable feed rate lever Land wheel size: 62×6 mm M.S Flat rim with stell lugs, 35 mm M.S round axel ad 4 mm MS sheet (Inner side) Or spokes of 15 mm MS round. Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 + mm Zinc coated+ enamel paint (ICI OR EQUIVALENT)	200000	1	0.2
16	Ridger	5 rows, row spacing 71 -76 cm adjustable, Depth 105 cm, Weight 350 + Kgs, Mild steel, Sheet thickness 1 cm, Mild steel angle or channels section (12.7 mm), 5 moldboards, Length 300 cm, width 200 cm, Height 110 cm) Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 + mm Zinc coated+ enamel paint (ICI OR EQUIVALENT)	150000	3	0.45
17	Small Seed Vegetable seeder	Used for Precise Sowing of small seeds and vegetables like rapeseed grain size of vegetables, millet, okra, sesame, alfalfa seeds, onion, tomatoes, peppers, carrot, clover, onion, chili, flowering cabbage, etc. (single unit planter of acrylic and PVC plastic with hopper volume 2 + liters for total 19 rows, local	250000	1	0.25

		MS frame with rectangle channel size 75*42 mm, thickness 12.7 mm, row spacing up to 150 mm, planting distance 1 to 8 cm, sowing depth 0.5 to 1 cm) Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 + mm Zinc coated+ enamel paint (ICI OR EQUIVALENT)			
18	Pneumatic Multi-Crop Planter (Local)	4 row configurations, row spacing 45 to 85 cm (adjustable), plant to plant distance 3 to 45 cm (adjustable), planting speed 6 to 8 km/h, tractor PTO 540 rpm, width of machine 3.2-meter, weight of machine 550 + kg, fertilizer hopper capacity (Liters) 200x2, seed hopper capacity (Liters) 34x2), hopper sheet thickness 1.6 mm Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 + mm Zinc coated+ enamel paint (ICI OR EQUIVALENT)	400000	2	0.8
19	Pea Planter	single unit planter of acrylic and PVC plastic with hopper volume 2 + liters for total 9 rows, local MS frame with rectangle channel size 75*42 mm, thickness 12.7 mm Walk behind self-propelled with gasoline engine of 10 + HP Zinc coated+ enamel paint (ICI OR EQUIVALENT)	300000	1	0.3
20	Fertilizer broadcaster	Hopper Capacity 450 + kg, Weight of Machine 63 + kg, Overall, Height 1170 mm, Loading Height 1130 mm, Hopper Width 1100 mm, spreading width 12 – 14, Chute Openings 1 to 8, Number of Vanes 4, No. of Vane Positions 4 Sheet thickness 3 + mm Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 9.5 + mm Zinc coated+ enamel paint (ICI OR EQUIVALENT)	60000	2	0.12
21	Drone sprayer	16 Liters tank, 8 nozzles, 4.8 LPM, 39 + kg take-off weight + Flying time 10 + minutes, Width 650 cm, rechargeable battery 17500 mAh, with AC/DC compatible charger, speed 1000 cm/s. One extra pair of nozzles and battery	2100000	1	2.1
22	Power sprayer	4 stroke single cylinder engine (0.5 + HP) or rechargeable battery (12V 9 + AH) operated, Operating pressure 20 kg/cm ² , Flow rate 8 LPM, Tank capacity 25 Liters	10000	6	0.06
23	Small seed vegetable thresher	For threshing of sorghum rice wheat thresher quinoa threshing machine perilla shelling machine for grain rapeseed sesame Threshing Capacity 1500 kg/hour, Beater sheet: 9 gauge	500000	1	0.5

		Main frame sheet: 14 gauge speed 1000 rpm, weight 400 + kg			
24	Canola seed thresher	Capacity: 1400 kg/h, PTO speed 540 rpm, Beater sheet: 9 gauge Main frame sheet: 14 gauge Weight 300 + kg, dimensions: 200*250*150 cm, threshing efficiency or equivalentency 98% Zinc coated+ enamel paint (ICI OR EQUIVALENT)	1500000	1	1.5
25	Reaper Cum Binder	Cutting height 30 to 50 mm, cutting width 1400 mm with traditional low cut, Finger clearance: 38 mm, binding height 28 cm, height of crop to be harvested from 350 to 1600 mm, total no. of finger 33, serrated cutter No. 17, over all dimension 3300*1850*1000 mm, overall weight 240 kg). Compatible with 85 HP tractor cross shaft Zinc coated+ enamel paint (ICI OR EQUIVALENT)	1000000	2	2
26	Multi-crop Combine Harvester with multiple attachments	To harvest Maize, Rice, Soybean, Sunflower, Wheat and pulses (With different headers for different crops) (Engine 100 + hp, cutter bar width \geq 3660 mm (12 foot), pre-cleaner and air cleaner dry type, threshing system rasp bar and spike-tooth type, cylinder dimensions \geq 1000x600 mm, 8 rows of rasp bars/spike tooth bars, threshing cylinder speed adjustable to 500 to 1200 rpm, adjustable concave angle 10 to 20 degrees, separation type straw, cleaning area >2 m ² walker with 8 wing beater, grain tank storage capacity 2 to 3 m ³ . Transmission: Mechanical Combination of synchronizer and constant mesh spur gears with different unit 4 forward and 2 reverse, hydraulically actuated disc brakes)	2100000 0	1	21
27	Spinach harvester (Mini)	Cutting width: 1000 mm adjustable Cutting height: 20 to 140 mm Walk behind self-propelled type with belt conveyor and front reel Power source: lithium battery 50Ah or 5 HP 4 stroke engine Zinc coated+ enamel paint (ICI OR EQUIVALENT)	1500000	1	1.5
28	Carrot Harvester (imported)	Tractor mounted with Working width: 3 rows, row spacing 40 to 65 cm Working depth:30 cm, Working width: 100 + cm, weight: 1500 kg. Main frame material MS Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 + mm with cross shaft	1200000	1	1.2
29	Green pea Picker Machine (Mini)	Power (5.5 KW), 4 stroke single cylinder engine (7.5 + HP)	186000	1	0.186

		Dimension:(L*W*H) 1800*1450*1200 mm, Weight: 240 kg, Productivity: (500 kg/h).			
30	Maize Sheller	Beater size: 4.5 foot Main shelling shaft with double bearing Beater sheet size: 9 gauge Outer boom: 13 foot Main frame sheet size: 14 gauge Main frame angle size: 3 inches, 3/16 inches thick With Cross shaft and tires (7.50-16) goodyear, yokohama, bridgestone general or equivalent. Zinc coated+ enamel paint (ICI OR EQUIVALENT)	350000	1	0.35
31	Bailer (straw, hay, low moisture haylage)	Bale size: 35 cm* 45 cm, Bale weight: 20-35 kg, Pickup width 190 cm, Capacity: 10-15 bales/hour. Hydraulic pickup lift, automatic bale tension, trailer hitch. Zinc coated+ enamel paint (ICI OR EQUIVALENT)	4200000	1	4.2
32	Forage harvester/chopper (Silage Machine)	Capacity up to 50 ton/h, cut sizes 18 (3 to 55 mm), Number of blades 15, Number of gathering drums 4, Number of rotors 1, Power source tractor PTO. Compatible with three-point linkage system with 85 HP tractor of MS sheet thickness 12.7 + mm with cross shaft Zinc coated+ enamel paint (ICI OR EQUIVALENT)	500000	1	0.5
33	Trolley	10 tons, Vessel size 366 cm x 213 cm x 76 cm (12×7×2.5 ft), floor sheet MS 4.9 mm, Side wall sheet MS 3.2 mm, Chassis frame: upper channel 305×92 cm (10×3 ft), Lower Channel 183×92 cm (6×3 ft), thickness: 12.7 mm + Axel size: length 142 cm (56 inches), diameter 15 cm (6 inches), thickness 9.5 mm (3/8 inches), Hydraulic tipping (55°) with double acting ram cylinder with imported hydraulic kit for trolley. Tire size: 9-20. Yokohama, general, bridge stone, goodyear or equivalent. Zinc coated+ enamel paint (ICI OR EQUIVALENT)	1500000	2	3
Subtotal-A					45.781

B- Repair and Maintenance Workshop

1	Clamp Meter	Multimeter to measure the electrical & electronic parameters, Measures AC/DC current up to 400 A through jaw, Accuracy: 2% ± 5 digits (45 Hz to 65 Hz), 2.5% ± 5 digits (65 Hz to 400 Hz), AC/DC voltage to 600 V using	1	16000	0.016
---	-------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	-------	-------

		test leads, Accuracy: 1.5% ± 5 digits, Measures frequency from 5 Hz to 500 Hz; resistance to 40 kΩ, Continuity: ≤ 30 Ω, Capacitance: 0 to 100.0 μF / 100μF to 1000 μF			
2	Weighing Instruments	Electric Balance-2 No.(≥ 30 kg), Power Supply: AC100~240V, 50/60Hz, Dimension: 437mm * 372mm * 523mm, Display Type: Double side LCD display, Rated Load: 6/15kg, 15kg, 15/30kg, 30kg. Mini Electric Balance-1 No. Capacity ≥ 300 g, readability 0.001 g), Work Temp 12°C – 28°C, 80%RH, Pan Size Ø80mm, Housing(L×W×H) 295×208×290mm, Display: LED Display, Interface Optional with RS232, Power AC adaptor, Optional with inner rechargeable battery	3	16000	0.048
3	Oxygen and Acetylene Cylinder/LPG will all accessories (for gas welding) [2 Units]	Oxygen Cylinder: Oxygen Capacity: 47 + Liters Water Capacity, Gas Capacity: 6.796 + m ³ , Pressure: up to 137 + bars, Valve Operation: Side and Top Outlet LPG Cylinder Nominal Volume: 35.5L, Nominal Working Pressure: 21bar, Maximum Filling Caspacity: 14.5kg, Wall Thickness: upto 3mm, Nominal Diameter: upto 32cm, Cylinder Height: 68cm	2	80000	0.160
4	Hose, Welding and cutting Torch and regulators	Welding Torch Brass Material American Type Light Duty Gas Welding Torch Maximum Welding Thickness: >15mm Combustible Gas: Acetylene Flame Number: Single Flame Cutting Torch America Type Cutting Torch Cutting mode: flame Torch Type: Fire suction Cutting nozzle shape: Quincuncial Rubber Hose for Welding Temperature Classification: Room Temperature Piping Material: PVC Inner Diameter: 8mm/6mm American Type Light	2	96000	0.192

		Acetylene/ oxygen Regulator Mechanical gas meter Diameter: 25-50 mm Material: Brass For oxygen application: Max inlet pressure 280 bar while outlet pressure 10 bar For Acetylene application: Max inlet pressure 28 bar while outlet pressure 2 bar			
5	Tools and accessories	Cylinder 3-in-1 Spanner, Sliding Double Ended Wrench Spanner, L-Type Wrench Spanner, Cylinder Key, Branch-line back pressure valve etc. These tools will be used to open and close the gas cylinders.	4	20000	0.080
6	Welding machine	Control: Semi-Automatic Cooling way: air cooling Style: Portable Electric Current: Capacitor Energy Storage Transmission: Pneumatic Input Voltage: 380 V Frequency: 50 HZ Power: 3.6 KVA Working ampere \geq 400 A with adjustment knob Suitable for welding stud diameter(mm): 5-10 mm Dimension: 500 x 360 x 600 mm	2	150000	0.300
7	Cables and Electrodes wires	Welding Accessories for Welding Electrode (Quantity 2) 5M Welding Accessories for Welding Electrode Holder 200Amp Manual MMA Arc Welding 10-25mm Connector and Lead Cable. Earthing cables with clips (Quantity 4) Professional 200A Groud Welding Earth Clamp Clip Set for Mig Tig ARC Welding Machine 1.5M Cable 10-25 Plug Switches (Quantity 4) Board with multi switches to provide the electrICI or equivalentty to welding machine. Multimeters (Quantity 4) Digital Clamp Multimeter Amperemeter Electrical Clamp Meter AC / DC Voltage Resistor Tester with Buzzer	2	99000	0.198

		DC voltage: 600V \pm 1.0% AC voltage: 600V \pm 1.2% AC current: 20-200-600A \pm 2.5% Resistance: 200k-2M Ω \pm 1.0% Product General Features: LCD display size: 36x19mm			
8	Cleaning Instruments and working tables	Brush Length: upto 13cm, Trim Length: 2.5cm, Wire Diameter: 0.03 cm, Rows: 6*15, Block Size: 30*4cm,	10	200	0.002
		Welders Chipping Hammer 300g, Dropped-forged Carbon Steel, Spring Handle,	10	1000	0.010
		Mild Steel, Thickness up to 1.5cm, Dimension (L*W*H): 180*75*110 cm	10	42800	0.428
9	Electrodes	Mild Steel, Diameter: 0.2 to 0.5cm, Length: 30-50cm, Welding Current: 90-250A, Operating Temperature: 10-50°C.	100 kg	1000	0.100
		Stainless steel, Diameter: 0.315, 0.35 and 0.4cm, Length: 35cm.	50 kg	2500	0.125
		Aluminum, Diameter: 0.16, 0.24 and 0.32, Length: 35 and 45cm.	20 kg	2000	0.040
		Cast iron, Diameter: 0.32, Length: 35 and 45cm.	50 kg	6000	0.300
		Brass Rod 1.6mm,2.0mm,2.4mm,3.2mm Length up to 1000 mm	20 kg	2500	0.05
		Copper Rod Flat or round size 2mm length > 300 mm	1000 pcs	100	0.1
10	Safety Equipment	Leather hand gloves (Heat resistance, Cut Resistant), Wear Type: Full Fingered, Color: Preferably Blue or Black, Cuff Length upto \geq 5 Inches, Pattern: Plain, Weight: 64pprox.. \geq 203g	50	4000	0.200
		Black frame, with transparent shock resistant, scratch resistant, side winder, UV protective glass	20	2000	0.040
		Leather Workshop apron, Length: about 100cm/39.4" and Wide: 61 cm//24", with 6 tool pockets, heat and flame resistant	10	4000	0.040
		Industrial Ear Plugs (pack of 500), reusable non toxic silicone material NRR 32 DB	10	10000	0.100

		Transparent screen size 37.5*19.5cm, thickness 1 mm, with ratchet adjustment head size	10	7000	0.070
		High ankle, Steel Toe, Slip-Resistant, Puncture-Resistant, Waterproof, Anti-Static, Insulative, black color size 43, 44, 45	10	15000	0.150
11	Work bench / workstation	Dimensions: 10 feet x 5 feet x 3.5-4 ft, legs dimensions 4 x 4 inch, thickness of Sheesham wooden table top 2 inch with steel top sheet of 3-4 mm, two draws of 2 ft x 2 ft x 2 ft on both corners	5	30000	0.150
12	Hydraulic jack	Trailer JACK 15 TON electric, Min. height: ≥ 181 mm, Max. height: ≥ 345 mm, Rated Power: 300W, Operation Voltage: DC12V/24V, Max. Current: 30A / 15A, Maximum Loading Car weight: 5 Ton, Lifting range: 200-520 mm, Power Cable: 5.4 m, Jack Weight: 12.5 kg, Jack Size: 40.5*12.5*21 mm,	5	35000	0.175
13	3 Ton Hydraulic Trolley Jack	Manual Pallet Truck, Load capacity: 5000kg, Fork width: 685mm, Max. Lifting Height: 115mm, Fork Length: 1200mm, Material: Steel with painting,	1	50000	0.050
14	Drilling Machine with all accessories	Max. Drilling Dia. ≥ 120 mm, Max cutting depth ≥ 100 mm, Layout: Vertical, Controlling Mode: Artifici or equivalental, Automatic Grade: Manual, Range of Spindle Speed: 80-300 rpm, Drilling Speeds: 80/125/175/300 rpm, Usage: metal drilling, stroke 220mm, The max diameter of twist drill: 42mm(1-11/16"), Dimension(L*W*H): 522mm*248mm*689mm (65 pprox.), Stroke: 220mm, Load speed: 80/125/175/300rpm, Tool holder: MT4, The max diameter of twist drill: 42mm(1-11/16"), Magnetic adhesion: 20000N	2	250000	0.500

15	Metal grinding and polishing machine	Motor Power: 0.75kW, Power Supply: 220V, Fixed Speed: 3-Level: 300,500 and 800rpm, Disc Diameter: 20, 23 and 25cm, With Magnetic work plate, Anti-stick disc, Adhesive sandpaper, Adhesive polishing clothe, Diamond suspension grinding slurry, Metallographic polishing lubricant, waterproof ring, Inlet pipe adapter	1	100000	0.100
16	Hand-held Grinder with tools	Rated Input Power: 1200W, Disc Diameter: 15/18cm, Rated voltage: 110/220V, No-load speed: 8000rpm, Unit weight 3.5kg	3	6000	0.018
17	Allen keys	9 Pcs Black Chrome Vanadium Allen Wrench Set, double end, Hex Key Wrench Flat Hexagon 2mm 1.5 0.9 1.27 3 4 5 6 8mm Metric Small Allen Key Set Flat Point End Arm Hex Hexagon Wrench Tool	3	2000	0.006
18	Socket set	40-Piece, Metric Socket Set, 1/4" & 3/8" Drive, Socket Size: 5/32" to 3/4" and 4mm to 17mm, Ratchet, extension bar, 1/4" spinner handle, spark plug socket and adaptor, chrome plated alloy steel	3	5000	0.015
19	Hexa blades	Professional 12×1 inch 0.025-inch thick, Professional grade High Carbon Steel Flexible Hand Hacksaw Blades	12 dozen	1200	0.0144
20	Workshop tool kit set	≥ 400 Piece Mechanics Tool Set with 3-Drawer/trays tool box, 83 pcs socket set, 16 pc combination wrenches/spanners, 3 pcs combination plier, 5 pcs screw drivers, 6 pcs precision screw drivers, Magnetic Screw driver Handle and Bits 24 pcs 1 inch bits included for all purpose use, 1 pc sixteen ounce ball-pin hammer, 1 pc 8-inch (200 millimeter) adjustable wrench, 9 pcs Allen key set, 1 pc knife with 20 pc blades, 25'7.5 m measuring steel tape material: Chrome vanadium forged tools with additional cordless combo kit 1/4 inch hex chuck, accepts 1 inch bit tips, 300W battery Lithium ion, 2 speeds (0-450	2	90000	0.180

		and 1500 rpm).			
21	Heat gun	Dimensions: 48 x 19 x 13cm, Weight: 1.2kg, Noise: ≤67db, Max power: 1600W, Air volume: 13.8m ³ /h, Voltage: 110V/ 60Hz, Air pressure: 3000pa, Insulating intensity: 3750V, The flow of air: max 240l/min Storage case material: ABS, Temperature scope: 40-600°C Plastic welding gun size: 33.8 x 5.6cm, Storage case, Maximum Power: 1600 watt	2	60000	0.120
22	Electric silicone gun	Apply silicone to bind surfaces, for sealing purpose, etc., Voltage: 7.4V Li-ion battery, No load speed: 415mm/min, Thrust Ratio: 1:1, Plunger Type: Smooth Rod, Power Source: Electric, Max. expel force: 400kg±20, Maximum current: 15A, Performance: 150 tubes per discharge cycle, Net weight: 1.5kgs, Frame Material: Metal	4	6000	0.024
23	Wire stripper	Size: 8", Total length: 220mm, Stripping Range: 1.0~4.0mm ² , Range: 6mm ² , Grade: Industrial, Weight: 400g, Material: Steel, Handle Material: Soft grip Plastic, Rubber	2	5000	0.010
24	PCB drill kit	Size: 19.5*10*20cm, Packing: Blow Case+Color Box, Weight: 2kg, Color: Black+orange, Voltage: 16.8V, Grade: DIY, Industrial, Speed Type: Variable Speed	3	6000	0.018
25	Screwdriver set	7PCS precision screwdriver set, Include:SL2.0*50, SL2.5*50, SL3.0*50, PH00*50, PH0*50, T6* 50, T8*50 Material: CR-V, Ergonomic comfort-grip handle	3	4000	0.012
26	Tool Kit and torque wrenches with tools	Professional Hardware Tools Hand Tool Sets, CRV Carbon Steel material, No. of Pieces ≥ 100, including combination spanner set (11 Pieces), Socket and Ratchet set (40 pieces), Ratchet extension set (6 pieces), Screwdriver set (12 pcs), Screwdriver ratchet set (32 pcs) 1/2 inch Ultra Precision Digital	2	30000	0.060

		Torque Wrench, 7.4-147.5 ft-lbs Range Accurate to $\pm 1\%$, Set Target Torque, LED and Buzzer, with socket set sizes 3/4, 13/16, 11/16 inches			
27	Digital Tachometer	Gun type design, Backlight, Max. Min. Avg. display, Data recording, Measurement range ≥ 0 to 99999, Resolution: 0.1RPM at 2.5~999.9RPM, 1 RPM at 1000~99,999 RPM, Accuracy: $\pm 0.02\% + 1$ digital, Measuring distance: 50~500mm, Sampling Time: 0.5s (above 120RPM)	1	14000	0.014
28	Digital torque meter	Measuring range $\geq 0.5-5$ Nm, Precision: $\pm 1\%$, Load division value: 0.001Nm / 0.01kgf.cm / 0.001 ft.lb / 0.01 in.lb, Continuous using time of battery: About 10 Hours, Mode: Peak mode / Track Mode / Peak Hold, Charger: AC 220V 50Hz,	1	100000	0.100
29	Digital angle meter	Digital Protractor Angle Finder Level Inclinator Magnetic V-Groove 0~360 degree with Backlight, Measuring Range: 0-360°, Measuring Range: 4 x 90 degree, Battery operated, LCD display, Resolution: 0.05 degree, Working Temperature: 32 ~ 104 degree F (0 ~ 40 degree C), V-groove base plate with strong built-in magnets, V-groove base plate with strong built-in magnets, Full range 360° measurement allows you to work both horizontal and vertical planes, Dynamic measuring tool: Angle Finder, Protractor and Level, With Beeper / Sound Function that can be set, Converts angles to different units: degrees (°) to mm/m, to percent slope (%), to in/ft, Backlight Functions to be able to use it in the dark place, Display remains upright enabling viewing at all angles Fast and accurate measurement Factory Calibrated, Compact & portable design, Protection Grade : IP65, Dimensions : 68 approx.. 151 x 60 x 32mm	1	20000	0.020

		Weight : 69pprox.. 292g Power Supply : 2 x AAA battery (included on set), Protective Pouch, Powered by 1.5V or AAA Alkaline battery 2000 hours in continuous use			
30	Measuring tape and Graduated cylinder	Measuring Tape-Type: Double Side Tape, Measure Sizes: 3m*16mm/5m*19mm, Features: Waterproof and Durable, Single Package Size: 13X10X3 cm, Single Gross Weight: 0.200 kg, Cylinder-Material: High borosilicate 3.3, Base: round stable base, Color: Clear, Feature: Acid and alkali resistance PACKING: Cartons, Specification: 1000ml, Design: Customized	4	1000	0.004
31	File set	Handle: Thermoplastic rubber; Size >300 mm ×25 mm Flat file Round file Half-round file Triangular file Square file Hand file Knife file For each of above file following types 3 pcs should be included Single Cut File Double Cut File Curved Cut File Spiral Cut File Rasp Cut File	2	9300	0.0186
32	Riveter Gun with nozzles	8 inch Hand Riveter Labor-Saving Riveters, Length ≥ 200mm, Max working stroke: 7mm, Max effective working stroke ≥ 5-6mm, Largest multiple of arm of force: 27, Item size: 200 * 100 * 30mm, Item weight: ≥511g, Riveting Capacity : Aluminum Nut M3 M4 M5 M6, Different nozzle fixed on handle for easy replacement, 2.5mm thickening handle with one packet of reverts for each size	1	10000	0.010
33	Heavy duty extension cord/lead (Cable Reel)	Cable Length ≥ 20 m, Approx. rated power: Rating ≥ 3250W, USB ports: 6 with atleast 5V and 6A (atleast 2.4A each), AC outlet ports: 6 or equivalent	2	5000	0.010

34	Heavy duty extension cord/lead	Cable length \geq 5 m, Rating \geq 3250 W, With USB ports, Outlet \geq 5 and USB \geq 2 or equivalent	2	2000	0.004
35	Electric paint spray gun	Electric type, Voltage: 110-230V, Rated Power: 550W, Flow: 500 ml/min, Nozzle size: 1.8 mm, Feed type: Gravity Feed, Spray Distance: 250 mm	2	20000	0.040
36	Paint coating gauge (Paint meter)	Measuring range: 0-1250 μ m/0-50 mil(by default), Resolution: 0.1/1, Accuracy: + 1-3% n or + 2.5 μ m, Min radius workpiece: F Convex 1.5 mm/ Concave 25 mm, N: Convex 3mm/ Concave 50mm, Min. measuring area: 6 mm, Min. sample thickness: 0.3 mm, Metric: Convertible, Power supply: 4 x1.5V AAA(UM-4) battery, Dimension: 126 x 65 x 27 mm, Weight (Not including battery): 81 g, Optional Accessories: Cable & software	1	50000	0.050
37	Adjustable wrench set	Sizes: 8", 10", 12" and 15" (in each set) Jaw opening up to 1.75", Material Alloy Steel	2	5000	0.010
38	Pipe wrench set	Sizes: 10", 12" and 14" Jaw opening up to 2.25", Material: Hardened Steel Jaws, cast iron handle	1	5000	0.005
39	C-clamp set	Sizes: 4", 6", 8", 10" and 12", Zinc plated acme threaded screw, Ductile iron clamp casting, load limit minimum 400 Psi	1	7000	0.007
40	Spanner set (Ring and open end)	Sizes: 6-22 mm (6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm) Open End Spanners (bright nickel plated selected tool steel) Metric 6 to 32 mm Ring End Spanner (Double off set type, bright nickel plated selected tool steel) Metric 6 to 32 mm	1	4000	0.004
41	Plier set	Sizes: 8" Combination plier, 6" Long nose plier and 6" Diagonal cutting plier, Max Opening Capacity \geq 11/64in	2	1500	0.003

42	Hammer set	Punch hammer (Head weight \geq 3 lb), Sledge Hammer (Head weight \geq 3 lb), Machinist's Hammer (Head weight \geq 3 lb), Claw hammer (Head weight \geq 24 oz/1.5 lb), Octagonal Hammer (Head weight \geq 3 lb), and Rubber Mallet Hammer (Size \geq 1.5lb)	1	6000	0.006
43	Automatic engine washer	Voltage: 220-240V~50/60Hz Carbon brush motor Pure copper wire Input power:1800W Max Pressure:150Bar (2200PSI) Flow rate:6.0L/min Auto stop system 1pcs soap bottle 1 set water spray gun 5m high pressure hose	1	150000	0.150
44	Fuel injector tester	Injection pump with hand lever. Acrylic transparent fuel container capacity of 1 liter with filter Shut off valve to isolate the pressure gauge while operating hand lever at high speed. Pressure gauge light and heavy Duty. High pressure pipes for connecting injectors. Pressure gauge 0-60 Mpa Plunger hole :64 mm (2.5 inches) Nozzle connectors: M14X1.5-M14X1.5,M14X1.5-M12X1.25,M14X1.5-M12X1.5 or with thread size compatible to local diesel engine fuel injectors	1	10000	0.010
45	Fuel injection pump calibration machine	Frequency conversion speed control motor: digital controller accurate control of 10 gear speed. No. test cylinders \geq 4 Fuel pressure under high pressure: 0-40Bar Fuel pressure under low pressure: 0-4Bar EffICI or equivalentency of fuel pump: 10LPM Volume of fuel tank: 60 Liter Speed range: 0-4000 rpm Height of drive axis: 125 mm Drive coupling diameter: 120 mm Range of control temperature: $40\pm 2^{\circ}\text{C}$ Pressure gauge range-High	1	2000000	2.000

		<p>pressure: 0-6 Bar Pressure gauge range-Low pressure: 0-6Bar Internal pressure: 0-16Bar Negative pressure meter: -0.1- 0Bar Pressurization pump pressure gauge: 0-1.6Bar Power Supply AC 220V and DC 12/24 volts</p>			
46	Pneumatic torque wrench with all accessories	<p>1) Impact pneumatic impact wrench, drive size: 1 inch with 6 inches anvil extension with additional ½ inch extension Torque \geq 2000 ft-lbs Speed without load: 5000 rpm 2) 10-Piece Torque Limiting Extension Set Size: ½” Drive 8” Torque Limiting Extensions: 65ft/lbs (90Nm), 75ft/lbs (100Nm), 80ft/lbs (110Nm), 90ft/lbs (120Nm), 100ft/lbs (135Nm), 110ft/lbs (150Nm), 120ft/lbs (160Nm), 130ft/lbs (175Nm), 140ft/lbs (190Nm), 150ft/lbs (200Nm) 3) Digital Torque Wrench, ½” Drive Electronic Torque Wrench, Torque Wrench Kit 7.47-147.5 ft-lb Torque Range Accurate to \pm2%, Adjustable Torque Wrench Socket Set size 5/16”, 7/20”, 3/8”, 7/16”, 15/32” 4) Adjustable Torque Screwdriver, Torque Range 5 to 40-Inch Pounds, ¼-Inch</p>	1	500000	0.500
47	Spring tester	<p>Tension and Compression Spring Testing Machine Max. test load \geq 500 N Effective measuring range: 4% ~ 100% of FS Min. test load reading: 0.1 N Min. displacement reading: 0.01 mm Testing column length \geq 500 mm</p>	1	264000	0.264
48	Tire shop	<p>1)Automatic tire changer and picking machine with accessories Horizontal bed type Rim Diameter: 26 + inches wheel Width: 780 + mm tire diameter: 1600 + mm Hydraulic pump motor: 1.5kw 220 V</p>	1	2000000	2.000

		<p>Gearbox motor: 2.2kw 220 V Bead breaker force: 2500kg Torque: 6457 + N.m Operation control voltage: 24V 2) Two stage air compressor Tank capacity 100 liter Motor 2.2 KW 3) air tools 5 pcs set Recoil host pipe (1 pc) Length: 4 m, diameter: 8 mm Air blown gun (1 pc): nozzle length 16 mm Air spray gun (1 pc) Paint capacity 400 cc Air tire inflation gun (1 pc) 120 psi Valve/connector set (1pc) Type: European, USA, nitto And Italy type 4) tire puncture repairing complete kit</p>			
49	<p>Testing tools (Valve grinder, compression pressure tester, measuring gauges, ridge reamer, battery tester, etc.)</p>	<p>(1) Valve grinding machine valve stem dia.(min.-max.) mm/inch: 3.5-20/0.16-0.55 valve head dia.(min.-max.) mm/inch: 12-100/0.47-0.4 valve length(min.-max.) mm/inch: 70-290/2.76-11.42 Angle grinding range degree : 10-57 Main wheel diameter mm/inch: 200/7.87 cup wheel diameter mm/inch: 100/3.94 Main wheel width mm/inch: 15/0.59 Grinding wheel travel mm/inch: 90/3.54 Spindle motor Power KW: 0.55 Speed rpm: 120-750 coolant motor Power kw: 0.1 Air supply max.bar /psi:Max/6/87 2) Cylinder head/block facing/grinding machine Worktable size (L * W) (mm): 460×180 Max. travel of table (mm): 500×190 Table T slot (slot number x slot width) (mm): 1×14 The grinding wheel size (o. d * w * i. d.) (mm): φ180×13×Φ31.75 Distance spindle center line to</p>	1	2550000	2.550

		<p>working table (mm): 335 Grinding wheel speed: 2850 rpm Table longitudinal (left and right) speed (m/min): 3-20 Transverse (front and rear) feed handwheel feed Continuous (stepless) (mm/min): 300 Intermittent (stepless) mm/min: 0-5 Handwheel per turn (mm): 2.5 Handwheel per lattice (mm): 0.02 The vertical (up and down) feed handwheel feed Handwheel per turn (mm): 1.25 Handwheel per lattice (mm): 0.01 X- feeder output speed (rpm): 0-225 X- feeder size (mm): 280×130×120 Y- feeder output speed (rpm): 0-120 Y- feeder size (mm): 280×130×120 working accuracy The process surface of the base level of the parallel degree (mm): 300:0.005 Surface roughness (μm): Ra 0.32 Power requirement 9 KW 3) Automotive cylinder compression tester kit With one gauge and all necessary adapters 24 Gauges includes release valve and 368 mm (14.5") of hose, dial reads from 0-1000 psi & 0-70 bar with flexible extension 4) Set of precision measuring tools 01 pcs Digital Micrometer Range 0 to 1" (0 to 25) mm 03 pcs Micrometer Range 0 to 1" (0 to 25 mm) 03 pcs Micro Meter Range 3" to 6" (7.5 to 150 mm) 02 pcs Digital Vernier Caliper Range 0 to 6" (0 to 150 mm) 01 pcs Dial Bore Gauge Range 0 to 6" (0 to 150 mm) 03 pcs Filler Gauge Range 0.0008" to 0.040" (0.02 to 1.00 mm) 32 blades</p>			
--	--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--

		<p>5) 15 pcs of Ridge reamer Size: dia. 1.0-16.0mm standard and non-standard Length: 60 mm Types: machine reamer, hand reamer Types of flute: straight flute 4F, 6F, 8F and spiral flute Types of shank: Straight, parallel shank, taper shank Material: carbide, HSS, HSS-Co (m42, m35, m2)</p> <p>6) Battery tester Power Supply: AC 110V / 220V Voltage input range: 10VDC-100VDC Voltage accuracy: $\pm 0.5\%$, two decimal places Maximum discharge current: 20A Step adjustment current: 1A Maximum charging current: 10A (connect the external charger) Current accuracy: $\pm 1\%$ to two decimal places Charge termination voltage: Current is less than 0.3A, Capacity measurement accuracy: $\pm 0.05\text{AH}$</p>			
		Sub-Total B			11.981
		Total A+B			57.762

Section VIII.

Sample Forms

Sample Forms

1.	Bid Form and Price Schedules	78,79
2.	Manufacturer's/Distributor's/Dealer's Certificate Form	80

1. Bid Form and Price Schedules

Date: _____
 Tender No. _____

To:

Prof. Dr. Muhammad Azam Khan,
 Department of Farm Machinery & Power,
 University of Agriculture,
 Faisalabad.

Gentlemen and/or Ladies:

Having examined the bidding documents including Tender No.85/2022, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply and deliver *[description of goods and services]*in conformity with the said bidding documents for the sum of *[total bid amount in words and figures]*or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid. We understand that failure to furnish all information required by the bidding documents or to submit a bid not substantially responsive to the bidding documents in every respect will be at our risk and may result in the rejection of its bid.

If our bid is accepted, we undertake to provide a performance security in the form, in the amounts, and within the times specified in the bidding documents and to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements. Failure to which, the Purchaser reserve the right to take action as per provisions of the bidding documents.

We agree to abide by this Bid for the Bid Validity Period specified in Clause 16.1 of the Bid Data Sheet and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
_____	_____	_____
_____	_____	_____
_____	_____	_____

(if none, state “none”)

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us. We understand that you are not bound to accept the lowest or any bid you may receive.

We certify/confirm that we comply with all requirements as per ITB Clause 2 of the bidding documents.

Dated this _____ day of _____ 20_____.

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

Price Schedule for Goods Offered from within the Purchaser's Country

Name of Bidder _____ Tender Number ____ Page _ of ____.

1	2	3	4	5
Item	Description	Country of origin	Quantity	Price including all Taxes

Signature of Bidder _____

Note: In case of discrepancy between unit price and total, the unit price shall prevail.

Manufacturer's/Distributor's/Dealer's Certificate Form

[See Clause 13.3 (a) of the Instructions to Bidders.]

To: *[name of the Purchaser]*

WHEREAS *[name of the Manufacturer/Distributor/Dealer]* who are established and reputable Manufacturer/Distributor/Dealer of *[name and/or description of the goods]* having factories/Warehouse/trading house at *[address of factory]*

do hereby authorize *[name and address of Agent]* to submit a bid, and subsequently negotiate and sign the Contract with you against Tender No. *[reference of the Invitation to Bid]* for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per Clause 15 of the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Bids.

[signature for and on behalf of Manufacturer]

Note: This letter of authority should be on the letterhead of the Manufacturer/Distributor/Dealer and should be signed by a person competent and having the power of attorney to bind the Manufacturer. It should be included by the Bidder in its bid.