


Tenderer/ Bidders/Consulting Firms are directed to comply the following checklist along with the sealed envelope of bidding documents while participating the tender as per schedule date and time.

SR. NO	BIDDER DOCUMENTS	MENTIONED PAGE NO. (To Filled By the Tenderer)
<b>Compulsory Required Documents to Participate in Bidding for F.Y 2023-24 are:-</b>		
1	<b><u>Written Application</u> * on Firm's Letter Head Pad for the Work you are going to participate under this bidding document.</b>	
2	<b>License of Pakistan Engineering Council</b> (Not-Required for Ex. Pre-Qualified Contractors in D and E Category and involved in repair works with ECD-M) <b>A. Valid License Copy is mandatory from the PEC Registered contractors for the said PEC- Class</b>	
3	<b>Copy of Registration Certificate, (Active NTN Certificate) with Federal Board of Revenue.</b>	
4	<b>Copy of Registration Certificate, (Active PNTN Certificate) with Punjab Revenue Authority Punjab</b>	
5	<b>Registrar of Firms/SECP (not for sole proprietorship)</b>	
6	<b>Affidavit of Stamp Paper about No litigation and Blacklisting</b>	
7	<b>Bank certificate/ Bank statement (Last One Year)</b>	
8	<b>List of works of similar nature</b>	
9	<b>Work Orders of Similar Nature</b>	
10	<b>List of Partners/Directors</b>	
11	<b><del>Copy of Active STN, with Active NTN Certificate with Federal Board of Revenue.</del></b> <i>(Desired with Purchase Items Only)</i>	
		<p><b>*</b> <i>Attach Firm Covering Letter/Memo for the Downloaded Tendering Documents wherein, the name of the work (Including Sr. No. in case of multiple works under the said tender) and tender No should be mentioned clearly</i></p>

**Note:** Bidders are directed to provide forth-said information with the tender to the Office of Executive Engineer, UAF to proceed further.

Stereo I.B No. 386 (revised)  
 Stereo I.B No. 389 (revised)  
 Stereo I.B No. 28 (revised)  
 Stereo I.B No. 29 (revised)

Agreement No. \_\_\_\_\_

## UNIVERSITY OF AGRICULTURE, FAISALABAD

(Item Rate/Percentage Age Rate Tender & Contract for Works)

1	Name of work:	<ul style="list-style-type: none"> <li>i. Distempering, painting and plastering work to House No. 48 Lalazar Colony, UAF.</li> <li>ii. Replacement of Roof, distempering, painting etc. to House No. 08 Jail Road, UAF.</li> <li>iii. Distempering, painting and public health work to House No. 03 Tanki Road UAF.</li> <li>iv. Replacement of PCC floor and bath fitting etc. to House No. 07 Shahbaz Town, UAF.</li> <li>v. Plastering, Distempering, painting work etc. to House No. 02 Lalazar Colony, UAF.</li> <li>vi. Distempering, painting and replacement of gallery roof etc. to House No. 127 Firdous Hall, UAF.</li> <li>vii. Installation of Main Panel at UCC-PARS UAF.</li> <li>viii. Replacement of old Damaged Main Sewerage Pipeline near House No. 9,10,16 and 17 at Lalazar Colony UAF.</li> </ul>	
2	Estimated cost :	<ul style="list-style-type: none"> <li>i. PKR: 398,500/-</li> <li>ii. PKR: 294,600/-</li> <li>iii. PKR: 295,586/-</li> <li>iv. PKR: 260,521/-</li> <li>v. PKR: 495,000/-</li> <li>vi. PKR: 241,481/-</li> <li>vii. PKR: 595,563/-</li> <li>viii. PKR: 316,997/-</li> </ul>	
3	Time for completion:	<ul style="list-style-type: none"> <li>i. One Month</li> <li>ii. One Month</li> <li>iii. One Month</li> <li>iv. One Month</li> <li>v. One Month</li> <li>vi. One Month</li> <li>vii. One Month</li> <li>viii. One Month</li> </ul>	<p><b>Note: - Time Extension</b> (if any) should not be more than original completion time mentioned in the work order. In case of any contradiction, this provision will prevail. However, this can be right off with the prior approval of the Competent Authority, UAF any time during the execution of the work under specific circumstances.</p>
4	Amount of Bid Security:	<ul style="list-style-type: none"> <li>i. PKR: 7,970/-</li> <li>ii. PKR: 5,892/-</li> <li>iii. PKR: 5,912/-</li> <li>iv. PKR: 5,210/-</li> <li>v. PKR: 9,900/-</li> <li>vi. PKR: 4,830/-</li> <li>vii. PKR: 11,911/-</li> <li>viii. PKR: 6,340/-</li> </ul>	
5	Issued to:		
6	Pre-tender conference:	N.A.	
7	Dead Line for submission of Tender:	-----07-03-2024-----	

8	Opening of Tender :	-----07-03-2024-----
9	Issued by:	Office Of Executive Engineer, University of Agriculture, Faisalabad.

Date: -----

Signature: -----

(OFFICE STAMP)

**Note:**

The officer / Tender Opening committee is competent to reject the tender, which does not bear the signature and stamp of the issuing officer in favor of the contractor/firm to whom the tender-documents was issued against prescribed fee (Non-Refundable) for the purpose/ work requested thereto. However, the tender documents can be downloaded Free of Cost from UAF or PPRA website. Tender documents in a sealed envelope along with prescribed Bid Security @ 2% in shape of CDR/DD in favour of Executive Engineer (ECD-M) /Treasure, UAF must reach to the **Office of Executive Engineer, University of Agriculture Faisalabad** up to schedule of closing.

**GENERAL DIRECTIONS FOR THE GUIDANCE OF THE TENDERERS**

1. These directions are provided to assist the tenderer in preparing and submitting his tender. The tender shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.
2. All necessary documents, such as copies of specifications (excluding standard specification books etc), contract documents, including bill of quantities, estimated rates and any other documents required in connection with the preparation of tender or execution of works, signed by the Engineer-in-charge will accompany the tender form and the cost of such annexed documents will be reflected in the cost of the tender form.
3. The tenderer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his tender.
4. No single tender shall include more than one work. A tenderer who wishes to tender for two or more works shall submit tender for each work, separately.
5. The memorandum of work tendered for, and the schedule of materials and equipment to be supplied by the Engineer-in-charge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the Engineer-in-charge before the tender form is issued. At this stage the tenderer should ensure that the tender form so issued is complete in all respects.
6. The tenderer shall note that the ultimate responsibility for the quality of work and its conformity with the specifications and drawings rests solely with the successful bidder whose tender is accepted.
7. The tenderer shall at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the tender and entering into contract, and shall determine and satisfy himself by such means as he may consider

necessary or desirable as to all matters pertaining to the tender. The tenderer shall also satisfy himself before submitting his tender as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and transportation facilities in the area. The tenderer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his tender. The Engineer-in-charge shall not assume any responsibility regarding information gathered, interpretation or deduction which the tenderer may arrive at, from the data that may be furnished with the contract documents.

8. (a) The tenderer shall fill up the bid schedule.  
(b) In case tenders are called on item rate basis, the tenderer shall quote his own unit rate in the bid schedule on which he is willing to under take each item of work.
9. (i) The tenderer shall work out the amount against each item of work in the bid schedule and will indicate the total amount of his tender on which he is willing to complete the works. The total amount worked out in the bid schedule shall be entered by the tenderer in his tender as his tender price for the work in case of discrepancy between amounts in figures and in words the amount in words shall prevail.  
(ii) Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the tenderer will be extended in working out of the amount of the tender and the total amount of the bid schedule will be adjusted accordingly.  
(iii) If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule  
(iv) If it is found that the tenderer has not entered any unit rate and amount against any of the pay items of the bid schedule, the Engineer-in-charge shall fill in the blanks by noting the word "Nil" in such blanks at the time of opening of the tender. Such pay items shall be deemed to be covered by the rates of other items.  
(v) If the tenderer does not accept the adjusted/corrected amount of tender according to the above provision, his tender shall be rejected and the earnest money forfeited.
- 10 The tender which proposes any alteration in the works specified in the bid schedule or in the time allowed for carrying out the works or in any other condition mentioned by the Engineer- in-charge, will be liable to rejection. The tenderer shall sign each and every page of the tender and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the tender duly signed by the tenderer. Any addition or alteration made after filling the form shall be duly attested by the tenderer. Non-compliance of this condition shall render the tender liable to rejection.

11 The tenderer shall fill in the tender documents in ink: Errors, if any, shall be scored out and corrections rewritten legibly and attested by the tenderer. Any addition or alternation made after filling the form shall be duly attested by the tenderer. Non-compliance of this condition shall render the tender liable to rejection. Any tender with unattested correction shall be attested by the tenderer in the presence of other tenderers at the time of opening of the tender except that no correction shall be permissible in the rate or amount of the bid schedule or in the tendered price after the opening of the tender.

12 Additional clause(s) for a particular work shall be typed on separate sheets by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets(s). The tenderer shall not add or delete any additional clause(s) in the additional clause(s) sheet(s), provided by the Engineer-in-charge.

13 The quantities mentioned in the bid schedule are estimated quantities, to be used for preparing tenders, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein, except as determined in accordance with the provisions of clause 42 of the general conditions of contract.

14 No tender without earnest money shall be entertained. Earnest money, calculated @ 2% of the estimated cost of the work (rounded suitably), shall be in the form of deposit at call receipt. The earnest money of the unsuccessful tenderers shall normally be returned by the Engineer-in-charge within a week of opening of the tenders and in any case not later than thirty (30) days following the date set for opening of tenders except in cases where the tenders are to be accepted by the Chief Engineer, in those cases the earnest money of only the three lowest bidders will be retained and returned to the unsuccessful bidders not later than sixty (60) days of opening of the tenders. In the event of the tender being accepted, a receipt for the earnest money forwarded therewith, shall there upon be given to the contractor. The earnest money of the successful tenderer on execution of the contract covering work will be adjusted towards the amount of security deposit to be retained from the first amounts(s) payable to the contractor under the contract.

15 The lowest evaluated bidder will be required to furnish the performance guarantee / quality assurance security (wherever required) before entering into a contract. Should the lowest evaluated bidder refuse or fail for any reason to furnish the performance guarantee / quality assurance security, it should constitute a just cause for rejection of his tender / annulment of award and in event of such rejection / annulment, the entire earnest money shall be forfeited to Government, as compensation for such default.

16 (i) The tender shall be signed by the person(s) duly authorized to do so. In the event of a tender being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the tender

and it must disclose that the firm is duly registered under the partnership Act, 1932 or any other law in force.

(ii) The tender submitted by a joint venture of two or more firms shall be accompanied by a document of formation of the joint venture, duly registered and authenticated by a competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person(s) authorized to represent it and accept its obligations the participation of several firms forming the joint venture and any other information necessary to permit a full appraisal of its function.

(iii) A tender submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.

(iv) In all cases, the tender must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.

17 Each tenderer shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender and of the rates and prices stated in the bid schedule, which rates and prices shall, except in so far as it is otherwise expressly provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the work.

18 The tenderer may modify or withdraw his tender after submission, provided that the modification or notice of withdrawal is received in writing by the Engineer-in-charge prior to the prescribed deadline for submission of tenders. The tenderer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "MODIFICATION OR WITHDRAWAL" as appropriate. No tender may be modified subsequent to the deadline for submission of tenders. Withdrawal of a tender during the interval between the deadline for submission of tenders and the expiration of the period of tender validity i.e. sixty (60) days as specified by the tenderer in the form of tender may result in the forfeiture of the tender security.

19 The tenderer shall submit the original tender documents complete in all respect and keep a copy of the tender for his own record. The original should be sealed in an inner and an outer envelope, duly marking the envelopes as "ORIGINAL". The inner and outer envelopes shall (a) be addressed to (Executive Engineer), (b) and bear the following identifications: Tender for (Name of Contract), (Reference Number of Tender), and the words "DO NOT OPEN BEFORE (Time and Date, set for opening)". The inner envelopes shall indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared to have been received late is otherwise unacceptable. If the outer envelope is not sealed and marked as instructed above, the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the tender submitted. A tender opened prematurely because of improper identification will be rejected.

20 The tenderer shall indicate in the space provided in the tender his full and proper address at which notices may be legally served on him and at which all correspondence in connection with his tender and the contract is to be sent.

21 The presentation of tender implies full acceptance on the part of the tender of these instructions

and all other conditions set forth in the contract document.

22 Any tender received by the Executive Engineer (Engineer-in-charge) after the deadline for submission of tenders prescribed in the Notice Inviting Tenders will be returned unopened to the tenderer.

23 The Engineer-in-charge or his duly authorized officer (not below the rank of Assistant Engineer/Sub Divisional Officers) will open tenders in the presence of intending tenderers or their authorized agents, who may be present at the time. The officer opening the tender will announce the names of the tenderer, tender rates and the presence of requisite tender security.

24 Promptly after the opening of Tenders, the Engineer-in-charge will undertake a detailed evaluation of tenders. The Engineer-in-charge will determine whether each tender is substantially responsive to the requirements of the tender documents and conforms to all the terms, conditions and specifications of the tender documents without material deviation or reservation. If a tender is not substantially responsive to the requirements of the tender documents, it will be rejected by the Engineer-in-charge, and may not subsequently be made responsive by the tenderer having corrected or withdrawn the non-confirming deviation or reservation.

25 Except for information to be read out by the Engineer-in-charge at the time of opening tenders in accordance with para 23 above, no information relating to the examination, clarification, evaluation and comparison of tenders and recommendations concerning the award of contract shall be disclosed to tenderers or other persons not officially concerned with such process. Any effort by a tenderer to influence the process of examination, clarification, evaluation and comparison of tenders, an in decisions concerning award of contract, may result in the rejection of his tender.

26 To assist in the examination, evaluation and comparison of tenders, the Engineer-in-charge may ask tenderers individually for clarification of their tenders, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, but no change in the price or substance of the tender shall be sought, offered or permitted except as required to confirm the correction of arithmetical errors discovered by the Engineer-in-charge during the evaluation of the tender.

26 (A) In case the total tendered amount is equal to or less than 5% of the approved estimated (DNIT) amount, the lowest bidder will have to deposit quality assurance security from the Scheduled Bank equal to the amount of difference between approved DNIT amount and the quoted bid amount as given below, within 15 days of issuance of notice or with in expiry period of bid, whichever is earlier:

TOTAL TENDERED AMOUNT BELOW CORRESPONDING ESTIMATED COST.	QUALITY ASSURANCE SECURITY
5%	5%
6%	6%
7%	7%
8%	8%
9%	9%

10% and so on....	10% and so on....
----------------------	----------------------

26 (B) Lowest evaluated bidder shall, within 15 days of receipt by him of a notice in this regard, furnish to the tender approving authority in cash, bank draft, cashier's cheque, payment order or bank guarantee (valid for three months beyond completion time/extended completion time) from any scheduled Bank of Pakistan, the amount to make up performance guarantee and / or quality assurance security (wherever required) and specified in the tender in item (h) of Memorandum of work. Should the lowest evaluated bidder refuse or fail for any reason to furnish the performance guarantee and / or quality assurance security (wherever required) within the specified time, it should constitute a just cause for rejection of his tender and in the event of such rejection the entire earnest money shall be forfeited to government as compensation for such default.

27 The Engineer-in-charge shall have the right of rejecting all or any of the tenders without assigning any reason thereof. The Engineer-in-charge will not be bound to award the contract to the lowest or to any other tenderer.

28 The unit rates and prices entered in the bid schedule will be the rates at which the contractor will be paid (Subject to the adjustment specified in Clause 55 of the annexed conditions) and shall be deemed to include all costs of performing the work, including income tax, super tax, and/or other charges, duties and taxes of the Government, autonomous, semi- autonomous and local bodies, profits and costs of accepting the general risk, liabilities and obligations set forth in or implied from the contract.

29 Prior to the expiration of the period of tender validity (60 days) prescribed in the tender form or any extension thereof that may have been granted by the tenderer, the Engineer-in- charge will notify the successful tenderer by cable and confirm in writing by registered letter that his tender has been accepted. This letter of acceptance shall name the sum which will be paid in consideration of the execution, completion and maintenance of the works as prescribed in the contract, (hereinafter called the contract price). The notification of award will constitute the formation of the contract.

30 At the time, the Engineer-in-charge informs the lowest bidder in writing, bidder will provide performance guarantee / quality assurance security (wherever required) within fifteen (15) days from receipt of letter, failing which his bid will be rejected and bid security will be forfeited..

31 After the successful tenderer has signed the contract and furnished adequate performance guarantee and / or quality assurance security (wherever required) the Engineer-in-charge will notify to the unsuccessful tenderers that they were unsuccessful.

32 The completion period will be reckoned from the date of delivering the award or the handing over of the site to the contractor, whichever is later.



33 A copy of the contract agreement may be obtained by the contractor at his own cost.

**TENDER FOR WORK**

To

**The Executive Engineer,  
Engineering Construction Department, (Maintenance)  
University of Agriculture,  
Faisalabad**

Dear Sir,

I/We.....

(Name of the contractor)

The undersigned tenderer, having examined the conditions of contract, specification, drawing bid schedule and addenda Nos..... thereto, for the work of .....

(Name of the work)

and the works associated therewith, and having examined the site of the above named works, or having caused the site to be visited OR our behalf by my/our competent and reliable agent, and having satisfied myself/ourselves as to all conditions under which the above named work must be performed, hereby offer to execute, complete and maintain the whole of the above mentioned work including its ancillary works associated therewith, in accordance with the said contract documents, including the addenda indicated above, at tender price of Rs. .... (Rupees).....

Or such other sums as may be ascertained in accordance with the said conditions of contract and the rates, and the prices set forth in the bid schedule.

2. As security for the due performance of the undertaking and obligations of this tender, I/We submit herewith a deposit at call receipt No..... dated..... In the amount of Rs. .... (Rupees) ..... From the .....Branch of .....Bank drawn in your favor or may payable to you as earnest money, the full value of which will be absolutely forfeited to Government,, without prejudice to any other rights or remedies of the said *Government*, should I/We withdraw or modify' the tender within its validity period of sixty (60) days, following the date of receipt of tender.
- 3 .I/We understand that if my/our tender is accepted, the foil value of the earnest money as attached with the tender shall be detained by *University* towards the amount of security deposit specified in clause 48 of the said conditions of contract and item (d) of the Memorandum of work.
4. Should this tender be accepted by you, I/We hereby undertake:-
  - (a) To sign ail the necessary documents for entering into a contract agreement in the form set out in the contract document within fifteen (15) days following your notification of such acceptance.
  - (b) To commence the work within the stipulated time named in item (f) of memorandum hereto annexed following the date of issuance of your order to proceed with or the handing over of the

site, whichever is later and in the event of my/our failure to do so, the entire amount of earnest money deposited by me/us for which deposit at a call receipt is enclosed herewith, is to be absolutely forfeited to the University.. On the commencement of work, I/We hereby also agree to abide by and fulfill all the terms or provisions of the said conditions of the contract annexed hereto so far as applicable and in default thereof, to forfeit and pay to the University the sums of money mentioned in the said conditions.

- (c) To complete and deliver the whole work comprised in the contract within the time stipulated in item No. (g) of the Memorandum hereto annexed, subject to such extension in the time limit as may be granted under the conditions of contract.
  - (d) the furnishing of performance security under item (h) of the memorandum annexed hereto, in the sum equal to 10 (ten) percent of the cost of the work in same form sum equal to 10 (ten) percent of the cost of the work in the same form and on the same condition as are prescribed by and to the satisfaction of the Engineer-in-charge.
5. I/We also agree that when materials and/or equipment for the work are provided by the t, the rates to be paid for them shall be as provided in Appendices annexed hereto.
  6. I/We agree to abide by this tender for the period of sixty (60) days following the date set for receiving of tenders and it shall remain binding upon me/us and may be accepted by you at any time before the expiration of that period.
  7. Unless and until a formal agreement is prepared and executed, this tender, together with your written acceptance thereof, shall constitute a binding contract between us, and shall be deemed for all purposes to be the contract agreement.
  8. I/We understand that you are not bound to accept the lowest or any tender you may receive, and that you will not defray any expenses incurred by me/us in tendering.

Thanking you,

Yours faithfully,  
(Signature of Tenderer)

NAME.....

\*  
Address .....

Dated this .....Day of ..... 2024

I hereby accept the above tender on behalf of the Tender Committee UAF / Government.

**(Signature of Executive Engineer)**

\*  
In case the above address is changed, the contractor will immediately notify in writing to the *Executive Engineer*, his new address.

## MEMORANDUM OF WORK

a)	General Description:	<ul style="list-style-type: none"> <li>i. Distempering, painting and plastering work to House No. 48 Lalazar Colony, UAF.</li> <li>ii. Replacement of Roof, distempering, painting etc. to House No. 08 Jail Road, UAF.</li> <li>iii. Distempering, painting and public health work to House No. 03 Tanki Road UAF.</li> <li>iv. Replacement of PCC floor and bath fitting etc. to House No. 07 Shahbaz Town, UAF.</li> <li>v. Plastering, Distempering, painting work etc. to House No. 02 Lalazar Colony, UAF.</li> <li>vi. Distempering, painting and replacement of gallery roof etc. to House No. 127 Firdous Hall, UAF.</li> <li>vii. Installation of Main Panel at UCC-PARS UAF.</li> <li>viii. Replacement of old Damaged Main Sewerage Pipeline near House No. 9,10,16 and 17 at Lalazar Colony UAF.</li> </ul>
	Estimated Cost:	<ul style="list-style-type: none"> <li>i. PKR: 398,500/-</li> <li>ii. PKR: 294,600/-</li> <li>iii. PKR: 295,586/-</li> <li>iv. PKR: 260,521/-</li> <li>v. PKR: 495,000/-</li> <li>vi. PKR: 241,481/-</li> <li>vii. PKR: 595,563/-</li> <li>viii. PKR: 316,997/-</li> </ul>
i.	Amount of earnest money to accompany the tender (to be furnished by the tenderer in the shape of "deposit at call" from a scheduled Bank of Pakistan)	<ul style="list-style-type: none"> <li>i. PKR: 7,970/-</li> <li>ii. PKR: 5,892/-</li> <li>iii. PKR: 5,912/-</li> <li>iv. PKR: 5,210/-</li> <li>v. PKR: 9,900/-</li> <li>vi. PKR: 4,830/-</li> <li>vii. PKR: 11,911/-</li> <li>viii. PKR: 6,340/-</li> </ul>
ii.	<b>Percentage of security deposit to be retained from the bills.</b>	
	i) On the amount of work done up to Rs.5.0 million ii) On the amount of work done beyond Rs.5.0 million.	Ten (10) percent  Five (5) percent
iii.	Minimum amount of interim running bills	Rupees five million (Rs.----- only)
iv.	Mobilization period	Fifteen (-) calendar days
v.	Time allowed for completing the work after the expiry of mobilization period	-----NA-----calendar months

<b>vi.</b>	Amount of performance security in the form of Bank Guarantee (see contract conditions clause 7 and General direction 26 (a))	Five (05) percent of the accepted tender price in the case of tenders with cost of exceeding Rs.50.00 million and as per general condition 26(a) for all tenders.
<b>vii.</b>	Period of maintenance (after the date of issuance of certificate of completion)	Twelve (06) calendar months.

# BID SCHEDULE

**1. Schedule of item (MRS & Input Rates)**
**Name of work:** \_\_\_\_\_

**(To be filled in by the tenderer)**

Sr. No.	Items in schedule of rates		Description	Estimated quantity	Unit of Rates	Schedule of rates		Amount (Rs....)
	Page No.	Serial No.				Labour	Composite	
1	2	3	4	5	6	7	8	9

*Mandatory to Write in Words: (Urdu/English)*

**Total cost of MRS & Input - item rates Rs.** \_\_\_\_\_

**Contractor**
**Executive Engineer  
ECD-M; UAF**

# BID SCHEDULE

**1. Schedule of item (Non Schedule (NS) Items)**
**Name of work** \_\_\_\_\_

**(To be filled in by the tenderer)**

Sr. No	Pay item No. of reference to special specification supplied	Description of item	Estimated quantity	Unit of Rates	Unit rate To be filled in the contractors where not already filled by the Executive Engineer		Amount (To be filled in by the contractor when not already filled in by the project director for items against which the unit rate have already been filled in by him)
					In figure	In Words	
1	2	3	4	5	6	7	8

*Mandatory to Write in Words: (Urdu/English)*

**Total cost of NS- item rates Rs.** \_\_\_\_\_

**Contractor**

**Executive Engineer  
ECD-M; UAF**

# BID SCHEDULE

Name of Work \_\_\_\_\_

(To be filled in by the tenderer)

Total tendered amount of the work:  
(To be filled in by the tenderer)

1. Total Cost. (MRS & In-Put Rates)

Rs. \_\_\_\_\_

2. Total Cost of NS Item Rates

Rs. \_\_\_\_\_

Grand Total (1 +2) Rs. \_\_\_\_\_

Rupees (In words) \_\_\_\_\_

Mandatory to Write in Words: (Urdu/English)

Contractor

Executive Engineer  
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 06/2024 Sr. No. 01					
Name of Work:		Distempering, painting and plastering work to House No. 48 Lalazar Colony, UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Grouting 4½"(113 mm) dry brick work with cement mortar ratio 1: 5	453.75	%sft		
2	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	565.29	%sft		
3	Distempering 2 coats on old surface	6908.35	%sft		
4	Scaraping old distemper or paint on wall	2763.34	%sft		
5	painting door and window any typ 2coats on old surface	1364.58	%sft		
6	painting saches fanlight wire guazed or glazed door and window	664.78	%sft		
7	color wash old surface 2 coats	2424.50	%sft		
8	Glazing with panes (24 oz. to 26 oz.), using putty and deodar wooden fillets	35.38	sft		
9	Cement pointing struck joints, on walls, upto 20' (6.00 m) hieght:-a)ratio 1:2	500.00	%sft		
10	Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c ' passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (ii) 1/2" Squar Bars	80.00	sft		
11	Providing and fixing G.I. wire gauze 22 SWG, 12x12 meshes per square inch, (5x5 meshes in cm2) fixed to steel window, complete with flat iron patti ½"x 1/8" (13mmx3 mm) and machine made screws.	80.00	sft		
12	G.I. wire gauze 22 SWG, 12x12 meshes per square inch, (5x5 in cm2) fixed to chowkat, with ¾" ('20 mm) thick deodar wood strip and screws	34.09	sft		
<b>Total</b>					
PST@_____%					
<b>G. TOTAL:</b>					
<i>Mandatory to Write in Words: (Urdu/English)</i>					

Contractor

Executive Engineer  
ECD-M; UAF



DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 06/2024 Sr. No. 02					
Name of Work:		Replacement of Roof, distempering, painting etc. to House No. 08 Jail Road, UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Removing cement or lime plaster	142.00	%sft		
2	cement plaster 1:4 ratio upto 20 ft height ½" thickness	358.00	%sft		
3	Dismantling brick work in lime or cement mortar.	32.06	%cft		
4	Dismantling 2nd class tile roofing	170.00	%sft		
5	Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position	211.30	%kg		
6	First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm ) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly then sheet	170.00	%sft		
7	Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:6	32.06	%cft		
8	Distempering 2 coats on old surface	2924.01	%sft		
9	Scaraping old distemper or paint on wall	2021.18	%sft		
10	painting door and window any typ 2coats on old surface	982.00	%sft		
11	painting saches fanlight wire guazed or glazed door and window	2128.94	%sft		
<b>Total</b>					
PST@_____%					
<b>G. TOTAL:</b>					
<i>Mandatory to Write in Words: (Urdu/English)</i>					

Contractor

Executive Engineer  
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 06/2024 Sr. No. 03					
Name of Work:		Distempering, painting and public health work to House No. 03 Tanki Road UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Removing cement or lime plaster	475.65	%sft		
2	Grouting 4½"(113 mm) dry brick work with cement mortar ratio 1: 5	440.00	%sft		
3	cement plaster 1:4 ratio upto 20 ft height ½" thickness	475.65	%sft		
4	G.I. wire gauze 22 SWG, 12x12 meshes per square inch, (5x5 in cm2) fixed to chowkat, with ¾"(20 mm) thick deodar wood strip and screws	36.00	sft		
5	Glazing with panes (24 oz. to 26 oz.), using putty and deodar wooden fillets	92.94	sft		
6	Providing and applying wall putty of 2mm thickness over plastered surface (new surface)top repare the surface even and smooth complete in all respect.	2545.19	%sft		
7	Distempering 2 coats on old surface	7307.32	%sft		
8	Scaraping old distemper or paint on wall	1461.46	%sft		
9	painting door and window any typ 2 coats on old surface	1828.80	%sft		
10	painting saches fanlight wire guazed or glazed door and window 2 coats on old surfce	1479.51	%sft		
11	color wash old surface 2 coats	3427.58	%sft		
12	Removing Malba up to 10 KM	19.03	%cft		
				<b>Total</b>	
				PST@_____%	
				<b>G. TOTAL:</b>	
<i>Mandatory to Write in Words: (Urdu/English)</i>					

Contractor

Executive Engineer  
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 06/2024 Sr. No. 04					
Name of Work:		Replacement of PCC floor and bath fitting etc. to House No. 07 Shahbaz Town, UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Dismantling cement concrete 1:2:4 plain	43.07	%cft		
2	Dismantling cement concrete 1:4:8 plain	11.88	%cft		
3	Removing cement or lime plaster	368.00	%sft		
4	Removing door with chowkhat	1.00	each		
5	Earthwork excavation in open cutting for sewers and manholes as shown in drawings including shuttering and timbering, dressing to correct section and dimensions according to templates and levels, and removing surface water, in all types of soil except shingle, gravel and rock:-i)0 ft. to 7.0 ft. (0 to 2.10 m) depth(15,934.55-31.5% reduce=15,934.55-5019.38=10915.17	112.50	%0cft		
6	Providing, laying, watering and ramming brick or stone ballast 1½" to 2" (40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects.	105.89	%cft		
7	Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:- (b) Ratio 1: 4: 8	12.56	%cft		
8	Cement pointing struck joints, on walls, upto 20' (6.00 m) hieght:-a)ratio 1:2+Extra cost of labour and material for red oxide pigment	120.00	%sft		
9	Applying floating coat of cement 1/32" (0.8 mm) thick.	368.00	%sft		
10	cement plaster 1:4 ratio upto 20 ft height ½" thickness	368.00	%sft		
11	color wash old surface 2 coats	840.00	%sft		
12	Providing and applying wall putty of 2mm thickness over plastered surface (new surface)top repare the surface even and smooth complete in all respect.	808.64	%sft		
13	Distempering 2 coats on old surface	2342.16	%sft		
14	Scaraping old distemper or paint on wall	936.86	%sft		
15	painting saches fanlight wire guazed or glazed door and window 2 coats on old surfce	266.50	%sft		
16	P/F Iron door comprising of specified leaves made of 1-1/4"x1-1/4"x3/16" MS angle iron for leaf frame, diagonal and horizontal braces duly welded with MS. sheet 18-SWG i/c the cost of sliding bolt, tower bolt and painting 3-coats but excluding the cost of Chowkat complete in all respect as approved and directed by the Engineer incharge	17.50	sft		
17	Providing and fixing marble strip of any shade for dividing the mosaic flooring into panels Size 1½" x 3/8" (40 x 10 mm	215.36	rft		

Contractor

Executive Engineer  
ECD-M; UAF

18	Providing and laying topping of cement concrete 1:2:4,including surface finishing and dividing in panels:-(c) 1½"(40 mm) thick	358.94	%sft		
19	Providing, fixing, testing and commissioning of µ-PVC (Unplasticized Polyvinyl Chloride) Nikasi/ SWV pipe, Dadex/ Popular/ Beta or equivalent, plain/ Bell Ended/ Z-Joints conforming to BS 4514/ BS 5255 EN-1329 including the cost of special sand Solvents complete in all respects, as per drawings & specification sand/ or as approved and directed by the Engineer Incharge Type b) (SDR 32.5/SN-8) (v)4"(110 mm)	43.00	rft		
20	Providing and installing P.V.C. tees, of B.S.S (i) Class `B' working pressure:-b) 4" i/d (100 mm)	1.00	each		
21	Constructing gully grating chamber, 12"x12", ( 300x300mm) complete in all respects:B)concrete Gully trap 6124.95-446.30= 5678.65	1.00	each		
22	Making Sewerage connection to Existing Manhole of main sewerage pipe line including cost of Plugging dewatering desilting making hole in wall repairing and restoration etc complete in working condition	1.00	one job		
23	Rehandling of earthwork:a)Lead upto a single throw of Kassi, phaorah or shovel	75.00	%0cft		
24	Providing, laying, testingand commissioning of POLYPROPYLENE RANDOM COPOLYMER (PPRC) water supply pipe made of (Dadex/Popular/Beta/BBJ) with specified pressure rating PN (PRESSURE NOMINAL) and conforming to DIN 8077-8078 code i/c cost of solvent,specials,making jharries complete in all respect as approved and directed by Engineer Incharge.(Internal/External Diameters mentioned b)PN-20 pipe (iii)(1") 32 mm	70.00	p.rft		
25	Providing and fixing CP heavy duty brass Ball valve with CP handle of specified diameter made of Faisal/ Sonex/ Master best quality or equivalent complete in all respect as approved and directed by the Engineer Incharge.iii) 1" dia	1.00	each		
26	P/Fixing PPRC L-bow 32mmx1" dadex made as approved site Engineer	1.00	each		
27	P/Fixing PPRC L-BOW 32/ 25mmx1/2" dadex made as approved site Engineer	5.00	each		
28	P/Fixing of C.P Nipple 1"x½"	5.00	each		
29	Providing and fixing, flushing bend of PVC.ii)4 cm (1½")	1.00	each		
30	Providing, fixing, testing and commissioning of µ-PVC (Unplasticized poly vinyl Chloride) Nikasi/ waste pipe Fittings make of dadex/Popular/Beta/BBJ conforming to code EN-140 1including the cost of Solvents complete in all respect as approved and directed by the EngineerIn charge(a) P-Trap(i) 4" dia	2.00	each		
31	Providing and fitting glazed earthen ware water closet,squatter type (Orisa pattern), combined with foot rest i) white	1.00	each		

Contractor

Executive Engineer  
ECD-M; UAF

32	Providing and Fixing of Floor Trap Jali Plastic Material good quality	1.00	each		
33	Providing and fitting glazed earthen ware wash hand basin / vanity 56x40 cm (22"x16") including bracket set, waste pipe and waste coupling, etc.i) white, with pedestal	1.00	each		
34	Providing and fixing chromium plated tee stop cock 15mm (½").	2.00	each		
35	Providing and fixing chromium plated pillar-cock, heavy:- ii) 1.5 cm (½")	1.00	each		
36	Providing and fixing of Bib cock ½" dia	2.00	each		
37	Providing and fixing underground stop cock 13 mm (½"), with chromium plated cover.	1.00	each		
38	Providing and fixing chromium plated shower rose i) 1.5x10 cm (½"x4")	1.00	each		
39	Providing and fitting plastic made low down flushing cistern 13.63 litre (3 gallons) capacity, including bracket set, copper connection, etc. complete i) white color	1.00	each		
40	Providing and fitting, glazed earthen ware soap dish i) white	1.00	each		
41	Providing and fixing looking glass 55x40 cm (22"x16") size and 5 mm thick, first quality	1.00	each		
42	Cutting hole 4"x6" (100x150 mm) in stone masonry or brick wall with chisel, repairing masonry and removing debris within one chain lead.	5.00	p.hole		
43	Removing Malba up to 10 KM	69.67	%cft		
				<b>Total</b>	
				PST@_____%	
				<b>G. TOTAL:</b>	
<i>Mandatory to Write in Words: (Urdu/English)</i>					

Contractor

Executive Engineer  
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 06/2024 Sr. No. 05					
Name of Work:		Plastering, Distempering, painting work etc. to House No. 02 Lalazar Colony, UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Removing cement or lime plaster	527.22	%sft		
2	Applying floating coat of cement 1/32" (0.8 mm) thick.	869.30	%sft		
3	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	1039.05	%sft		
4	Distempering:-old surface:-two coats	10064.27	%sft		
5	Scraping old distempering or paint on wall	2012.85	%sft		
6	painting of doors and windows any type (including edges):-2 coats on old surface	1020.50	%sft		
7	Painting sashes, fanlights, glazed or gauzed doors and windows:-2 coats on old surface	3983.11	%sft		
8	Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, rebitting, handling, assembling and fixing, but excluding erection in position	252.00	%kg		
9	First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm ) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiced layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly then sheet	240.00	%sft		
<b>Total</b>					
PST@ _____%					
<b>G. TOTAL:</b>					
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer  
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 06/2024 Sr. No. 06					
Name of Work:		Distempering, painting and replacement of gallery roof etc. to House No. 127 Firdous Hall, UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, rebitting, handling, assembling and fixing, but excluding erection in position	150.10	%kg		
2	First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm ) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly then sheet	96.00	%sft		
3	Dismantiling cement concrete 1:2:4 plain	45.96	%cft		
4	Removing cement or lime plaster	390.00	%sft		
5	Providing, laying, watering and ramming brick ballast 1½ to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects	45.96	%cft		
6	Grouting 4½"(113 mm) dry brick work with cement mortar ratio 1: 5	400.00	%sft		
7	Providing and fixing marble strip of any shade for dividing the mosaic flooring into panels a) Size 1½" x 3/8" (40 x 10 mm	248.95	p.rft		
8	Providing and laying topping of cement concrete 1:2:4,including surface finishing and dividing in panels:-(c) 1½"(40 mm) thick	383.00	%sft		
9	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	390.00	%sft		
10	Cement pointing struck joints, on walls, upto 20' (6.00 m) hieght ratio 1:2	120.00	%sft		
11	Distempering 2 coats on old surface	2142.00	%sft		
12	Scaraping old distemper or paint on wall	856.80	%sft		
13	painting door and window any typ 2coats on old surface	182.00	%sft		
14	painting saches fanlight wire guazed or glazed door and window	152.00	%sft		
				<b>Total</b>	
				PST@_____%	
				<b>G. TOTAL:</b>	
<i>Mandatory to Write in Words: (Urdu/English)</i>					

Contractor

Executive Engineer  
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 06/2024 Sr. No. 07					
Name of Work:		Installation of Main Panel at UCC-PARS UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	P/F floor mounted Electric Panel board of required depth and size, fabricarted with 14SWG M.S sheet (Indoor/Outdoor Type),derusting, zinc Phosphated, finish with electro static powder coating in approved colour i/c the cost of Lock, Indication lights, Brass glands, Netural & Earth bar, Digital volt meter/ Amp meter, Slector switchs, Current Transformers, Controles, Channels, Copper bus bars of specified capacity ,Door Earthing, complete in all respects as approved and directed by the Engineer Incharge (Breakers will be Paid Separately) LT Switchboards: 2.50 Ft deep 250~600A (3x4x2.5)= 30 Cft	30.00	cft		
2	Supplying ,Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY/TERASAKI JAPAN/SIEMEN /ABB SWITZERLAND (with fixed Thermal-Magnetic Trip ) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the Engineer Incharge. Triple Pole: (i) 300-630 Amp(36 KA) Inter locking for change over system 1st for Wapda Suppy 2nd for Generator Supply	2.00	No.		
3	(ii) 15-100 Amp (10 KA,15KA)	3.00	No.		
4	(iii) 125-250 Amp(18 KA)	1.00	No.		
5	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) 1) By Manual ii) in ordinary soil	3.75	%0cft		
6	Pacca brick work in foundation and plinth in 1:6 cement sand mortor	5.00	%cft		
7	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	0.00	%cft		
8	cement plaster 1:4 ratio upto 20 ft height ½" thickness	0.00	%sft		

Contractor

Executive Engineer  
ECD-M; UAF



9	Supply and Erection of Car Parking Shed consisting of 3 mm thick fiber glass sheet roof (3-layers) fixed / riveted on moulded curved frame of M.S box pipe 1-1/2"x1-1/2"16-SWG supported on trusses of MS angle iron 1-1/2"x1-1/2"x3/16" all around duly supported on M.S sheet 6"x6"x1/4" welded on GI pipe post (Medium Quality) of specified diameter embeded in P:C:C (1:2:4 ) i/c the cost of excavation, cutting straightening assembling, bending as per design, welding / grinding of joints and painting three coats complete in all respect as approved and directed by the Engineer Incharge.(i) 4" dia GI Pipe Supports(deduction of 4" dia pipe amoun 4x10x984	225.00	sft		
<b>Total</b>					
PST@ _____%					
<b>G. TOTAL:</b>					
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer  
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 06/2024 Sr. No. 08					
Name of Work:		Replacement of old Damaged Main Sewerage Pipeline near House No. 9,10,16 and 17 at Lalazar Colony UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Restoration of brick pavement on edge, over laid service line with 2" (50 mm) sand cushion under soling.	55.00	%sft		
2	Earthwork excavation in open cutting for sewers and manholes as shown in drawings including shuttering and timbering, dressing to correct section and dimensions according to templates and levels, and removing surface water, in all types of soil except shingle, gravel and rock:-i)0 ft. to 7.0 ft. (0 to 2.10 m) depth(15,934.55-31.5% reduce=15,934.55-5019.38=10915.17	1947.50	%0cft		
3	Excavation of trenches in all kinds of soil, except cutting rock, for watersupply pipelines upto 5 ft. (1.5 m) depth from ground level, including trimming, dressing sides leveling the beds of trenches to correct grade and cutting pits for joints, etc. complete in all respects	780.00	%0cft		
4	Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:-(b) Ratio 1: 4: 8	35.75	%cft		
5	Pacca brick work other than building upto 10ft. (3 m) Ratio 1:4	127.50	%cft		
6	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	18.00	%cft		
7	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40	66.23	%kg		
8	Reinforced cement concrete in roof slab, beams columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast 3) This item shall not be applicable in situ, complete in all respect c) 3c type 1:2:4	28.71	p.cft		
9	Providing and laying R.C.C. pipe, moulded with cement concrete 1:1½:3, with spigot socket or collar joint, etc. including cost of reinforcement, conforming to B.S. 5911: Part I: 1981, Class "L" including carriage of pipe from factory to site of work, lowering in trenches to correct alignment and grade, jointing, cutting pipes where necessary, finishing and testing, etc., complete iii) 225 mm (9:) i/d	150.00	rft		
10	Providing, fixing, testing and commissioning of μ-PVC (Unplasticized Polyvinyl Chloride) Nikasi/ SWV pipe, Dadex/ Popular/ Beta or equivalent, plain/ Bell Ended/ Z-Joints conforming to BS 4514/ BS 5255 EN-1329 including the cost of special sand Solvents complete in all respects, as per drawings & specification sand/ or as approved and directed by the Engineer Incharge Type b) (SDR 32.5/SN-8) (v)4"(110 mm)	30.00	rft		
11	Constructing gully grating chamber, 12"x12", ( 300x300mm) complete in all respects:B)concrete Gully trap 6124.95-446.30= 5678.65	2.00	each		
12	Making Sewerage connection to Existing Manhole of main sewerage pipe line including cost of Plugging dewatering desilting making hole in wall repairing and restoration etc complete in working condition	2.00	one job		

Contractor

Executive Engineer  
ECD-M; UAF

13	Providing, laying, testing and commissioning of POLYPROPYLENE RANDOM COPOLYMER (PPRC) water supply pipe made of (Dadex/Popular/Beta/BBJ) with specified pressure rating PN (PRESSURE NOMINAL) and conforming to DIN 8077-8078 code i/c cost of solvent, specials, making jharries complete in all respect as approved and directed by Engineer Incharge. (Internal/External Diameters mentioned b) PN-20 pipe (iii) (1") 32 mm	260.00	p.rft		
14	Rehandling of earthwork: a) Lead upto a single throw of Kassi, phaorah or shovel	2000.33	%0cft		
<b>Total</b>					
PST@ _____%					
<b>G. TOTAL:</b>					
<i>Mandatory to Write in Words: (Urdu/English)</i>					

Contractor

Executive Engineer  
ECD-M; UAF