


Bidders are directed to comply the following checklist along with the sealed envelope of bidding documents while participating the quotation as per schedule date and time.

SR. NO	BIDDER DOCUMENTS	MENTIONED PAGE NO. (To Filled By the Tenderer)
<b>Required Documents to Participate in Bidding for F.Y 2023-24:-</b>		
1	<b><u>Written Application</u>*</b> on Firm's Letter Head Pad for the Work you are going to participate under this bidding document.	
2	<b>Copy of Registration Certificate, (Active NTN Certificate) with Federal Board of Revenue.</b>	
3	<b>Copy of Registration Certificate, (Active PNTN Certificate) with Punjab Revenue Authority Punjab</b>	
4	<b>Copy of STN Registration Certificate, (Active STN Certificate) with Federal Board of Revenue. (For Purchase items Only)</b>	
		

\* *Not required for the Downloaded Tendering Documents*

**Note:** Bidders may be directed to provide forth-said information, prior to the opening, of the Quotation if the Executive Engineer ECD-M deems necessary.

Contractor

Executive Engineer  
ECD-M; UAF

## UNIVERSITY OF AGRICULTURE, FAISALABAD

Item Rate (Details Notice of Inviting DNIQ) / Percentage Age Rate Quotation & Contract for Works

Name of the Firm:		(To Whom the Quotation is Issued)		
Sr.#	Name of Work	Amount (Rs.)	Quotation Fee	Time Limit*
1	Repair and Maintenance work to House No. 20 Shehbaz Housing Scheme, UAF	114,225/-	100/-	Two Weeks
2	Replacement of bath roof and Plastering, Painting work etc. to House No.96 Firdous Colony,UAF	196,031/-	100/-	Two Weeks
3	Painting, Plastering etc to House No. 57 Shehbaz Housing Scheme Phase II, UAF	89,172/-	100/-	Two Weeks
4	Replacement of Bath roof etc at House No. 109 Firdous Colony, UAF	180,212/-	100/-	Two Weeks
5	Replacement of bath roof and plastering, painting work etc to House No. 35 Firdous Colony, UAF	170,855/-	100/-	Two Weeks
6	Replacement of Kitchen and Bath roof to House No. 57 Firdous Colony, UAF	190,000/-	100/-	Two Weeks
7	Repair of ring main Unit-RMU type oil filled, rating (630 A) of sub No. 02 new campus Feeder, UAF	120,640/-	100/-	Two Weeks
8	Repair and Maintenance work to House No. 37 New Youngwala, UAF	166,702/-	100/-	Two Weeks
9	Replacement of Bath Roof at House NO. 3 Sugarcane Quarter, UAF	155,450/-	100/-	Two Weeks
10	Replacement of water supply line, sanitary and Sui Gas Items at various places, UAF	99,123/-	100/-	Two Weeks
<p>* Note: - Time Extension (if any) should not be more than original completion time mentioned in the W.O. In case of any contradiction, this provision will prevail. However, this can be right off with the prior approval of the Competent Authority, UAF any time during the execution of the work under specific circumstances.</p>				
Dead Line for submission of Quotation:			---04-04-2024-----	
Opening of Quotation :			---04-04-2024-----	

Issued by:

**Executive Engineer** (ECD-M)  
University of Agriculture,  
Faisalabad.

Date: -----

Signature: -----  
(OFFICE STAMP)

**Note:**

The officer / Quotation Opening committee is competent to reject the Quotation, which does not bear the signature and stamp of the issuing officer in favor of the contractor/firm to whom the tender-documents was issued against prescribed fee (Non-Refundable) for the purpose/ work requested thereto. However, the Quotation documents can be downloaded Free of Cost from UAF website. The Quotation documents in a sealed envelope must reach to the **Office of Executive Engineer, University of Agriculture Faisalabad** up to schedule of closing.

Contractor

**Executive Engineer**  
ECD-M; UAF

**GENERAL DIRECTIONS**  
FOR  
**THE GUIDANCE OF THE QUOTATIONER**

1. These directions are provided to assist the quotationer in preparing and submitting his quotation. The quotation shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.
2. All necessary documents, such as copies of specifications (excluding standard specification books, **MRS, 1<sup>st</sup> Bi-Annual 2024 District Faisalabad**), contract documents, including bill of quantities, estimated scheduled rates and any other documents required in connection with the preparation of quotation or execution of works, signed by the engineer-in-charge will accompany the quotation form and the cost of such annexed documents will be reflected in the cost of the quotation form.
3. The quotationer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his quotation.
4. No single quotation shall include more than one work. A quotationer who wishes to quotation for two or more works shall submit quotation for each work, separately.
5. The memorandum of work quotation for, and the schedule of materials and equipment to be supplied by the engineer-in-charge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the engineer-in-charge before the quotation form is issued. At this stage the quotationer should ensure that the quotation form so issued is complete in all respects.
6. The quotationer shall note that the ultimate responsibility for the quality of work and its conformity with the specifications and drawings rests solely with the successful bidder whose quotation is accepted.
7. The quotationer shall, at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the quotation and entering into contract, and shall determine and satisfy himself by such means as he may consider necessary or desirable as to all matters pertaining to the quotation. The quotationer shall also satisfy himself before submitting his quotation as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and transportation facilities in the area. The quotationer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his quotation. The engineer-in-charge shall not assume any responsibility regarding information gathered interpretation or deduction, which the quotationer may arrive at, from the date that may be furnished with the contract documents.
8. (a) The quotationer shall fill up the Bill of Quantities and indicate the percentage rate above or below the MRS of rates for the "MRS items" on which he is willing to undertake each item of work. No premium will be quoted by the contractor against non-MRS/item rates, for which the rate and amount has already been filled in by the engineer-in-charge in the bid schedule. (b) In case quotations are called on item rate basis (DNIT), the quotationer shall quote his own unit rate in the Bill of quantities on which he is willing to undertake each item of work.
9.
  - i. The quotation shall work out the amount against each item of work in the Bill of Quantities and will indicate the total amount of his quotation (including the cost of Non-MRS items rates for which the rate and amount has already been filled in by the engineer-in-charge in the Bill of Quantities) on which he is willing to complete the works. The total amount worked out in the Bill of Quantities shall be entered by the quotationer in his quotation as his quotation price for the work. In case of discrepancy between amounts in figures and in words, the amount in words shall prevail.
  - ii. Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the quotationer will be extended in working out of the amount of the quotation and the total amount of the bid schedule will be adjusted accordingly.
  - iii. If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule.
  - iv. If it is found that the quotationer has not entered any unit rate and amount against any of the pay items of the bid schedule, the engineer-in-charge shall fill in the blanks by noting the word "NIL" In such blanks at the time of opening of the quotation. Such pay items shall be deemed to be covered by the rates of other items.
  - v. If the quotationer does not accept the adjusted/corrected amount of quotation according to the above provision, his quotation shall be rejected, and the earnest money forfeited.
10. The quotation, which proposes any alteration in the works specified in the Bill of quantities or in the time allowed for carrying out the works or any other condition mentioned by the Engineer-in-charge, will be liable to rejection. The quotationer shall sign each and every page of the quotation and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the quotation duly signed by the

**Contractor**

**Executive Engineer**  
**ECD-M; UAF**

- quotationer. Any addition or alteration made after filing the forms shall duly have attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection.
11. The quotationer shall fill in the quotation documents, in ink. Errors, if any, shall be scored out, and corrections re-written legibly and attested by the quotationer. Any addition or alteration made after filling the form shall be duly attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection. Any quotation with unattested correction shall be attested by the quotationer in the presence of other quotationers at the time of opening of the quotation except that no correction shall be permissible in the rate or amount of the bid schedule or in the quoted price after the opening of the quotation.
  12. Additional Clause (s) for a particular work shall be typed on separate sheet(s) by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets. The quotationer shall not add or delete any additional clause(s) in the additional clauses sheet (s), provided by the Engineer-in-charge.
  13. The quantities mentioned in the Bill of Quantities are estimated quantities, to be used for preparing quotations, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein.
  14. (i) The quotation shall be signed by the person (s) duly authorized to do so. In the event of the quotation being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the quotation and it must disclose that the firm is duly registered under the Partnership Act, 1932, or any other law in force.  
  
(ii) The quotation submitted by a joint venture of two or more firms shall be accompanied by a document of formation of the joint venture, duly registered and authenticated by competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person (s) authorized to represent it and accept it obligate, the participation of several firms forming the joint venture and any other information of necessary to permit a full appraisal of its function.  
(iii) A quotation submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.  
(iv) In all cases, the quotation must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.
  15. Each quotationer shall be deemed to have satisfied himself before quotation as to the correctness and sufficiency of his quotation and of the rates and prices stated in the bid schedule which rates and prices shall, except in so far as it is otherwise expressly provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.
  16. The quotationer may modify or withdraw his quotation after submission, provided that the modification or notice of withdrawal is received in writing by the engineer-in-charge prior to the prescribed deadline for submission of quotations. The quotationer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "MODIFICATION or WITHDRAWAL as appropriate. No quotation may be modified subsequent to the deadline for submission of quotation. Withdrawal of a quotation during the interval between the deadline for submission of quotations and the expiration of the period of quotation validity i.e. sixty (60) days as specified by the quotationer in the Form of Quotation may result in the forfeiture of the quotation security.
  17. The quotationer shall submit the original Quotation Documents complete in all respects and keep a copy of the quotation for his own record. The original should be sealed in an inner and an outer envelope, duly marking the envelopes as "ORIGINAL". The sealed envelope shall (a) be addressed to engineer-in-charge (b) and bear the following identification: Quotation for (Name of Contract), (Reference Number of Quotation), and the words "DO NOT OPEN BEFORE (Time and Date, set for opening)". The envelopes shall indicate the name and address of the quotationer to enable the quotation to be returned unopened in case it is declared to have been received late or is otherwise unacceptable. If the envelope is not sealed the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the quotation submitted. A quotation opened prematurely because of improper identification will be rejected.
  18. The quotationer shall indicate in the space provided in the quotation his full and proper address at which notice may be legally served on him and to which all correspondence in connection with his quotation and the contract

**Contractor**

**Executive Engineer  
ECD-M; UAF**



# BID SCHEDULE

**1. Schedule of item (MRS & Input Rates)**
**Name of work:** \_\_\_\_\_

**(To be filled in by the quotationer)**

Sr. No.	Items in schedule of rates		Description	Estimated quantity	Unit of Rates	Schedule of rates		Amount (Rs....)
	Page No.	Serial No.				Labour	Composite	
1	2	3	4	5	6	7	8	9

*Mandatory to Write in Words: (Urdu/English)*

**Total cost of MRS Items Rs.** \_\_\_\_\_

**Contractor**
**Executive Engineer**
**ECD-M; UAF**

# BID SCHEDULE

## 1. Schedule of item (N.S. Items)

Name of work \_\_\_\_\_

(To be filled in by the quotationer)

Sr. No	Pay item No. of reference to special specification supplied	Description of item	Estimated quantity	Unit of Rates	Unit rate To be filled in the contractors where not already filled by the Executive Engineer		Amount (To be filled in by the contractor when not already filled in by the project director for items against which the unit rate have already been filled in by him)
					In figure	In Words	
1	2	3	4	5	6	7	8

*Mandatory to Write in Words: (Urdu/English)*

Total cost of item rates Rs. \_\_\_\_\_

Contractor

Executive Engineer

ECD-M; UAF

**DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 10/2024 Sr. No. 01****Name of Work:** Repair and Maintenance work to House No. 20 Shehbaz Housing Scheme, UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	removing lime or cement plaster	788.96	%sft		
2	cement plaster 1/2" thick with 1:4 cement sand mortar upto 20 ft height	788.96	%sft		
3	Dismantling brick or flagged flooring without concrete foundation.	374.60	%0cft		
4	Providing, laying, watering and ramming brick ballast 1½" to 2"(40 mm to 50 mm)gauge mixed with 25% sand, for floor foundation, complete in all respects.	123.62	%cft		
5	Providing and laying topping of cement concrete 1:2:4,including surface finishing and dividing in panels:-(a) c) 1½"(40 mm)	374.60	%sft		
6	Providing and fixing marble strip of any shade for dividing the mosaic flooring into panels(a) Size 1½" x 3/8" (40 x 10 mm)	243.49	%sft		
7	Distemping 2 coats on old surface	1174.00	%sft		
8	painting saches fanlight wire guazed or glazed door and window	443.00	%sft		
				Total	
				ADD PST @ 5%	
				G. TOTAL	

**Mandatory to Write in Words: (Urdu/English)****Contractor****Executive Engineer****ECD-M; UAF**



**DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 010/2024 Sr. No. 02**

**Name of Work:** Replacement of bath roof and Plastering, Painting work etc. to House No.96 Firdous Colony,UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Removing cement or lime plaster	352.00	%sft		
2	Dismantling brick work in lime or cement mortar.	14.34	%cft		
3	Dismantling 2nd class tile roofing	72.00	%sft		
4	Dismantling cement concrete reinforced separating reinforcement from concrete, cleaning and straightening the same.	36.00	%cft		
5	Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:6	14.34	%cft		
6	Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, rebitting, handling, assembling and fixing, but excluding erection in position	86.80	%kg		
7	First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm ) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiced layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly then sheet	84.00	%sft		
8	cement plaster 1:4 ratio upto 20 ft height ½" thickness	320.00	%sft		
9	Applying floating coat of cement 1/32" (0.8 mm) thick.	320.00	%sft		
10	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	61.50	%sft		
11	Distempering 2 coats on old surface	3687.00	%sft		
12	Scaraping old distemper or paint on wall	1474.80	%sft		
13	painting door and window any typ 2coats on old surface	303.00	%sft		
14	painting saches fanlight wire guazed or glazed door and window 2coats	577.00	%sft		
15	Providing, laying, cutting, jointing, testing and disinfecting G.I. pipeline in trenches, with socket joints, using G.I.pipes of B.S.S. 1387-1967 complete in all respects, with specials and valves.ii) Medium Quality b) ¾" i/d (20 mm) 2.65mm thick	40.00	p.rft		
				Total	
				ADD PST @ 5%	
				G. TOTAL	

Mandatory to Write in Words: (Urdu/English)

**Contractor**

**Executive Engineer**

**ECD-M; UAF**

**DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 10/2024 Sr. No. 03**

**Name of Work:** Painting, Plastering etc to House No. 57 Shehbaz Housing Scheme Phase II, UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	removing lime or cement plaster	788.96	%sft		
2	cement plaster 1/2" thick with 1:4 cement sand mortar upto 20 ft height	788.96	%sft		
3	Providing and laying topping of cement concrete 1:2:4, including surface finishing and dividing in panels:-(a) c) 1½"(40 mm)	370.50	%sft		
4	Distemping 2 coats on old surface	1174.00	%sft		
5	painting saches fanlight wire guazed or glazed door and window	443.00	%sft		
				Total:	
				Add 5% PST	
				G. Total	

Mandatory to Write in Words: (Urdu/English)

**Contractor**

**Executive Engineer**

**ECD-M; UAF**

**DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 10/2024 Sr. No. 04****Name of Work: Replacement of Bath roof etc at House No. 109 Firdous Colony, UAF**

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Removing cement or lime plaster	400.00	%sft		
2	Dismantling brick work in lime or cement mortar.	17.16	%cft		
3	Dismantling 2nd class tile roofing	39.00	%sft		
4	Dismantling cement concrete reinforced separating reinforcement from concrete, cleaning and straightening the same.	36.56	%cft		
5	Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:6	34.31	%cft		
6	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40	4.65	%kg		
7	Reinforced cement concrete in roof slab, beams columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast 3) This item shall not be applicable in situ, complete in all respect c) 3c type 1:2:4	2.63	p.cft		
8	Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position	52.00	%kg		
9	First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm ) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiced layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly then sheet	45.00	%sft		
10	Khuras on roof 2'x2'x6" (600 x 600 x 150 mm	1.00	each		
11	cement plaster 1:4 ratio upto 20 ft height ½" thickness	820.00	%sft		
12	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	87.00	%sft		
13	Distemping 2 coats on old surface	4179.88	%sft		
14	Scaraping old distemper or paint on wall	835.98	%sft		

**Contractor****Executive Engineer****ECD-M; UAF**

15	painting door and window any typ 2 coats on old surface	356.25	%sft		
16	painting saches fanlight wire guazed or glazed door and window 2 coats on old surfce	238.00	%sft		
17	Removing Malba up to 10 KM	73.22	%cft		
				Total:	
				Add 5% PST	
				G. Total	
<u>Mandatory to Write in Words: (Urdu/English)</u>					

**Contractor****Executive Engineer****ECD-M; UAF**

**DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 10/2024 Sr. No. 05**

<b>Name of Work:</b>	<b>Replacement of bath roof and plastering, painting work etc to House No. 35 Firdous Colony, UAF</b>
----------------------	---

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Removing cement or lime plaster	176.00	%sft		
2	Dismantling brick work in lime or cement mortar.	14.34	%cft		
3	Dismantling 2nd class tile roofing	72.00	%sft		
4	Dismantling cement concrete reinforced separating reinforcement from concrete, cleaning and straightening the same.	36.00	%cft		
5	Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:6	14.34	%cft		
6	Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position	86.80	%kg		
7	First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm ) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly then sheet	84.00	%sft		
8	cement plaster 1:4 ratio upto 20 ft height ½" thickness	160.00	%sft		
9	Applying floating coat of cement 1/32" (0.8 mm) thick.	160.00	%sft		
10	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	61.50	%sft		
11	Distempering 2 coats on old surface	3687.00	%sft		
12	Scaraping old distemper or paint on wall	1474.80	%sft		
13	painting door and window any typ 2coats on old surface	303.00	%sft		
14	painting saches fanlight wire guazed or glazed door and window 2coats	577.00	%sft		
				Total:	
				Add 5% PST	
				G. Total	

Mandatory to Write in Words: (Urdu/English)

**Contractor**

**Executive Engineer**

**ECD-M; UAF**

**DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 10/2024 Sr. No. 06****Name of Work:** Replacement of Kitchen and Bath roof to House No. 57 Firdous Colony, UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Removing cement or lime plaster	352.00	%sft		
2	Dismantling brick work in lime or cement mortar.	14.34	%cft		
3	Dismantling 2nd class tile roofing	72.00	%sft		
4	Dismantling cement concrete reinforced separating reinforcement from concrete, cleaning and straightening the same.	36.00	%cft		
5	Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:6	14.34	%cft		
6	Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, rebitting, handling, assembling and fixing, but excluding erection in position	86.80	%kg		
7	First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm ) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly then sheet	84.00	%sft		
8	cement plaster 1:4 ratio upto 20 ft height ½" thickness	320.00	%sft		
9	Applying floating coat of cement 1/32" (0.8 mm) thick.	320.00	%sft		
10	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	61.50	%sft		
11	Distempering 2 coats on old surface	3687.00	%sft		
12	Scaraping old distemper or paint on wall	1474.80	%sft		
13	painting door and window any typ 2coats on old surface	303.00	%sft		
14	painting saches fanlight wire guazed or glazed door and window 2coats	577.00	%sft		
15	Providing, laying, cutting, jointing, testing and disinfecting G.I. pipeline in trenches, with socket joints, using G.I.pipes of B.S.S. 1387-1967 complete in all respects, with specials and valves.ii) Medium Quality b) ¾" i/d (20 mm) 2.65mm thick	20.85	p.rft		
				Total:	
				Add 5% PST	
				G. Total	

**Mandatory to Write in Words: (Urdu/English)****Contractor****Executive Engineer****ECD-M; UAF**

**DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 10/2024 Sr. No. 07**

<b>Name of Work:</b>	<b>Repair of ring main Unit-RMU type oil filled, rating (630 A) of sub No. 02 new campus Feeder, UAF</b>
----------------------	--

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	General cleaning of all mechanical parts, fitting of CTs, & testing including cost of petrol, Lubricant oil, Greace, contact cleaning WD-40, Red Oxide, Lacer missing nuts bolts complete	1.00	Job		
2	Polishing & Electro plating of fixed copper point (FM) HT-Plunger (6 @ 3500/per piece)	6.00	No.		
3	Polishing & Electro plating of moving copper point (M) HT-Rod (6 @ 2500/per piece)	6.00	No.		
4	Polishing of change over/grounding contactor (i) Incoming compartment= 1 No,	1.00	No.		
5	Replacement of Jain kit of change over/grounding compartment in/out	2.00	No.		
6	Dehydration/replacement Labour charges of transformer oil: (i) Main trolley = 50 Ltr (ii) Incoming compartment= 40 Ltr (iii) Out going compartment= 40 Ltr Oil provided by department.	130.00	Ltr		
7	Transformer Oil IEC-156 with DES > 45 KV	150.00	Ltr		
				<b>Total:</b>	
				<b>Add 5% PST</b>	
				<b>G. Total</b>	

**Mandatory to Write in Words: (Urdu/English)**

**Contractor**

**Executive Engineer**

**ECD-M; UAF**

**DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 10/2024 Sr. No. 08**

**Name of Work:** Repair and Maintenance work to House No. 37 New Youngwala, UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Dismantling cement concrete 1:2:4 plain	76.76	%cft		
2	Dismantling brick work in lime or cement mortar.	13.22	%cft		
3	Dismantling 2nd class tile roofing	23.96	%sft		
4	Removing cement or lime plaster	540.75	%sft		
5	Providing, laying, watering and ramming brick ballast 1½ to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects	158.31	%cft		
6	Pacca brick work in ground floor 1:6 cement, sand mortar	13.22	%cft		
7	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40	2.38	%kg		
8	Reinforced cement concrete in roof slab, beams columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast 3) This item shall not be applicable in situ, complete in all respect c) 3c type 1:2:4	0.66	p.cft		
9	Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, reworking, handling, assembling and fixing, but excluding erection in position	35.34	%kg		
10	2nd class tile roofing, consisting of 4" (100 mm) earth and 1" (25 mm) mud plaster with Gobri leaping over ½" 13mm ) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over single layers of tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wicheed layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly then sheet	23.96	%sft		

**Contractor**

**Executive Engineer**

**ECD-M; UAF**



11	Single layer of tiles 9"x4½"x1½" (225x113x40 mm) laid over 4"(100 mm) earth and 1" (25 mm) mud plaster without Bhoosa, grouted with cement sand 1:3 on top of RCC roof slab, provided with 34 lbs. per %Sft. or 1.72 Kg/Sq.m bitumen coating sand blinded. Labour only	23.96	%sft		
12	Grouting 4½"(113 mm) dry brick work with cement mortar ratio 1: 5	23.96	%sft		
13	Providing and fixing marble strip of any shade for dividing the mosaic flooring into panels a) Size 1½" x 3/8" (40 x 10 mm	311.83	p.rft		
14	Providing and laying topping of cement concrete 1:2:4,including surface finishing and dividing in panels:-(c) 1½"(40 mm) thick	479.74	%sft		
15	cement plaster 1:4 ratio upto 20 ft height ½" thickness	725.07	%sft		
16	cement plaster 1:4 ratio upto 20 ft height ¾" (20 mm) thick	117.50	%sft		
				Total:	
				Add 5% PST	
				G. Total	
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer

ECD-M; UAF

**DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 10/2024 Sr. No. 09****Name of Work:** Replacement of Bath Roof at House NO. 3 Sugarcane Quarter, UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Dismantling 2nd class tile roofing	36.00	%sft		
2	Providing, laying, watering and ramming brick or stone ballast 1½"to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects.	39.60	%cft		
3	Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:6	60.75	%cft		
4	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40	2.67	%kg		
5	Reinforced cement concrete in roof slab, beams columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast 3) This item shall not be applicable in situ, complete in all respect c) 3c type 1:2:4	1.50	p.cft		
6	Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position	59.50	%kg		
7	First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm ) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly theen sheet	36.00	%sft		
8	Khuras on roof 2'x2'x6" (600 x 600 x 150 mm	1.00	each		
9	Cement pointing struck joints, on walls, upto 20' (6.00 m) hieght:-a)ratio 1:2+Extra cost of labour and material for red oxide pigment	195.00	%sft		
10	cement plaster 1:4 ratio upto 20 ft height ½" thickness	554.00	%sft		

**Contractor****Executive Engineer****ECD-M; UAF**

11	Distemping 2 coats on old surface	1618.28	%sft		
12	Scaraping old distemper or paint on wall	647.31	%sft		
13	painting door and window any typ 2 coats on old surface	192.50	%sft		
14	painting saches fanlight wire guazed or glazed door and window 2 coats on old surface	80.00	%sft		
15	Providing and fixing marble strip of any shade for dividing the mosaic flooring into panels Size 1½" x 3/8" (40 x 10 mm	85.74	rft		
16	Providing and laying topping of cement concrete 1:2:4,including surface finishing and dividing in panels:-(c) 1½"(40 mm) thick	142.91	%sft		
				Total:	
				Add 5% PST	
				G. Total	
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer

ECD-M; UAF

**DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 10/2024 Sr. No. 10**

**Name of Work:** Replacement of water supply line, sanitary and Sui Gas Items at various places, UAF

Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Providing and fixing cast iron special of B.S.S. Class `B'(such as bend, tee cross collar, reducer, tail piece flanged spigot, cap, flanged socket, taper, angle branch plug etc.) for cast iron pipe line , complete a) C.I.S.S. Specials, with spigot. And socket joint:- i) 3" to 6" (75 to 150 mm) i/d	6.00	kg		
2	Providing and Repalcement of Parts of 1 to 2 HP Pump( Bearing 6409, Mobiloil, Nut and Bolts, Grees, Ruber Jain, Oil Seal, including Cost of Petrole, Selicon, for Cleaning and Jointing of Different Parts Complete in All Respects in Working Condition	1.00	each		
3	Providing, fixing, testing and commissioning of μ-PVC (Unplasticized Polyvinyl Chloride) Nikasi/ SWV pipe, Dadex/ Popular/ Beta or equivalent, plain/ Bell Ended/ Z-Joints conforming to BS 4514/ BS 5255 EN-1329 including the cost of special sand Solvents complete in all respects, as per drawings & specification sand/ or as approved and directed by the Engineer Incharge Type b) (SDR 32.5/SN-8) (v)4"(110 mm)	30.00	rft		
4	Providing and fixing, sluice valve of B.S.S. quality and weight, for Asbestos cement pipe line, with comet joint and rubber ring, complete (including cost of jointing materials): a) 3" i/d (75 mm)	2.00	each		
5	Providing and Fixing of Nut With Bolt and Washers	16.00	each		
6	Providing and installing M.S. blind pipe socketed/welded joint, M.S. reducer (where necessary), in tubewell bore hole, including jointing/welding with strainer, etc. complete b)3" i/d, 1/8" (75 mm i/d 3 mm) thick	10.00	rft		
7	Providing and Fixing of People Regulator	1.00	each		
8	Providing and Fixing of Gas Nozel ¾" dia	1.00	each		
9	Providing and Fixing of Eclipse Cock ¾" dia	1.00	each		
10	Providing, laying, testingand commissioning of POLYPROPYLENE RANDOM COPOLYMER (PPRC) water supply pipe made of (Dadex/Popular/Beta/BBJ) with specified pressure rating PN (PRESSURE NOMINAL) and conforming to DIN 8077-8078 code i/c cost of solvent,specials,making jharries complete in all respect as approved and directed by	78.00	p.rft		

**Contractor**

**Executive Engineer**

**ECD-M; UAF**

	Engineer Incharge.(Internal/External Diameters mentioned b)PN-20 pipe ii)(3/4") 25 mm				
11	P/Fixing PPRC L-BOW 32/ 25mmx1/2" dadex made as approved site Engineer	4.00	each		
12	Making connection for new watersupply lines with the running main, including excavation of trench and refilling,complete, but excluding cost of pipe and specials, etc Diameter of running main: i)upto 6" i/d (150 mm	1.00	per connecti on		
13	Providing, fixing, testing and commissioning of $\mu$ -PVC (Unplasticized poly vinyl Chloride) Nikasi/ waste pipe Fittings make of dadex/Popular/Beta/BBJ conforming to code EN-140 1including the cost of Solvents complete in all respect as approved and directed by the EngineerIn charge(a) P-Trap(i) 4" dia	1.00	each		
				Total:	
				Add 5% PST	
				G. Total	

Mandatory to Write in Words: (Urdu/English)

**Contractor**

**Executive Engineer**

**ECD-M; UAF**