Quotation No 11/2024 Page 1 of 15

Bidders are directed to comply the following checklist along with the sealed envelope of bidding documents while participating the quotation as per schedule date and time.

docume	its while participating the quotation as per schedule date and time.	
SR. NO	BIDDER DOCUMENTS	MENTIONED PAGE NO. (To Filled By the Tenderer)
Requi	red Documents to Participate in Bidding for F.Y 2023-24:-	,
1	Written Application* on Firm's Letter Head Pad for the Work you are going to participate under this bidding document.	
2	Copy of Registration Certificate, (Active NTN Certificate) with Federal Board of Revenue.	
3	Copy of Registration Certificate, (Active PNTN Certificate) with Punjab Revenue Authority Punjab	
4	Copy of STN Registration Certificate, (Active STN Certificate) with Federal Board of Revenue. (For Purchase items Only)	
	Save Paper. Save Trees. Save the World.	

^{*}Not required for the Downloaded Tendering Documents

<u>Note:</u> Bidders may be directed to provide forth-said information, prior to the opening, of the Quotation if the Executive Engineer ECD-M deems necessary.

Quotation No 11/2024 Page 2 of 15

UNIVERSITY OF AGRICULTURE, FAISALABAD

Item Rate (Details Notice of Inviting DNIQ)/Percentage Age Rate Quotation & Contract for Works

Nar	ne of the Firm:		(T. X	71	· · · · · · · · · · · · · · · · · · ·
			Amount	hom the Quotat Quotation	Time
Sr.#		Name of Work	(Rs.)	Fee	Limit*
1	Distemper Colony, U.	ing Painting work etc to House No. 10 Firdous	154,081/-	100/-	Two Weeks
2		ing Painting work etc to House No. 02 Staff Quarter olony, UAF	105,219/-	100/-	Two Weeks
3	Providing PCB repair	168,212/-	100/-	Two Weeks	
4		ing, Painting work etc to new Senate Hall walls, come wall at main Campus, UAF	127,033/-	100/-	Two Weeks
5		and Installation 200 gallon Capacity water Tank with ouse No. 37 Shehbaz Housing II, UAF	90,183/-	100/-	Two Weeks
6	Public Hea	alth work/ Electric work House No. 8 Firdous Colony,	80,200/-	100/-	Two Weeks
7		ent of Damaged Parts of Sludge Pump 5x4 size at own, UAF	101,779/-	100/-	Two Weeks
this pro	vision will prev	sion (if any) should not be more than original completion time mentional. However, this can be right off with the prior approval of the Consunder specific circumstances.			
Dead I	Line for subn	nission of Quotation:		25-04-2024	
Openii	ng of Quotat	ion:		25-04-2024	
Issued				Executive Eng University of A Faisalabad.	
Note:				Signature:(OFFICE STA	

The officer / Quotation Opening committee is competent to reject the Quotation, which does not bear the signature and stamp of the issuing officer in favor of the contractor/firm to whom the tender-documents was issued against prescribed fee (Non-Refundable) for the purpose/ work requested thereto. However, the Quotation documents can be downloaded Free of Cost from UAF website. The Quotation documents in a sealed envelope must reach to the **Office of Executive Engineer**, **University of Agriculture Faisalabad** up to schedule of closing.

Quotation No 11/2024 Page 3 of 15

GENERAL DIRECTIONS

FOR

THE GUIDANCE OF THE QUOTATIONER

1. These directions are provided to assist the quotationer in preparing and submitting his quotation. The quotation shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.

- 2. All necessary documents, such as copies of specifications (excluding standard specification books, MRS, 1st Bi-Annual 2024 District Faisalabad), contract documents, including bill of quantities, estimated scheduled rates and any other documents required in connection with the preparation of quotation or execution of works, signed by the engineer-in-charge will accompany the quotation form and the cost of such annexed documents will be reflected in the cost of the quotation form.
- 3. The quotationer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his quotation.
- 4. No single quotation shall include more than one work. A quotationer who wishes to quotation for two or more works shall submit quotation for each work, separately.
- 5. The memorandum of work quotation for, and the schedule of materials and equipment to be supplied by the engineer-incharge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the engineer-incharge before the quotation form is issued. At this stage the quotationer should ensure that the quotation form so issued is complete in all respects.
- 6. The quotationer shall note that the ultimate responsibility for the quality of work and its conformity with the specifications and drawings rests solely with the successful bidder whose quotation is accepted.
- 7. The quotationer shall, at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the quotation and entering into contract, and shall determine and satisfy himself by such means as he may consider necessary or desirable as to all matters pertaining to the quotation. The quotationer shall also satisfy himself before submitting his quotation as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and transportation facilities in the area. The quotationer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his quotation. The engineer-in-charge shall not assume any responsibility regarding information gathered interpretation or deduction, which the quotationer may arrive at, from the date that may be furnished with the contract documents.
- 8. (a) The quotationer shall fill up the Bill of Quantities and indicate the percentage rate above or below the MRS of rates for the "MRS items" on which he is willing to undertake each item of work. No premium will be quoted by the contractor against non-MRS/item rates, for which the rate and amount has already been filled in by the engineer-in-charge in the bid schedule. (b) In case quotations are called on item rate basis (DNIT), the quotationer shall quote his own unit rate in the Bill of quantities on which he is willing to undertake each item of work.
- 9. i. The quotation shall work out the amount against each item of work in the Bill of Quantities and will indicate the total amount of his quotation (including the cost of Non-MRS items rates for which the rate and amount has already been filled in by the engineer-in-charge in the Bill of Quantities) on which he is willing to complete the works. The total amount worked out in the Bill of Quantities shall be entered by the quotationer in his quotation as his quotation price for the work. In case of discrepancy between amounts in figures and in words, the amount in words shall prevail.
 - ii. Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the quotationer will be extended in working out of the amount of the quotation and the total amount of the bid schedule will be adjusted accordingly.
 - iii. If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule.
 - iv. If it is found that the quotationer has not entered any unit rate and amount against any of the pay items of the bid schedule, the engineer-in-charge shall fill in the blanks by noting the word "NIL" In such blanks at the time of opening of the quotation. Such pay items shall be deemed to be covered by the rates of other items.
 - v. If the quotationer does not accept the adjusted/corrected amount of quotation according to the above provision, his quotation shall be rejected, and the earnest money forfeited.
- 10. The quotation, which proposes any alteration in the works specified in the Bill of quantities or in the time allowed for carrying out the works or any other condition mentioned by the Engineer-in-charge, will be liable to rejection. The quotationer shall sign each and every page of the quotation and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the quotation duly signed by the quotationer. Any addition or alteration made after filing the forms shall duly have attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection.

Contractor Executive Engineer ECD-M; UAF

Quotation No 11/2024 Page 4 of 15

11. The quotationer shall fill in the quotation documents, in ink. Errors, if any, shall be scored out, and corrections rewritten legibly and attested by the quotationer. Any addition or alteration made after filling the form shall be duly attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection. Any quotation with unattested correction shall be attested by the quotationer in the presence of other quotationers at the time of opening of the quotation except that no correction shall be permissible in the rate or amount of the bid schedule or in the quoted price after the opening of the quotation.

- 12. Additional Clause (s) for a particular work shall be typed on separate sheet(s) by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets. The quotationer shall not add or delete any additional clause(s) in the additional clauses sheet (s), provided by the Engineer-in-charge.
- 13. The quantities mentioned in the Bill of Quantities are estimated quantities, to be used for preparing quotations, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein.
- 14. (i) The quotation shall be signed by the person (s) duly authorized to do so. In the event of the quotation being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the quotation and it must disclose that the firm is duly registered under the Partnership Act, 1932, or any other law in force.
 - (ii) The quotation submitted by a joint venture of two or more firms shall be accompanied by a document of formation of the joint venture, duly registered and authenticated by competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person (s) authorized to represent it and accept it obligate, the participation of several firms forming the joint venture and any other information of necessary to permit a full appraisal of its function.
 - (iii) A quotation submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.
 - (iv) In all cases, the quotation must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.
- 15. Each quotationer shall be deemed to have satisfied himself before quotation as to the correctness and sufficiency of his quotation and of the rates and prices stated in the bid schedule which rates and prices shall, except in so far as it is otherwise expressly provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.
- 16. The quotationer may modify or withdraw his quotation after submission, provided that the modification or notice of withdrawal is received in writing by the engineer-m-charge prior to the prescribed deadline for submission of quotations. The quotationer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "MODIFICATION or WITHDRAWAL as appropriate. No quotation may be modified subsequent to the deadline for submission of quotation. Withdrawal of a quotation during the interval between the deadline for submission of quotations and the expiration of the period of quotation validity i.e. sixty (60) days as specified by the quotationer in the Form of Quotation may result in the forfeiture of the quotation security.
- 17. The quotationer shall submit the original Quotation Documents complete in all respects and keep a copy of the quotation for his own record. The original should be sealed in an inner ant an outer envelope, duly marking the envelops as "ORIGINAL". The sealed envelope shall (a) be addressed to engineer-in-charge (b) and bear the following identification: Quotation for (Name of Contract), (Reference Number of Quotation), and the words "DO NOT OPEN BEFORE (Time and Date, set for opening)". The envelops shall indicate the name and address of the quotationer to enable the quotation to be returned unopened in case it is declared to have been received late or is otherwise unacceptable. If the envelope is not sealed the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the quotation submitted. A quotation opened prematurely because of improper identification will be rejected.
- 18. The quotationer shall indicate in the space provided in the quotation his full and proper address at which notice may be legally served on him and to which all correspondence in connection with his quotation and the contract is to be sent.
- 19. The presentation of a quotation implies full acceptance on the part of the quotationer of these instructions and all

Quotation No 11/2024 Page 5 of 15

other conditions set forth in the contract document.

20. Any quotation received by the Executive Engineer (Engineer-in-charge) after the deadline for submission offenders prescribed in the Notice Inviting Quotations will be returned unopened to the quotationer.

- 21. The Engineer-in-charge or his duly authorized officer (not below the rank of Assistant Engineer) will open quotations in the presence of intending quotationers or their authorized agents, who may be present at the time. The officer opening the quotation will announce the names of the quotationer, quotation rates and the presence of requisite quotation security.
- 22. Promptly after the opening of Quotations, the Engineer-in-charge will undertake a detailed evaluation of quotations. The Engineer-in-charge will determine whether each quotation is substantially responsive to the requirements of the quotation documents and conforms to all the terms, conditions and specifications of the quotation documents without material deviation or reservation. If a quotation is not substantially responsive to the requirements of the quotation documents, it will be rejected by the engineer-in-charge and may not subsequently be made responsive by the quotationer having corrected or withdrawn the non-confirming deviation or reservation.
- 23. Except for information to be read out by the Engineer-in-charge at the time of opening quotations in accordance with Para 21 above, no information relating to the examination, clarification, evaluation and comparison of quotations and recommendations concerning the award of contract shall not be disclosed to quotationers or other persons not officially concerned with such process. Any effort by the quotationer to influence the process of examination, clarification, evaluation and comparison of quotations, and in decisions concerning award of contact/work, may-result in the rejection of his quotation.
- 24. The Engineer-in-charge shall have the right of the rejecting all or any of the quotations without assigning any reason thereof.

 The Engineer-in-charge will not be bound to award the contract to the lowest or to any other quotationer.
- 25. Contractor/ Venders are instructed to attach/ Print the detail Notice of inviting Tender/Quotation (DNIT) to whom the plan to participate.

26.	Separate bidding documents is required for each work under this Quotation.
	I/We
	(Name of the contractor)
	The undersigned Quotationer, having examined the GENERAL DIRECTIONS for work of
	and the works associated therewith, and having examined the site of the above named works, or having caused the site to be visited OR our behalf by my/our competent and reliable agent, and having satisfied myself/ourselves as to all conditions under which the above named work must be performed, hereby offer to execute, complete and maintain the whole of the above mentioned work including its ancillary works associated therewith, in accordance with entire satisfaction of the Executive Engineer /Assistant Executive Engineer & I/We understand that you are not bound to accept the lowest or any quotation you may receive, and you will not defray any expenses incurred by me/us in bidding.
	X

Yours faithfully, (Signature of Quotationer)/Seal

Dated this Day of 2024

Quotation No 11/2024 Page 6 of 15

BID SCHEDULE

1.	Schedule of item (MRS & Input Rates)	Name of work:
	•	

(To be filled in by the quotationer)

Sr. No. Items in schedule of rates		Description Estimated		Unit of	<u>Schedu</u>	Amount		
S1. NO.	Page No.	Serial No.	Description	quantity	Rates	Labour	Composite	(Rs
1	2	3	4	5	6	7	8	9

Mandatory to Write in Words: (Urdu/English)

Fotal	cost of	MRS	Items	Rs.	
I Olui	COSt OI	1111		T .	

Contractor

Executive Engineer

ECD-M; UAF

Quotation No 11/2024 Page 7 of 15

BID SCHEDULE

1.	Schedule	of item	(N.S.	Items)
	Cilcutt	OI ICCIII	(= 1000	TUCIALS,

Name of work ______(To be filled in by the quotationer)

					(10 50 1111	ca iii by tiic	quotationer)
Sr. No	Pay item No. of reference to special specification supplied		Estimated quantity	Unit of Rates	contractors	where not led by the	Amount (To be filled in by the contractor when not already filled in by the project director for items against which the unit rate have already been filled in by him
1	2.	3	4	5	6	7	8

Mandatory to Write in Words: (Urdu/English)

Total	cost	of	item	rates	Rs.	

Contractor

Executive Engineer

Quotation No 11/2024 Page 8 of 15

	DET	AILED NOTICE INVITING QUOTATION (DNIT) QUOTATIO	ON. 11/202	24 Sr. No. 01	
N						
		I			To be fill	led by the Bidder
Sr. No	lte	m Details/ Description of works	Qty	Unit	Rate Quoted	Amount (PKR)
1	Dismantling cer	nent concrete 1:2:4 plain	15.12	%cft		
2	Removing ceme	ent or lime plaster	566.00	%sft		
3	2"(40 mm to 50	g, watering and ramming brick ballast 1½ to mm) gauge mixed with 25% sand, for floor nplete in all respects	92.40	%cft		
4	cement plaster	1:4 ratio upto 20 ft height ½" thickness	566.00	%sft		
5	Applying floating	g coat of cement 1/32" (0.8 mm) thick.	566.00	%sft		
6	Distempering 2	coats on old surface	2447.50	%sft		
7	Scaraping old d	istemper or paint on wall	979.00	%sft		
8	painting door a	nd window any typ 2 coats on old surface	371.00	%sft		
9	painting saches window 2 coats	fanlight wire guazed or glazed door and on old surfce	224.00	%sft		
10	color wash old	surface 2 coats	812.00	%sft		
11	•	xing marble strip of any shade for dividing the into panels Size $1\frac{1}{2}$ " x $3/8$ " (40 x 10 mm	195.60	rft		
12	_	aying topping of cement concrete surface finishing and dividing in panels:-(c) ck	326.00	%sft		
					Total	
				ADD	PST @ 5%	
					G. TOTAL	
Manda	tory to Write in V	Vords: (Urdu/English)				

Quotation No 11/2024 Page 9 of 15

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 011/2024 Sr. No. 02 Name of Work: Distempering Painting work etc to House No. 02 Staff Quarter Lalazar Colony, UAF To be filled by the Bidder Sr. No Item Details/ Description of works Unit Qty Rate Amount (PKR) Quoted 1 Removing cement or lime plaster 247.50 %sft Grouting 4½"(113 mm) dry brick work with cement mortar 2 472.00 %sft 3 cement plaster 1:4 ratio upto 20 ft height 1/2" thickness %sft 247.50 4 Distempering 2 coats on old surface 2489.34 %sft 5 497.87 Scaraping old distemper or paint on wall %sft 6 painting door and window any typ 2 coats on old surface 338.00 %sft painting saches fanlight wire guazed or glazed door and 7 128.00 %sft window 8 color wash old surface 2 coats 1470.00 %sft P/F 1½" thick solid flush door comprising of 2.5mm thick Commercial ply compressed over 2.5 mm thick commercial ply over 1" thick packing wood instyle and rail sunder proper 9 pressure i/c the cost of nails, tower bolt, handles, glue, sawing 22.75 p.sft charges, Painting charges, sand papering and 3/8" thick matching wooden lipping as approved and directed by the **Engineer Incharge** P/F 3/4" dia heavy duty sliding bolt of specified material i/c the cost of hard ware complete in all respect as approved and 10 1.00 each directed by the Engineer Incharge b)Brass (ii) 12" (450 mm) long **Total** ADD PST @ 5% G. TOTAL Mandatory to Write in Words: (Urdu/English)

Quotation No 11/2024 Page 10 of 15

	DET	AILED NOTICE INVITING QUOTATION (DA	IIT) QUOTAT	TION. 11/20	24 Sr. No. 03	
Ŋ	Name of Work:	Providing and Fixing of wired remote, pa AHU of new Senate Hall, UAF	ase sequence	e card, and	PCB repair	of Daikin DX-Coil
					To be fil	led by the Bidder
Sr. No	Iten	n Details/ Description of works	Qty	Unit	Rate Quoted	Amount (PKR)
Item N	o. 01 (Purchase	/Supply)				
1	Refrigerant R407a Honey well Gentr		11.50	kg		
	,			1	Total:	
<u> </u>				Ac	ld 18% GST	
	00/0 : \				Total	
Item No	. 02 (Services)	. (5) () () () ()		T	Т	
2	Coil Unit up to 8	or repair of Phase Sequence card of Daikin DX- Tons	1.00	No		
3	_	f main PCB with remote control set repair and Daikin AHU (up to 32 Tons) complete in all	1.00	Job		
				1	Total:	
				Ad	dd 16% PST	
					Total	
				G. Total Ite	m No. 1 & 2	
Manda	tory to Write in V	Vords: (Urdu/English)				

Quotation No 11/2024 Page 11 of 15

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 11/2024 Sr. No. 04 Distempering, Painting work etc to new Senate Hall walls, grills, welcome wall at main Campus, Name of Work: To be filled by the Bidder Sr. No Item Details/ Description of works Unit Qty Rate Amount (PKR) Quoted Scraping, brushing and removing old paint from metal 1 1266.44 %sft surface. Providing and applying wall putty of 2mm thickness over 2 plastered surface (new surface)top repare the surface even 476.57 %sft and smooth complete in all respect. 3 Distempering 2 coats on old surface 1013.66 %sft 4 Scaraping old distemper or paint on wall 405.46 %sft painting saches fanlight wire guazed or glazed door and 5 2532.88 %sft window 2 coats on old surfce Providing and applying weather shield paint of approved quality on external surface of building including preparation 6 166.79 %sft of surface, application of primer complete in all respect:2 coats on old surface Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c ' passed through punched holes in MS Patti of 1-1/4"x1/8" i/c 7 the cost of 1-1/4"x1/8" MS patti for Frame of windows and 35.00 sft painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (ii) 1/2" Squar Bars (labour only Providing and fixing auotomatic hydrauli coperated door 8 closer imported heavy duty complete in all respect as 1.00 each approved and directed by the Engineer Incharge Providing and fixing Imported Mortise Lever Handle Lock with back plate (Machine, Cylinders, Lever Handles (Pair) and back plate (Pair) of approved quality, design & finish, 9 1.00 each including the cost of all accessories to complete the job as shown on drawing and as per specification, completein all respect, as approved and directed by the Engineer Incharge Total: Add 5% PST

Mandatory to Write in Words: (Urdu/English)

G. Total

Quotation No 11/2024 Page 12 of 15

Name of Work: Providing and Installation 200 gallon Capacity water Tank with pipe etc Ho Housing II, UAF									
			Qty		To be fil	led by the Bidder			
Sr. No	lten	n Details/ Description of works		Unit	Rate Quoted	Amount (PKR)			
1	Removing ceme	ent or lime plaster	116.50	%sft					
2	Applying floatin	g coat of cement 1/32" (0.8 mm) thick.	116.50	%sft					
3	cement plaster	1:4 ratio upto 20 ft height ½" thickness	116.50	%sft					
4	Distempering 2	coats on old surface	2968.30	%sft					
5	painting door a	nd window any typ 2 coats on old surface	196.00	%sft					
6	painting saches window 2 coats	fanlight wire guazed or glazed door and on old surfce	80.00	%sft					
7	of required capa (HDPE), double i/c cost of making valve i/call cost	oisting vertical/horizontal type storage tank acity made of rotationally molded from ply polyethelene of approved manufacturering connection for inlet/ outlet pipe, float of specials & labour complete in all respect d directed by the Engineer Incharge.	200.00	per gallon					
8	G.I. pipeline in to of B.S.S. 1387-1	g, cutting, jointing, testing and disinfecting renches, with socket joints, using G.I.pipes 967 complete in all respects, with specials edium Quality b) 2.65mm thick	40.00	rft					
					Total:				
				A	Add 5% PST				
					G. Total				

Quotation No 11/2024 Page 13 of 15

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 11/2024 Sr. No. 06											
Name of Work: Public Health work/ Electric work House No. 8 Firdous Colony, UAF											
					To be filled by the Bidder						
Sr. No	Item Details/ Description of works		Qty	Unit	Rate Quote d	Amount (PKR)					
Publ	ic Health:										
1	RANDOM COPOLYI (Dadex/Popular/Be NOMINAL) and cor solvent,specials,ma	estingand commissioning of POLYROPYLENE MER (PPRC) water supply pipe made of eta/BBJ) with specified pressure rating PN (PRESSURE informing to DIN 8077-8078 code i/c cost of eaking jharries complete in all respect as approved and er Incharge.(Internal/External Diameters mentioned ") 32 mm	40.00	p.rft							
2	RANDOM COPOLYI (Dadex/Popular/Be NOMINAL) and cor solvent,specials,ma	estingand commissioning of POLYROPYLENE MER (PPRC) water supply pipe made of eta/BBJ) with specified pressure rating PN (PRESSURE informing to DIN 8077-8078 code i/c cost of eaking jharries complete in all respect as approved and er Incharge.(Internal/External Diameters mentioned 4") 25 mm	50.00	p.rft							
3	specified diameter	g CP heavy duty brass Ball valve with CP handle of made of Faisal/ Sonex/ Master best quality or te in all respect as approved and directed by the i) 3/4" dia	1.00	each							
4	Providing and fixing CP heavy duty brass Ball valve with CP handle of specified diameter made of Faisal/ Sonex/ Master best quality or equivalent complete in all respect as approved and directed by the Engineer Incharge.		1.00	each							
5		w 32mmx¾" dadex made as approved site Engineer	2.00	each							
6		w 32mmx1" dadex made as approved site Engineer	2.00	each							
7	P/Fixing PPRC L-BC Engineer	W 32/ 25mmx1/2" dadex made as approved site	4.00	each							
8	P/Fixing of C.P Nip	•	4.00	each							
9		g chromium plated tee stop cock 15mm (½").	1.00	each							
10	Providing and fixing		3.00	each							
11	plated cover.	g underground stop cock 13 mm (½"), with chromium	1.00	each							
12	•	g chromium plated shower rose i) 1.5x10 cm (½"x4")	1.00	each							
13		(100x150 mm) in stone masonry or brick wall with asonry and removing debris within one chain lead.	10.00	p.hole							
					Total:						
	5% PST										
					G. Total						
Elect	ric Work:		1	1	I	1					
1	S/E of PVC duct (25x3	32)	300.00	Rft							
2	pipe/M.S. conduit/G	C insulated copper conductor cables, in prelaid PVC Il pipe/wooden strip batten/wooden casing an apping ate for cables only):-250/440 volts, PVC insulated: 29")	350.00	Rft							
	(ii) 7/0.74 mm (7/0.0	29")	100.00	Rft							
3	S/E of switches 10/1	5 Amp. recessed type	20.00	No.							

Quotation No 11/2024 Page 14 of 15

4	S/E of 3 pin, 10/15 Amp. wall socket. recessed type		No.					
5	S/E wooden board 17.5x10 cm (8"x10").		No.					
6	S/E Wooden board (7"x4")		No.					
7	S/E of fan dimmer		No.					
8	S/E wooden board (4"x4")		No.					
9	Supply and erection of 3 pin switch and plug combined, recessed type	2.00	No.					
10	Supply and erection of button holder. bakelite large size	3.00	No.					
11	S/E of LED bulb 20 watt	3.00	No.					
	Total:							
Mandatory to Write in Words: (Urdu/English)								

Quotation No 11/2024 Page 15 of 15

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 11/2024 Sr. No. 07 Name of Work: Replacement of Damaged Parts of Sludge Pump 5x4 size at Shehbaz Town, UAF To be filled by the Bidder Sr. No Item Details/ Description of works Qty Unit Rate Amount (PKR) Quoted Providing and Fixing of Impellor for 5"x4" Sludge Pump 1.00 each 1 Providing and Fixing of M.s Sleave 6" length, 2½" dia, ¾" 2 1.00 each wall thickness Providing and Fixing M.s Glain Flange size 6"x½" for 5"x4" 3 1.00 each size of Sludge Pump Providing and Fixing of Brass Bush Cost Iron Nickrem 4 1.00 each 1¼"Dia 1½" Length, ¾" Wall Thickness Providing and Fixing of Stainless Steel Stud 5" long ½" Dia 5 2.00 each with SS Nut etc Providing and Fixing of Nut Bolt ½"2½" size 8.00 each 6 Providing and Fixing of Nut Bolt %"x3" size 4.00 7 each Providing and Fixing of Oil Seal for Sludge Pump 8 3.00 each Providing and Fixing of M.S Shaft 3" thick and 24" Long 9 1.00 each 10 Providing and Fixing of Bearing 6409 2.00 each 11 Providing and changing of Engin Oil No.2050 2.00 Liter Total: Add 5% PST G. Total Mandatory to Write in Words: (Urdu/English)