Tender No. 10/2024 Page 1 of 28

Tenderer/ Bidders/Consulting Firms are directed to comply the following checklist along with the sealed envelope of bidding documents while participating the tender as per schedule date and time.

		MENTIONED					
SR.		PAGE NO.					
NO	BIDDER DOCUMENTS	(To Filled By the					
110		Tenderer)					
Compi	ulsory Required Documents to Participate in Bidding for	· · · · · · · · · · · · · · · · · · ·					
are:-							
1	Written Application* on Firm's Letter Head Pad for the Work you are going to participate under this bidding document.						
2	License of Pakistan Engineering Council (Not-Required for Ex. Pre-Qualified Contractors in D and E Category and involved in repair works with ECD-M) A. Valid License Copy is mandatory from the PEC Registered contractors for the said PEC- Class						
3	Copy of Registration Certificate, (Active NTN Certificate) with Federal Board of Revenue.						
4	Copy of Registration Certificate, (Active PNTN Certificate) with Punjab Revenue Authority Punjab						
5	Registrar of Firms/SECP (not for sole proprietorship)						
6	Affidavit of Stamp Paper about No litigation and Blacklisting						
7	Bank certificate/ Bank statement (Last One Year)						
8	List of works of similar nature						
9	Work Orders of Similar Nature						
10	List of Partners/Directors						
11							
* Save Paper. Save Trees. Save the World. * * Attach Firm Covering Letter/Memo for the Downloaded Tendering Dow							

Note: Bidders are directed to provide forth-said information with the tender to the

Office of Executive Engineer, UAF to proceed further.

Contractor

Tender No. 10/2024 Page 2 of 28

Stereo I.B No. 386 (revised) Stereo I.B No. 389 (revised) Stereo I.B No. 28 (revised) Stereo I.B No. 29 (revised)

A	greement No.	

UNIVERSITY OF AGRICULTURE, FAISALABAD

(Item Rate/Percentage Age Rate Tender & Contract for Works)

1	Name of work:	 i. Renovation and maintenance work to House No. 09 Lalazar Colony UAF. ii. Renovation and maintenance to House No. 10 University Villaz Rajawala, UAF. iii. Renovation work to House No. 02 Main Road Residences, UAF. iv. Replacement of roof a room of 50 New Young Wala, UAF. v. Up-gradation and rehabilitation of House No. 09 Paoka Dairy Farm Residences, UAF. vi. Replacement of damaged main sui gas pipeline near Lalazar Colony House No. 6,7,8,33,42,43 etc. UAF. vii. Repair and maintenance of House No. 13 Bilal Colony, UAF. 						
2	Estimated cost :	i. PKR: 500,000/- ii. PKR: 500,000/- iii. PKR: 500,000/- iv. PKR: 298,648/- v. PKR: 399,028/- vi. PKR: 478,395/- vii. PKR: 247,815/-						
3	Time for completion:	ii. One Month iv. One Month v. One Month vi One Month	Note: - Time Extension (if any) should not be more than original completion time mentioned in the work order. In case of any contradiction, this provision will prevail. However, this can be right off with the prior approval of the Competent Authority, UAF any time during the execution of the work under specific circumstances.					
4	Amount of Bid Security:	i. PKR: 10,000/- ii. PKR: 10,000/- iii. PKR: 10,000/- iv. PKR: 5,973/- v. PKR: 7,981/- vi. PKR: 9,568/- vii. PKR: 4,956/-						
5	Issued to:							
6	Pre-tender conference:	N.A.						
7	Dead Line for submission of Tender:		02-04-2024					
8	Opening of Tender:		02-04-2024					
9	Issued by:	Office Of Executive Engineer , University of Agriculture, Faisalabad.						

 Tender No. 10/2024
 Page 3 of 28

 Date:
 Signature:

Note:

The officer / Tender Opening committee is competent to reject the tender, which does not bear the signature and stamp of the issuing officer in favor of the contractor/firm to whom the tender-documents was issued against prescribed fee (Non-Refundable) for the purpose/ work requested thereto. However, the tender documents can be downloaded Free of Cost from UAF or PPRA website. Tender documents in a sealed envelope along with prescribed Bid Security @ 2% in shape of CDR/DD in favour of Executive Engineer (ECD-M) /Treasure, UAF must reach to the **Office of Executive Engineer, University of Agriculture Faisalabad** up to schedule of closing.

GENERAL DIRECTIONS FOR THE GUIDANCE OF THE TENDERERS

- 1. These directions are provided to assist the tenderer in preparing and submitting his tender. The tender shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.
- 2. All necessary documents, such as copies of specifications (excluding standard specification books etc), contract documents, including bill of quantities, estimated rates and any other documents required in connection with the preparation of tender or execution of works, signed by the Engineer-in-charge will accompany the tender form and the cost of such annexed documents will be reflected in the cost of the tender form.
- 3. The tenderer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his tender.
- 4. No single tender shall include more than one work. A tenderer who wishes to tender for two or more works shall submit tender for each work, separately.
- 5. The memorandum of work tendered for, and the schedule of materials and equipment to be supplied by the Engineer-in-charge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the Engineer-in-charge before the tender form is issued. At this stage the tenderer should ensure that the tender form so issued is complete in all respects.
- 6. The tenderer shall note that the ultimate responsibility for the quality of work and its conformity with the specifications and drawings rests solely with the successful bidder whose tender is accepted.

Tender No. 10/2024 Page 4 of 28

7. The tenderer shall at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the tender and entering into contract, and shall determine and satisfy himself by such means as he may consider necessary or desirable as to all matters pertaining to the tender. The tenderer shall also satisfy himself before submitting his tender as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and transportation facilities in the area. The tenderer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his tender. The Engineer-in-charge shall not assume any responsibility regarding information gathered, interpretation or deduction which the tenderer may arrive at, from the data that may be furnished with the contract documents.

- 8. (a) The tenderer shall fill up the bid schedule.
 - (b) In case tenders are called on item rate basis, the tenderer shall quote his own unit rate in the bid schedule on which he is willing to under take each item of work.
- 9. (i) The tenderer shall work out the amount against each item of work in the bid schedule and will indicate the total amount of his tender on which he is willing to complete the works. The total amount worked out in the bid schedule shall be entered by the tenderer in his tender as his tender price for the work in case of discrepancy between amounts in figures and in words the amount in words shall prevail.
 - (ii) Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the tenderer will be extended in working out of the amount of the tender and the total amount of the bid schedule will be adjusted accordingly.
 - (iii) If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule
 - (iv) If it is found that the tenderer has not entered any unit rate and amount against any of the pay items of the bid schedule, the Engineer-in-charge shall fill in the blanks by noting the word "Nil" in such blanks at the time of opening of the tender. Such pay items shall be deemed to be covered by the rates of other items.

Contractor Executive Engineer ECD-M; UAF

Tender No. 10/2024 Page 5 of 28

(v) If the tenderer does not accept the adjusted/corrected amount of tender according to the above provision, his tender shall be rejected and the earnest money forfeited.

- The tender which proposes any alteration in the works specified in the bid schedule or in the time allowed for carrying out the works or in any other condition mentioned by the Engineer- in-charge, will be liable to rejection. The tenderer shall sign each and every page of the tender and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the tender duly signed by the tenderer. Any addition or alteration made after filling the form shall be duly attested by the tenderer. Non-compliance of this condition shall render the tender liable to rejection.
- The tenderer shall fill in the tender documents in ink: Errors, if any, shall be scored out and corrections rewritten legibly and attested by the tenderer. Any addition or alternation made after filling the form shall be duly attested by the tenderer. Non-compliance of this condition shall render the tender liable to rejection. Any tender with unattested correction shall be attested by the tenderer in the presence of other tenderers at the time of opening of the tender except that no correction shall be permissible in the rate or amount of the bid schedule or in the tendered price after the opening of the tender.
- Additional clause(s) for a particular work shall be typed on separate sheets by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets(s). The tenderer shall not add or delete any additional clause(s) in the additional clause(s) sheet(s), provided by the Engineer-in-charge.
- The quantities mentioned in the bid schedule are estimated quantities, to be used for preparing tenders, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein, except as determined in accordance with the provisions of clause 42 of the general conditions of contract.
- No tender without earnest money shall be entertained. Earnest money, calculated @ 2% of the estimated cost of the work (rounded suitably), shall be in the form of deposit at call receipt. The earnest money of the unsuccessful tenderers shall normally be returned

Tender No. 10/2024 Page 6 of 28

by the Engineer-in-charge within a week of opening of the tenders and in any case not later than thirty (30) days following the date set for opening of tenders except in cases where the tenders are to be accepted by the Chief Engineer, in those cases the earnest money of only the three lowest bidders will be retained and returned to the unsuccessful bidders not later than sixty (60) days of opening of the tenders. In the event of the tender being accepted, a receipt for the earnest money forwarded therewith, shall there upon be given to the contractor. The earnest money of the successful tenderer on execution of the contract covering work will be adjusted towards the amount of security deposit to be retained from the first amounts(s) payable to the contractor under the contract.

- The lowest evaluated bidder will be required to furnish the performance guarantee / quality assurance security (wherever required) before entering into a contract. Should the lowest evaluated bidder refuse or fail for any reason to furnish the performance guarantee / quality assurance security, it should constitute a just cause for rejection of his tender / annulment of award and in event of such rejection / annulment, the entire earnest money shall be forfeited to Government, as compensation for such default.
- (i) The tender shall be signed by the person(s) duly authorized to do so. In the event of a tender being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the tender and it must disclose that the firm is duly registered under the partnership Act, 1932 or any other law in force.
 - (ii) The tender submitted by a joint venture of two or more firms shall be accompanied by a document of formation of the joint venture, duly registered and authenticated by a competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person(s) authorized to represent it and accept its obligations the participation of several firms forming the joint venture and any other information necessary to permit a full appraisal of its function.
 - (iii) A tender submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.
 - (iv) In all cases, the tender must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.
- Each tenderer shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender and of the rates and prices stated in the bid schedule, which rates and prices shall, except in so far as it is otherwise expressly

Tender No. 10/2024 Page 7 of 28

provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the work.

- The tenderer may modify or withdraw his tender after submission, provided that the modification or notice of withdrawal is received in writing by the Engineer-in-charge prior to the prescribed deadline for submission of tenders. The tenderer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "MODIFICATION OR WITHDRAWAL" as appropriate. No tender may be modified subsequent to the deadline for submission of tenders. Withdrawal of a tender during the interval between the deadline for submission of tenders and the expiration of the period of tender validity i.e. sixty (60) days as specified by the tenderer in the form of tender may result in the forfeiture of the tender security.
- The tenderer shall submit the original tender documents complete in all respect and keep a copy of the tender for his own record. The original should be sealed in an inner and an outer envelope, duly marking the envelopes as "ORIGINAL". The inner and outer envelopes shall (a) be addressed to (Executive Engineer), (b) and bear the following identifications: Tender for (Name of Contract), (Reference Number of Tender), and the words "DO NOT OPEN BEFORE (Time and Date, set for opening)". The inner envelopes shall indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared to have been received late is otherwise unacceptable. If the outer envelope is not sealed and marked as instructed above, the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the tender submitted. A tender opened prematurely because of improper identification will be rejected.
- The tenderer shall indicate in the space provided in the tender his full and proper address at which notices may be legally served on him and at which all correspondence in connection with his tender and the contract is to be sent.
- 21 The presentation of tender implies full acceptance on the part of the tender of these instructions and all other conditions set forth in the contract document.
- Any tender received by the Executive Engineer (Engineer-in-charge) after the deadline for submission of tenders prescribed in the Notice Inviting Tenders will be returned unopened to the tenderer.
- The Engineer-in-charge or his duly authorized officer (not below the rank of Assistant Engineer/Sub Divisional Officers) will open tenders in the presence of intending

Tender No. 10/2024 Page 8 of 28

tenderers or their authorized agents, who may be present at the time. The officer opening the tender will announce the names of the tenderer, tender rates and the presence of requisite tender security.

- Promptly after the opening of Tenders, the Engineer-in-charge will undertake a detailed evaluation of tenders. The Engineer-in-charge will determine whether each tender is substantially responsive to the requirements of the tender documents and conforms to all the terms, conditions and specifications of the tender documents without material deviation or reservation. If a tender is not substantially responsive to the requirements of the tender documents, it will be rejected by the Engineer-in-charge, and may not subsequently be made responsive by the tenderer having corrected or withdrawn the non-confirming deviation or reservation.
- Except for information to be read out by the Engineer-in-charge at the time of opening tenders in accordance with para 23 above, no information relating to the examination, clarification, evaluation and comparison of tenders and recommendations concerning the award of contract shall be disclosed to tenderers or other persons not officially concerned with such process. Any effort by a tenderer to influence the process of examination, clarification, evaluation and comparison of tenders, an in decisions concerning award of contract, may result in the rejection of his tender.
- To assist in the examination, evaluation and comparison of tenders, the Engineer-in- charge may ask tenderers individually for clarification of their tenders, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, but no change in the price or substance of the tender shall be sought, offered or permitted except as required to confirm the correction of arithmetical errors discovered by the Engineer-in-charge during the evaluation of the tender.
- 26 (A) In case the total tendered amount is equal to or less than 5% of the approved estimated (DNIT) amount, the lowest bidder will have to deposit quality assurance security from the Scheduled Bank equal to the amount of difference between approved DNIT amount and the quoted bid amount as given below, within 15 days of issuance of notice or with in expiry period of bid, whichever is earlier:

TOTAL TENDERED AMOUNT BELOW CORRESPONDING	QUALITY ASSURANCE SECURITY
ESTIMATED COST.	
5%	5%
6%	6%
7%	7%

Tender No. 10/2024 Page 9 of 28

8%	8%
9%	9%
	10% and so on

- (B) Lowest evaluated bidder shall, within 15 days of receipt by him of a notice in this regard, furnish to the tender approving authority in cash, bank draft, cashier's cheque, payment order or bank guarantee (valid for three months beyond completion time/extended completion time) from any scheduled Bank of Pakistan, the amount to make up performance guarantee and / or quality assurance security (wherever required) and specified in the tender in item (h) of Memorandum of work. Should the lowest evaluated bidder refuse or fail for any reason to furnish the performance guarantee and / or quality assurance security (wherever required) within the specified time, it should constitute a just cause for rejection of his tender and in the event of such rejection the entire earnest money shall be forfeited to government as compensation for such default.
- The Engineer-in-charge shall have the right of rejecting all or any of the tenders without assigning any reason thereof. The Engineer-in-charge will not be bound to award the contract to the lowest or to any other tenderer.
- The unit rates and prices entered in the bid schedule will be the rates at which the contractor will be paid (Subject to the adjustment specified in Clause 55 of the annexed conditions) and shall be deemed to include all costs of performing the work, including income tax, super tax, and/or other charges, duties and taxes of the Government, autonomous, semi- autonomous and local bodies, profits and costs of accepting the general risk, liabilities and obligations set forth in or implied from the contract.
- Prior to the expiration of the period of tender validity (60 days) prescribed in the tender form or any extension thereof that may have been granted by the tenderer, the Engineer-in- charge will notify the successful tenderer by cable and confirm in writing by registered letter that his tender has been accepted. This letter of acceptance shall name the sum which will be paid in consideration of the execution, completion and maintenance of the works as prescribed in the contract, (hereinafter called the contract price). The notification of award will constitute the formation of the contract.
- At the time, the Engineer-in-charge informs the lowest bidder in writing, bidder will provide performance guarantee / quality assurance security (wherever required) within fifteen (15) days from receipt of letter, failing which his bid will be rejected and bid

Tender No. 10/2024 Page 10 of 28

security will be forfeited..

After the successful tenderer has signed the contract and furnished adequate performance guarantee and / or quality assurance security (wherever required) the Engineer-in-charge will notify to the unsuccessful tenderers that they were unsuccessful.

- 32 The completion period will be reckoned from the date of delivering the award or the handing over of the site to the contractor, whichever is later.
- A copy of the contract agreement may be obtained by the contractor at his own cost.

TENDER FOR WORK

To

(Name of the work)

and the works associated therewith, and having examined the site of the above named works, or having caused the site to be visited OR our behalf by my/our competent and reliable agent, and having satisfied myself/ourselves as to all conditions under which the above named work must be performed, hereby offer to execute, complete and maintain the whole of the above mentioned work including its ancillary works

Contractor

Tender No. 10/2024 Page 11 of 28

associated therewith, in accordance with the said contract documents, including the

addenda	indicated	above,	at	tender	price	of .	Rs		
(Rupees).									
Or such of	ther sums as n	nay be asce	rtained	in acco	rdance w	vith the s	said con	ditio	ns of
contract an	nd the rates, and	the prices s	et forth	in the bi	d schedul	le.			
2. As securit	y for the due p	erformance	of the	underta	king and	obligation	ons of tl	his te	nder,
I/We su	ıbmit herev	vith a	deposi	t at	call r	receipt	No		
dated		In the an	nount	of Rs				(Rup	ees)
			From	the			Bra	nch	of
		•••••		Bank	drawn i	n your	favor	or	may
payable to	you as earne	st money, th	ne full	value of	which w	ill be ab	solutely	forf	eited
to Govern	ment,, withou	it prejudice	e to ar	ny othe	r rights	or reme	dies of	the	said

3 .I/We understand that if my/our tender is accepted, the foil value of the earnest money as attached with the tender shall be detained by *University* towards the amount of security deposit specified in clause 48 of the said conditions of contract and item (d) of the Memorandum of work.

Government, should I/We withdraw or modify' the tender within its validity period of

4. Should this tender be accepted by you, I/We hereby undertake:-

sixty (60) days, following the date of receipt of tender.

- (a) To sign ail the necessary documents for entering into a contract agreement in the form set out In the contract document within fifteen (15) days following your notification of such acceptance.
- (b) To commence the work within the stipulated time named in item (f) of memorandum hereto annexed following the date of issuance of your order to proceed with or the handing over of the site, whichever is later and in the event of my/our failure to do so, the entire amount of earnest money deposited by me/us for which deposit at a call receipt is enclosed herewith, is to be absolutely forfeited to the University. On the commencement of work, I/We hereby also agree to abide by and fulfill all the terms or provisions of the said conditions of the contract annexed hereto so far as applicable and in default thereof, to forfeit and pay to the University the sums of money mentioned in the said conditions.
- (c) To complete and deliver the whole work comprised in the contract within the time stipulated in item No. (g) of the Memorandum hereto annexed, subject to such extension in the time limit as may be granted under the conditions of contract.
- (d) the furnishing of performance security under item (h) of the memorandum annexed hereto, in the sum equal to 10 (ten) percent of the cost of the work in same form sum equal to 10 (ten) percent of the cost of the work in the same form and on the same condition as are prescribed by and to the satisfaction of the Engineer-in-charge.
- 5. I/We also agree that when materials and/or equipment for the work are provided by the t, the rates to be paid for them shall be as provided in Appendices annexed hereto.

Tender No. 10/2024 Page 12 of 28

6. I/We agree to abide by this tender for the period of sixty (60) days following the date set for receiving of tenders and it shall remain binding upon me/us and may be accepted by you at any time before the expiration of that period.

- 7. Unless and until a formal agreement is prepared and executed, this tender, together with your written acceptance thereof, shall constitute a binding contract between us, and shall be deemed for all purposes to be the contract agreement.
- 8. I/We understand that you are not bound to accept the lowest or any tender you may receive, and that you will not defray any expenses incurred by me/us in tendering.

Thanking you,		
	Yours fa	ithfully,
	(Signature	of
Tenderer)		
NAME		
* Address		
Dated thisDay of 2024		
I hereby accept the above tender on behalf of the Tender	der Committee	UAF /

(Signature of Executive

Engineer)

Government.

*

In case the above address is changed, the contractor will immediately notify in writing to the Executive

Engineer, his new address.

MEMORANDUM OF WORK

		 i. Renovation and maintenance work to House No. 09 Lalazar Colony UAF. ii. Renovation and maintenance to House No. 10
a)	General Description:	University Villaz Rajawala, UAF. iii. Renovation work to House No. 02 Main Road Residences, UAF. iv. Replacement of roof a room of 50 New Young Wala, UAF. v. Up-gradation and rehabilitation of House No. 09 Paoka Dairy Farm Residences, UAF. vi. Replacement of damaged main sui gas pipeline near Lalazar Colony House No. 6,7,8,33,42,43 etc. UAF. vii. Repair and maintenance of House No. 13 Bilal
	Estimated Cost:	Colony, UAF. i. PKR: 500,000/- ii. PKR: 500,000/- iii. PKR: 500,000/- iv. PKR: 298,648/- v. PKR: 399,028/- vi. PKR: 478,395/-
		vii. PKR: 247,815/-
i.	Amount of earnest money to accompany the tender (to be furnished by the tenderer in the shape of "deposit at call" from a scheduled Bank of Pakistan)	ii. PKR: 10,000/- iii. PKR: 10,000/- iv. PKR: 10,000/- v. PKR: 5,973/- vi. PKR: 7,981/- vii. PKR: 9,568/- viii.PKR: 4,956/-
ix.	Percentage of security deposit to be retained from the bills.	,
	i) On the amount of work done up to Rs.5.0 million ii) On the amount of work done beyond Ro.5.0 million	Ten (10) percent Five (5) percent
х.	Rs.5.0 million. Minimum amount of interim running bills	Rupees five million (Rs only
xi.	Mobilization period	Fifteen (-) calendar days
xii.	Time allowed for completing the work after the expiry of mobilization period	
xiii.	Amount of performance security in the form of Bank Guarantee (see	Five (05) percent of the accepted tender price in the case of tenders with cost of exceeding Rs.50.00 million and as per general condition 26(a) for all tenders.

Contractor

Tender No. 10/2024 Page 14 of 28

	contract conditions clause 7 and General direction 26 (a)	
xiv.	Period of maintenance (after the date of issuance of certificate of completion)	

BID SCHEDULE

1.	Schedule of item (MRS & Input Rates)	Name of work:	

(To be filled in by the tenderer)

Sr. No.	Items in sche		Description	Estimated	Unit of	Schedule of rate		Amount
51. 1 (0.	Page No.	Serial No.	Bescription	quantity	Rates	Labour	Composite	(Rs
1	2	3	4	5	6	7	8	9

Mandatory to Write in Words: (Urdu/English)

Total cost of MRS & Input - item rates Rs. _____

Executive Engineer ECD-M; UAF

Contractor

Tender No. 10/2024 Page 16 of 28

BID SCHEDULE

1. Schedule of item (Non Schedule (NS) Items) Name of work (To be filled in by the tenderer)

(10 be fined in by the tenderer)							
Sr. No	Pay item No. of reference to special specification supplied		Estimated quantity	Unit of Rates	contractors	where not led by the	Amount (To be filled in by the contractor when not already filled in by the project director for items against which the unit rate have already been filled in by him
1	2	3	4	5	6	7	8

Mandatory to Write in Words: (Urdu/English)

Total cost of NS- item rates Rs.

Executive Engineer ECD-M; UAF

Contractor

Tender No. 10/2024 Page 17 of 28

BID SCHEDULE

Name of Work	
Total tendered amount of the work: (To be filled in by the tenderer)	(To be filled in by the tenderer)
1. Total Cost. (MRS & In-Put Rates)	Rs
2. Total Cost of NS Item Rates	Rs
Gr	rand Total (1 +2) Rs
	Rupees (In words)
Mandatory to Write in Words: (Urdu/English)	

Contractor

Tender No. 10/2024 Page 18 of 28

DET	AILED NOTICE INVITING TENDER (<i>DNIT) Te</i>	nder No. 10/	2024 Sr.	No. 01		
Nar	ne of Work: Renovation and maintenance work	k to House No.	09 Lalaza	ar Colony UAF.		
Sr.	Item Details/ Description of works	Otv	Qty Unit To		y the Bidder	
No	item Details/ Description of works	Qιγ	Unit	Rate Quoted	Amount (PKR)	
1	Removing cement or lime plaster	735.22	%sft			
2	Applying floating coat of cement 1/32" (0.8 mm) thick.	1040.00	%sft			
3	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	1040.00	%sft			
4	Distempering:-old surface:-two coats	10066.17	%sft			
5	Scraping old distempering or paint on wall	5619.71	%sft			
6	painting of doors and windows any type (including edges):-2 coats on old surface	1020.50	%sft			
7	Painting sashes, fanlights, glazed or gauzed doors and windows:-2 coats on old surface	3983.11	%sft			
8	Colour washing 2 COATS ON OLD SURFACE	3997.50	%sft			
9	G.I. wire gauze 22 SWG, 12x12 meshes per square inch, (5x5 in cm2) fixed to chowkat, with ¾"('20 mm) thick deodar wood strip and screws	185.36	sft			
10	Grouting 4½"(113 mm) dry brick work with cement mortar ratio 1: 5	1024.00	%sft			
				Total		
PST@%						
			(G. TOTAL:		
Man	datory to Write in Words: (Urdu/English)				<u>I</u>	

Tender No. 10/2024 Page 19 of 28

DET	AILED NOTICE INVITING TENDER (DNIT) Ten				
Nar	ne of Work: Renovation and maintenance to Ho	ouse No. 10 U	niversity V	⁄illaz Rajawala, U	J AF.
Sr.	Item Details/ Description of works	Qty	Unit	To be filled b	y the Bidder
No				Rate Quoted	Amount (PKR)
1	Dismantling cement concrete 1:2:4 plain	6.30	%cft		
2	Removing cement or lime plaster	177.75	%sft		
3	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	6.55	%cft		
4	Applying floating coat of cement 1/32" (0.8 mm) thick.	177.75	%sft		
5	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	103.25	%sft		
6	Providing and fixing G.I. wire gauze 22 SWG, 12x12 meshes per square inch, (5x5 meshes in cm2) fixed to steel window, complete with flat iron patti ½"x 1/8" (13mmx3 mm) and machine made screws.	24.00	sft		
7	Glazing with panes (24 oz. to 26 oz.), using putty and deodar wooden fillets	9.00	sft		
8	Providing and applying wall putty of 2mm thickness over plastered surface (new surface)top repare the surface even and smooth complete in all respect.	1858.00	%sft		
9	Distempering 2 coats on old surface	8958.13	%sft		
10	Scaraping old distemper or paint on wall	1791.63	%sft		
11	painting door and window any typ 2 coats on old surface	784.00	%sft		
12	painting saches fanlight wire guazed or glazed door and window 2 coats on old surfce	777.50	%sft		
13	Prepared and painting saches fanlight wire guazed or glazed door and window 3 coats on old surfce	108.00	%sft		
14	Nicking concrete surface (a) Cement concrete surface	859.62	%sft		
15	Providing and laying superb quality Porcelain glazed tiles flooring of MASTER brand of specified size in approved design, Color and Shade with adhesive/ bond over 3/4" thick (1:3) cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respect as approved and directed by the Engineer Incharge.a) Full body Glazed tiles (i) 400 mm x 400 mm	672.03	p.sft		
16	Providing and laying superb quality Ceramic tile floors of Master brand of specified size ,Glossy /Matt /Texture of approved Color and Shade as per approved design with adhesive bond ,over 3/4" thick (1;2) cement sand plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects and as approved and directed by the Engineer Incharge i)12"x18"/12"x24"/10"x24" /8"x24"/12"x36"	54.58	sft		

Tender No. 10/2024 Page 20 of 28

17	Providing and laying flooring with China Verona Marble having uniform texture (Spotless) of required size and specified thickness, with adhesive bond over 3/4" thick bedding of (1:2) cement sand mortor i/c the cost of matching sealer, cutting, grinding and chemical polishing complete in all respect as approved and directed by the Engineer Incharge i) 1/2" thick(12"x12"/12"x24")	80.90	p.sft		
				Total	
			PS	т@%	
				G. TOTAL:	
Man	datory to Write in Words: (Urdu/English)				

Tender No. 10/2024 Page 21 of 28

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 10/2024 Sr. No. 03						
Name of Work: Renovation work to House No. 02 Main Road Residences, UAF.						
Sr. No	Item De	tails/ Description of works	Qty	Unit	To be filled b	1
1	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40		20.01	%kg	Rate Quoted	Amount (PKR)
2	Reinforced cement concrete in roof slab, beams columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast 3) This item shall not be applicable in situ, complete in all respect c) 3c type 1:2:4		9.90	p.cft		
3	(6.00 m) hiehgt:	g struck joints, on walls, upto 20' :-a)ratio 1:2+Extra cost of labour r red oxide pigment	728.00	%sft		
4	cement plaster thickness	1:4 ratio upto 20 ft height ½"	433.01	%sft		
5	Distempering:-old surface:-ii-two coats		17993.68	%sft		
6	Scraping:-Ordin distemper,or pa	ary distemper, oil bound iint of wall.	7197.47	%sft		
7	Colour washing	:-old surface:-two coats	5564.00	%sft		
8	Painting doors a	and windows, any type:two coats	4406.86	%sft		
9	b)Painting sash doors and wind	es, fanlights, glazed or gauzed ows:	1321.94	%sft		
10	Gypsum board I /3'x3' of specific fixtures i.e galva galvanized tee 1 (made of Taiwa with G.I/ Coppe Plug etc comple	ixing false ceiling comprises of laminated sheet of size 2'x2' /2'x3' led design and thickness i/c cost of lanized angle 1"x1" at wall sides, law "x1" and 1%"x1" both at 4' c/c lan CK Mor equivalent), hanging lar wire 16 SWG, G.I hook, Rawal late in all respects as approved and Engineer Incharge i)6 mm thick	100.00	sft		
					Total	
				PS	т@%	
				(G. TOTAL:	
Mand	datory to Write in N	Nords: (Urdu/Enqlish)				

Tender No. 10/2024 Page 22 of 28

DET	AILED NOTICE INVITING TENDER (DNIT) Tel	nder No. 10/.	2024 Sr.	No. 04			
Nar	ne of Work: Replacement of roof a room of 50	New Young W	ala, UAF.				
Sr.	Itam Dataile/ Description of works	Oto.	l loit	To be filled b	y the Bidder		
No	Item Details/ Description of works	Qty	Unit	Rate Quoted	Amount (PKR)		
1	Dismantling brick work in lime or cement mortar.	51.75	%cft				
2	Dismantling sirki sarkanda or thatched roofing, supported on battens or bellies.	409.38	%sft				
3	Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:6	44.30	%cft				
4	Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position	448.80	%kg				
5	First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly theen sheet	409.38	%sft				
Total							
PST@%							
	G. TOTAL:						
Man	datory to Write in Words: (Urdu/English)						

Tender No. 10/2024 Page 23 of 28

	AILED NOTICE INVITING TENDER (DNIT) Tenne of Work: Up-gradation and rehabilitation of				nces, UAF.
Sr.				To be filled b	by the Bidder
No	Item Details/ Description of works	Qty	Unit	Rate Quoted	Amount (PKR)
1	Dismantling cement concrete 1:2:4 plain	3.36	%cft		
2	Dismantling cement concrete 1:4:8 plain	9.24	%cft		
3	Removing cement or lime plaster	351.00	%sft		
4	Removing door with chowkhat	4.00	each		
5	Dismantling brick work in lime or cement mortar.	54.52	%cft		
6	Dismantling 2nd class tile roofing	36.00	%sft		
7	Dismantling cement concrete reinforced separating reinforcement from concrete, cleaning and straightening the same.	2.63	%cft		
8	Earthwork excavation in open cutting for sewers and manholes as shown in drawings including shuttering and timbering, dressing to correct section and dimensions according to templates and levels, and removing surface water, in all types of soil except shingle, gravel and rock:-i)0 ft. to 7.0 ft. (0 to 2.10 m) depth(15,934.55-31.5% reduce=15,934.55-5019.38=10915.17	28.00	%0cft		
9	Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:-(b) Ratio 1: 4: 8	16.50	%cft		
10	Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:6	33.05	%cft		
11	Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:4	7.88	%cft		
12	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	8.00	%cft		
13	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40	20.35	%kg		
14	Reinforced cement concrete in roof slab, beams columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast 3) This item shall not be applicable in situ, complete in all respect c) 3c type 1:2:4	10.91	p.cft		
15	Earth filling over roof including watering, ramming with 1" (25 mm) mud plaster finished, with gobri leeping: a) 3" (75 mm) thick earth filling and 1" (25 mm) mud plaster+polytheen sheet 500 guage	360.00	%sft		
16	2nd class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm) thick cement plaster 1:6	36.00	%sft		

Tender No. 10/2024 Page 24 of 28

	with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over single layers of tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly theen sheet Single layer of tiles 9"x4½"x1½" (225x113x40 mm)			
17	laid over 4"(100 mm) earth and 1" (25 mm) mud plaster without Bhoosa, grouted with cement sand 1:3 on top of RCC roof slab, provided with 34 lbs. per %Sft. or 1.72 Kg/Sq.m bitumen coating sand blinded	396.00	%sft	
18	Grouting 4½"(113 mm) dry brick work with cement mortar ratio 1: 5	36.00	%sft	
19	Khuras on roof 2'x2'x6" (600 x 600 x 150 mm	5.00	each	
20	Cement pointing struck joints, on walls, upto 20' (6.00 m) hiehgt:-a)ratio 1:2	245.00	%sft	
21	Applying floating coat of cement 1/32" (0.8 mm) thick.	376.00	%sft	
22	cement plaster 1:4 ratio upto 20 ft height ½" thickness	450.50	%sft	
23	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	32.00	%sft	
24	Cement plaster 3/8" (10 mm) thick under soffit of R.C.C.roof slabs only, upto 20' height. Ratio 1:3	30.00	%sft	
25	Providing and fixing, expended metal ½" to ¾" (13 mm to 20 mm) mesh 16 gauge fixed to chowkat with 1" (25 mm) thick deodar wood strip and screws, etc.(item no.1=4x0.08= 0.32x1,790.25 =572.88 Rs.=792.55-572.88= 219.67(apply metal lath under the plaster surface)	15.49	sft	
26	Glazing with panes (24 oz. to 26 oz.), using putty and deodar wooden fillets	9.00	sft	
27	Providing and applying wall putty of 2mm thickness over plastered surface (new surface)top repare the surface even and smooth complete in all respect.	1976.38	%sft	
28	Distempering 2 coats on new surface	1976.38	%sft	
29	P/F Iron door comprising of specified leaves made of 1-1/4"x1-1/4"x3/16" MS angle iron for leaf frame, diagonal and horizontal braces duly welded with MS. sheet 18-SWG i/c the cost of sliding bolt, tower bolt and painting 3-coats but excluding the cost of Chowkat complete in all respect as approved and directed by the Engineer incharge (labour only)	97.75	sft	
30	P/F 1½" thick solid flush door comprising of 2.5mm thick Commercial ply compressed over 2.5 mm thick commercial ply over 1" thick packing wood instyle and rail sunder proper pressure i/c the cost of nails, tower bolt, handles, glue, sawing charges, Painting charges, sand papering and 3/8" thick matching wooden lipping as approved and directed by the Engineer Incharge	47.25	p.sft	

Tender No. 10/2024 Page 25 of 28

31	P/F 3/4" dia heavy duty sliding bolt of specified material i/c the cost of hard ware complete in all	2.00	each	
	respect as approved and directed by the Engineer Incharge b)Brass (ii) 12" (450 mm) long	2.00	Cacii	
32	Fixing door, including chowkats	2.00	each	
33	Prepared and painting saches fanlight wire guazed or glazed door and window 3 coats on new surfce	664.00	%sft	
34	Preparing surface and painting guard bars, gates of iron bars, gratings, railing (including standards, braces, etc.) and in similar open work 2 coats on new surface	330.75	%sft	
35	Providing, fixing, testing and commissioning of μ-PVC (Unplasticized Polyvinyl Chloride) Nikasi/SWV pipe, Dadex/ Popular/ Beta or equivalent, plain/ Bell Ended/ Z-Joints conforming to BS 4514/BS 5255 EN-1329 including the cost of special sand Solvents complete in all respects, as per drawings & specification sand/ or as approved and directed by the Engineer Incharge Type b) (SDR 32.5/SN-8) (v)4"(110 mm)	28.00	rft	
36	Rehandling of earthwork:a)Lead upto a single throw of Kassi, phaorah or shovel	18.67	%0cft	
37	Providing and hoisting vertical/horizontal type storage tank of required capacity made of rotationally molded from (HDPE), doubleply polyethelene of approved manufacturer i/c cost of making connection for inlet/ outlet pipe, float valve i/call cost of specials & labour complete in all respect as approved and directed by the Engineer Incharge.	150.00	per gallon	
38	Providing, laying, testingand commissioning of POLYROPYLENE RANDOM COPOLYMER (PPRC) water supply pipe made of (Dadex/Popular/Beta/BBJ) with specified pressure rating PN (PRESSURE NOMINAL) and conforming to DIN 8077-8078 code i/c cost of solvent, specials, making jharries complete in all respect as approved and directed by Engineer Incharge. (Internal/External Diameters mentioned b) PN-20 pipe (iii) (1") 32 mm	67.00	p.rft	
39	Providing and fixing CP heavy duty brass Ball valve with CP handle of specified diameter made of Faisal/ Sonex/ Master best quality or equivalent complete in all respect as approved and directed by the Engineer Incharge.iii) 1" dia	1.00	each	
40	P/Fixing PPRC L-bow 32mmx1" dadex made as approved site Engineer	2.00	each	
41	P/Fixing PPRC L-BOW 32/ 25mmx1/2" dadex made as approved site Engineer	4.00	each	
42	P/Fixing of C.P Nipple 1"x½"	4.00	each	
43	Providing and fixing brass ball float valve:- i) 1.5 cm (½") dia	1.00	each	
44	Providing, fixing, testing and commissioning of μ-PVC (Unplasticized poly vinyl Chloride) Nikasi/ waste pipe Fittings make of dadex/Popular/Beta/BBJ conforming to code EN-	3.00	each	

Tender No. 10/2024 Page 26 of 28

	140 1ncluding the cost of Solvents complete in all				
	respect as approved and directed by the EngineerIn charge(a) P-Trap(i) 4" dia				
	Providing and fitting glazed earthen ware water				
45	closet,squatter type (Orisa pattern), combined	1.00	each		
	with foot rest i) white Providing and Fixing ofFloor Trap Jali, complete in				
46	all respect as approved and directed by Engineer	2.00	each		
	Incharge. i) 4" dia		30.00		
47	Providing and fixing of Bib cock ½"dia	3.00	each		
48	Providing and fixing underground stop cock 13 mm (½"), with chromium plated cover.	1.00	each		
49	Providing and fixing chromium plated shower rose i) 1.5x10 cm (½"x4")	1.00	each		
50	Providing and fitting, glazed earthen ware soap dish i) white	1.00	each		
	Cutting hole 4"x6" (100x150 mm) in stone masonry or brick wall with chisel, repairing				
51	masonry and removing debris within one chain	6.00	p.hole		
	lead.				
	Providing and Fixing Single Phase Single Impellor Faisal Made Pump With M.s Cover and				
52	Foundation, 4" dia Bore including Allied Material	1.00	Job		
	Assembly Set as per Required Depth Complete in				
	All respects as approved by the Engineer				
53	Removing Malba up to 10 KM	101.78	%cft		
				Total	
			DC	ST@ %	
				бт@% 	
			(G. TOTAL:	
<u>Man</u>	datory to Write in Words: (Urdu/English)				

Tender No. 10/2024 Page 27 of 28

DET	AILED NOTICI	E INVITING TENDER (DNIT) Tei	nder No. 10/	′2024 Sr. I	No. 06		
Nan	ne of Work:	Replacement of damaged main 6,7,8,33,42,43 etc. UAF.	sui gas pip	peline nea	ır Lalazar Colo	ony House No.	
Sr.	Itom Do	tails/ Description of works	Qty	Unit	To be filled b	y the Bidder	
No	item be	talls/ Description of works	Qιy	Onit	Rate Quoted	Amount (PKR)	
1	cutting rock, for (1.5 m) depth for trimming, dress trenches to cor	renches in all kinds of soil, except or watersupply pipelines upto 5 ft. from ground level, including fing sides leveling the beds of frect grade and cutting pits for plete in all respects	7245.00	%0cft			
2	underground You pipe tubing of r trenches, made equivalent, for and specials con	g, testing and commissioning ellow Polyethylene (MDPE) gas equired IPS (Iron Pipe Size) in the of Dadex/ Popular/ Beta or Gas supply i/c the cost of solvent mplete as approved and directed In charge. SDR-11(iii) 1-1/4"	1020.00	rft			
3	the cost of Tran	ixing PE Pipe Connection including sit peace (2"dia M.s pipe 2.5ft long as per Required size "dia PE pipe	15.00	each			
4	Providing and F	ixing of Muller Tee 1" dia	10.00	rft			
5	shingle and roc	well in all types of soil except k, from ground level to 100 ft. (30 ding sinking and withdrawing of nplete:-4" dia	89.50	rft			
6	•	arthwork:a)Lead upto a single phaorah or shovel	6520.50	%0cft			
					Total		
	PST@%						
				(G. TOTAL:		
Mana	datory to Write in \	Nords: (Urdu/English)					

Tender No. 10/2024 Page 28 of 28

Item Details/ Description of works Grouting 4½"(113 mm) dry brick work with cement mortar ratio 1: 5 cement plaster 1:4 ratio upto 20 ft height ½" thickness Applying floating coat of cement 1/32" (0.8 mm) thick.	Qty 400.00 273.32	Unit %sft %sft		oy the Bidder Amount (PKR)
Grouting 4½"(113 mm) dry brick work with cement mortar ratio 1: 5 cement plaster 1:4 ratio upto 20 ft height ½" thickness Applying floating coat of cement 1/32" (0.8 mm)	400.00	%sft		<u>.</u>
Grouting 4½"(113 mm) dry brick work with cement mortar ratio 1: 5 cement plaster 1:4 ratio upto 20 ft height ½" thickness Applying floating coat of cement 1/32" (0.8 mm)	400.00	%sft	Rate Quoted	Amount (PKR)
cement mortar ratio 1: 5 cement plaster 1:4 ratio upto 20 ft height ½" thickness Applying floating coat of cement 1/32" (0.8 mm)	273.32			
thickness Applying floating coat of cement 1/32" (0.8 mm)		%sft		
		70316		
	273.32	%sft		
color wash old surface 2 coats	2079.50	%sft		
Distempering 2 coats on old surface	10398.44	%sft		
Scaraping old distemper or paint on wall	4159.38	%sft		
painting door and window any typ 2 coats on old surface	1264.12	%sft		
painting saches fanlight wire guazed or glazed door and window 2 coats on old surfce	1637.00	%sft		
			Total	
		PS	БТ@%	
			G. TOTAL:	
latory to Write in Words: (Urdu/English)				
	Distempering 2 coats on old surface Scaraping old distemper or paint on wall painting door and window any typ 2 coats on old surface painting saches fanlight wire guazed or glazed door and window 2 coats on old surfce	Distempering 2 coats on old surface Scaraping old distemper or paint on wall painting door and window any typ 2 coats on old surface painting saches fanlight wire guazed or glazed door and window 2 coats on old surfce 10398.44 1264.12 1637.00	Distempering 2 coats on old surface 10398.44 %sft Scaraping old distemper or paint on wall 4159.38 %sft painting door and window any typ 2 coats on old surface painting saches fanlight wire guazed or glazed door and window 2 coats on old surfce PS PS	Distempering 2 coats on old surface 10398.44