



University of Agriculture, Faisalabad

Bidding Documents

Tender No.40/2019

SPECIAL INSTRUCTIONS

- No cutting, erasing is allowed in the Tender bid.
- Bid offered strictly in accordance with the bid document will only be accepted.
- Only typed bid will be accepted
- The bid should be hard bound
- Call Deposit Receipt (CDR) will be preferred. In case of any bank instrument other than CDR except Bank Guarantee, the same would be deposited in the University relevant account and in that eventuality, the release of the requisite amount would be made in shape of crossed cheque after deductions of necessary taxes and bank charges

**THIS IS FOR STRICT COMPLIANCE, FAILING WHICH THE
RESPECTIVE BID SHALL STAND CANCELLED**

Contents

Section I.....3
Invitation for Bids3

Section II.....5
Instructions to Bidders5
Table of Clauses.....6

Section III.27
Bid Data Sheet278

Section IV.....31
General Condition of Contract 32

Section V.
Special Conditions of Contract44
Table of Clauses

Section VI.
Schedule of Requirement 50

Section VII
Technical Specifications 52

Section VIII.....
Sample Forms90
Bids Form & Price Schedule 91,92
Manufacturer’s Authorization Form.....93

Section I.

Invitation for Bids



UNIVERSITY OF AGRICULTURE, FAISALABAD (TENDER NOTICE No.40/2019)

Sealed tenders are invited from Income Tax and Sales Tax registered firms on the basis of Single Stage (two envelop procedure) for purchase of Furniture & Fixture **lot wise/component wise on turnkey basis** for Library, ICT Services Block, ITRCDB and Students Services Center under development project titled "Establishment of I.T. and Library Infrastructure for new Disciplines of Food and Energy Engineering and Science at University of Agriculture, Faisalabad". **Only those suppliers/vendors shall be allowed to participate in the bid who have their own Furniture manufacturing facility.**

| | | | |
|--------------------------------------|-------------------|-----------------------|-----------------------|
| Date of Receiving and Opening | 11.03.2019 | Receiving Time | 10:30 a.m. |
| | | Opening Time | 11:00 a.m. |
| | | Bid Security | 2% of the |
| | | | Estimated Cost |
| | | Tender Fee | Rs.500/- |

1. The bidding documents are available in the office of the Treasurer (**Tender Cell**) and the same may be obtained subject to the payment of the cost of the printing and provision of the document (tender Fee) as mentioned above to be deposited in the University Income Account (No.11-9/NBP, UAF Branch). The bidding documents can also be down loaded free of cost from the UAF website http://uaf.edu.pk/directorates/dpiv/dpiv_tenders.html

2. **The all interested bidders will submit the bids in the Tender Cell, 1st Floor Admn. Block Treasurer's Office, University of Agriculture, Faisalabad (UAF) as per scheduled mentioned above.**

UMAR SAEED
Director (DPIC)
(For & On behalf of the Committee)
Phone#041-9200898, 9200161 Extn.3503/3504/3505
E.Mail: dpic@uaf.edu.pk
store_officer@uaf.edu.pk

Section II.

Instructions to Bidders

Table of Clauses

| | |
|---|-----------|
| A. Introduction..... | 7 |
| 1. Source of Funds | 7 |
| 2. Eligible Bidders | 7 |
| 3. Eligible Goods and Services | 7 |
| 4. Cost of Bidding | 7 |
| B. The Bidding Documents..... | 8 |
| 5. Content of Bidding Documents | 8 |
| 6. Clarification of Bidding Documents | 8 |
| 7. Amendment of Bidding Documents | 8 |
| C. Preparation of Bids | 9 |
| 8. Language of Bid..... | 9 |
| 9. Documents Constituting the Bid..... | 9 |
| 10. Bid Form | 9 |
| 11. Bid Prices | 10 |
| 12. Bid Currencies | 12 |
| 13. Documents Establishing Bidder's Eligibility and Qualification..... | 12 |
| 14. Documents Establishing Goods' Eligibility and Conformity to Bidding Documents | 13 |
| 15. Bid Security | 13 |
| 16. Period of Validity of Bids | 14 |
| 17. Format and Signing of Bid..... | 14 |
| D. Submission of Bids | 15 |
| 18. Sealing and Marking of Bids | 15 |
| 19. Deadline for Submission of Bids | 15 |
| 20. Late Bids | 16 |
| 21. Modification and Withdrawal of Bids | 16 |
| E. Opening and Evaluation of Bids | 16 |
| 22. Opening of Bids by the Purchaser | 16 |
| 23. Clarification of Bids..... | 17 |
| 24. Preliminary Examination | 17 |
| 25. Conversion to Single Currency | 18 |
| 26. Evaluation and Comparison of Bids | 19 |
| 27. Domestic Preference | 22 |
| 28. Contacting the Purchaser | 22 |
| F. Award of Contract..... | 23 |
| 29. Post-qualification | 23 |
| 30. Award Criteria | 23 |
| 31. Purchaser's Right to Vary Quantities at Time of Award..... | 23 |
| 32. Purchaser's Right to Accept Any Bid and to Reject Any or All Bids | 24 |
| 33. Notification of Award | 24 |
| 34. Signing of Contract | 24 |
| 35. Performance Security | 24 |
| 36. Corrupt or Fraudulent Practices | 24 |
| 37. Blacklisting and deregistration..... | 25 |

Instructions to Bidders

A. Introduction

- | | |
|---------------------------------------|--|
| 1. Source of Funds | University of Agriculture, Faisalabad. |
| 2. Eligible Bidders | <p>2.1 The invitation for Bids is opened to all supplier having trade relations with Pakistan and registration for National Tax Number & Sales Tax Number with Federal Board of Revenue</p> <p>2.2 Bidders should not be associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Purchaser to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods to be purchased under this Invitation for Bids.</p> <p>2.3 Only Government owned enterprises may participate, only if they are legally allowed.</p> <p>2.4 bidders shall not be under a declaration of ineligibility in accordance with ITB 36.1&37 by any Government organization. The bidder shall provide affidavit to this effect.</p> |
| 3. Eligible Goods and Services | <p>3.1 All goods and related services to be supplied under the contract shall have their origin in eligible source countries, and all expenditures made under the contract will be limited to such goods and services.</p> <p>3.2 For purposes of this clause, “origin” means the place where the goods are mined, grown, or produced, or the place from which the related services are supplied. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components.</p> <p>3.3 The origin of goods and services is distinct from the nationality of the Bidder.</p> |
| 4. Cost of Bidding | <p>4.1 The Bidder shall bear all costs associated with the preparation and submission of its bid, and the Purchaser named in the bid date sheet, hereinafter referred to as “the purchaser” will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.</p> |

B. The Bidding Documents

- | | |
|---|---|
| <p>5. Content of Bidding Documents</p> | <p>5.1 The goods required, bidding procedures, and contract terms are prescribed in the bidding documents. In addition to the Invitation for Bids, the bidding documents include:</p> <ul style="list-style-type: none"> (a) Instructions to Bidders (ITB) (b) Bid Data Sheet (c) General Conditions of Contract (GCC) (d) Special Conditions of Contract (SCC) (e) Schedule of Requirements (f) Technical Specifications (g) Bid Form and Price Schedules (h) Manufacturer's Authorization Form (i) Integrity pact. (j) Mechanism of Blacklisting and Deregistration <p>5.2 The Bidder is expected to examine all instructions, forms, terms, and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or to submit a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in the rejection of its bid.</p> |
| <p>6. Clarification of Bidding Documents</p> | <p>6.1 A prospective Bidder requiring any clarification of the bidding documents may notify the Purchaser in writing at the Purchaser's address indicated in the Bid Data Sheet. The Purchaser will respond in writing to any request for clarification of the bidding documents which it receives prior to the deadline for the submission of bids prescribed in ITB Clause 19.1. Written copies of the Purchaser's response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective bidders that have received the bidding documents.</p> |
| <p>7. Amendment of Bidding Documents</p> | <p>7.1 At any time prior to the deadline for submission of bids, the Purchaser, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, may modify the bidding documents by amendment.</p> <p>7.2 All prospective bidders that have received the bidding documents will be notified of the amendment in writing and will be binding on them.</p> <p>7.3 In order to allow prospective bidders reasonable time in which to take the amendment into account in preparing their bids, the Purchaser, at its discretion, may extend the deadline for the</p> |

submission of bids.

C. Preparation of Bids

- 8. Language of Bid** 8.1 The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Purchaser shall be written in English. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified above, in which case, for purposes of interpretation of the Bid, the translation shall govern.
- 9. Documents Constituting the Bid** 9.1 The bid prepared by the Bidder shall comprise the following components:
- (a) a Bid Form and a Price Schedule completed in accordance with ITB Clauses 10, 11, and 12;
 - (b) documentary evidence established in accordance with ITB Clause 13 that the Bidder is eligible to bid and is qualified to perform the contract if its bid is accepted;
 - (c) documentary evidence established in accordance with ITB Clause 14 that the goods and ancillary services to be supplied by the Bidder are eligible goods and services and conform to the bidding documents; and
 - (d) bid security furnished in accordance with ITB Clause 15.
- 10. Bid Form** 10.1 The Bidder shall complete the Bid Form and the appropriate Price Schedule furnished in the bidding documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.
- 10.2 Bidders tendering for engineering goods produced in Pakistan shall be accorded a price preference in rupees up to a specific percentage (in proportion to the value addition) of the lowest quoted landed cost of an item of foreign origin with similar specifications as mentioned in the tenders:
- (1) Provided that-
 - (a) The saving in foreign exchange is not less than the amount of price preference; and
 - (b) It is ensured that in each case of such preference, the total import requirements for producing the supplies tendered for locally manufactured items has been duly indicated by the bidders.
 - (2) Price preference shall be allowed as under:-

- (a) Having minimum of twenty percent value addition through indigenous manufacturing price preference shall fifteen percent;
 - (b) Having over twenty percent and up to thirty percent value addition through indigenous manufacturing, price preference shall be twenty percent, and
 - (c) Having over thirty percent value addition through indigenous manufacturing, price preference shall be twenty five percent.
- (3) For the purpose of granting a margin of domestic preference bids will be classified into following groups.

Group.A. Bids offering engineering goods produced in Pakistan.

Group.B. Bids offering good of foreign origin to be imported by the purchaser through the supplier's Local (Pakistan) Agent.

Group.C. Bids offering good of foreign origin to be imported by the purchaser directly.

11. Bid Prices

11.1 The Bidder shall indicate on the appropriate Price Schedule the unit prices (where applicable) and total bid price of the goods it proposes to supply under the contract.

11.2 Prices indicated on the Price Schedule shall be entered separately in the following manner or specified otherwise in the Bid Data Sheet:-

a). for goods offered from within Pakistan;

the price shall be quoted on FOR UAF basis. (FOR means the price of goods quoted by the bidder shall be inclusive of all costs, expenses, charges, duties and taxes etc. whatsoever incidental to their delivery, installation and commissioning as the case may be at UAF site).

b) for goods offered from abroad by the LOCAL AGENT:

the price shall be quoted Cost and Freight (CFR), Carriage Paid to (Duty Paid) (CPT) Karachi seaport or Lahore/Faisalabad airport Pakistan, as the case may be. The bidder shall also add all cost expenses, charges, duties and taxes etc. whatsoever expect customs, incidental to

delivery installation/commissioning of goods from the port of destination to UAF site. The bidder, in quoting the price, shall be free to use transportation in abroad except transit and means of transport through/of Israel. The LC at sight, as on Usance basis and Advance Payment will be governed as per following:-

- i. **If LC at sight** then the bidder shall provide Performa Invoice from the Principal within 5 days with 100% performance guarantee of the value of the shipment in shape of CDR or any bank instrument except bank guarantee in favor of Director (DPIC) to initiate the LC with the condition that all the charges including insurance, LC and clearance charges (inside/outside Pakistan) as indicated above, will be borne by firm. The bank instrument of the firm as 100% amount of the equipment will be released after satisfactory receipt installation / commissioning / inspection of the respective equipment.
 - ii. **If LC on usance basis** then the bidder shall provide Performa Invoice from the Principal within 5 days to initiate the LC on usance basis (payment will be made within 90 days and 60 days from the date of issuance of Bill of Lading and Airway bill respectively. However, in case of any unforeseen unavoidable circumstances it may fluctuate to the extent of 10 days at both ends with the permission of the Director, DPIC) with the condition that the insurance, LC and clearance charges (inside/outside Pakistan all charges) will be borne by firm.
 - iii. **If advance payment** required by Principal /Manufacturer then local bidder will provide the Performa Invoice of the Principal within 5 days with 100% performance guarantee of the value of the shipment in shape of CDR or any bank instrument except bank guarantee in favor of Director (DPIC) with the condition that all (inside/outside Pakistan charges) insurance, bank and clearance charges will be borne by firm. However, amount will be transferred to the Principal/Manufacturer as per regulations of the State Bank of Pakistan.
- 11.3 The terms CFR, CPT, etc., shall be governed by the rules prescribed in the current edition of *Incoterms* published by the International Chamber of Commerce, Paris or otherwise specified in the Bid Data Sheet and SCC
- 11.4 The Bidder's separation of price components in accordance with ITB Clause 11.2 above will be solely for the purpose of facilitating the comparison of bids by the Purchaser and will not in any way limit the Purchaser's right to contract on any of the terms offered.
- 11.5 Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any

account, unless otherwise specified in the Bid Data Sheet. A bid submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to ITB Clause 24. If, however, in accordance with the Bid Data Sheet, prices quoted by the Bidder shall be subject to adjustment during the performance of the contract, a bid submitted with a fixed price quotation will not be rejected, but the price adjustment would be treated as zero.

**12. Bid
Currencies**

12.1 Prices shall be quoted in the following currencies:

- (a) For goods and services that the Bidder will supply from within the Purchaser Country, the prices shall be quoted in Pak Rupees, unless otherwise specified in the **Bid Data Sheet**.
- (b) For goods and services that the Bidder will supply from outside the Purchaser Country, the prices shall be quoted in any currency. However the payment will only be made by the purchaser in pak rupees in case of ITB clause 11.2 (b) and SCC.

**13. Documents
Establishing
Bidder's
Eligibility
and
Qualification**

13.1 Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, documents establishing the Bidder's eligibility to bid and its qualifications to perform the contract if its bid is accepted.

13.2 The documentary evidence of the Bidder's eligibility to bid shall establish to the Purchaser's satisfaction that the Bidder, at the time of submission of its bid, is from an eligible country as defined under ITB Clause 2.

13.3 The documentary evidence of the Bidder's qualifications to perform the contract if its bid is accepted shall establish to the Purchaser's satisfaction:

- (a) that, in the case of a Bidder offering to supply goods under the contract which the Bidder did not manufacture or otherwise produce, the Bidder has been duly authorized by the goods' Manufacturer or producer to supply the goods in the Purchaser Country;
- (b) that the Bidder has the financial, technical, and production capability necessary to perform the contract;
- (c) that, in the case of a Bidder not doing business within the Purchaser Country, the Bidder is or will be (if awarded the contract) represented by an Agent in that country equipped and able to carry out the Supplier's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications; and
- (d) that the Bidder meets the qualification criteria listed in the

Bid Data Sheet.

- 14. Documents Establishing Goods' Eligibility and Conformity to Bidding Documents**
- 14.1 Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, documents establishing the eligibility and conformity to the bidding documents of all goods and services which the Bidder proposes to supply under the contract.
- 14.2 The documentary evidence of the eligibility of the goods and services shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.
- 14.3 The documentary evidence of conformity of the goods and services to the bidding documents may be in the form of literature, drawings, and data, and shall consist of:
- (a) a detailed description of the essential technical and performance characteristics of the goods;
 - (b) a list giving full particulars, including available sources and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period to be specified in the **Bid Data Sheet**, following commencement of the use of the goods by the Purchaser; and
 - (c) an item-by-item commentary on the Purchaser's Technical Specifications demonstrating substantial responsiveness of the goods and services to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.
- 14.4 For purposes of the commentary to be furnished pursuant to ITB Clause 14.3(c) above, the Bidder shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Purchaser in its Technical Specifications, are intended to be descriptive only and not restrictive. The Bidder may substitute alternative standards, brand names, and/or catalogue numbers in its bid, provided that it demonstrates to the Purchaser's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.
- 15. Bid Security**
- 15.1 Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, a bid security @ 2% of the Estimated Cost or in the amount specified otherwise in the **Bid Data Sheet**.
- 15.2 The bid security is required to protect the Purchaser against the risk of Bidder's conduct which would warrant the security's forfeiture, pursuant to ITB Clause 15.7.

15.3 The bid security shall be denominated in the currency of the bid or in another freely convertible currency, and shall be in one of the following forms:

(a) Call deposit receipt (CDR).

15.4 Any bid not secured in accordance with ITB Clauses 15.1 and 15.3 will be rejected by the Purchaser as nonresponsive, pursuant to ITB Clause 24.

15.5 Unsuccessful bidders' bid securities will be discharged or returned as promptly as possible but not later than thirty (30) days after the expiration of the period of bid validity prescribed by the Purchaser pursuant to ITB Clause 16.

15.6 The successful Bidder's bid security will be discharged upon the Bidder signing the contract, pursuant to ITB Clause 34, and furnishing the performance security, pursuant to ITB Clause 35.

15.7 The bid security may be forfeited:

(a) if a Bidder:

(i) withdraws its bid during the period of bid validity specified by the Bidder on the Bid Form, or

(ii) does not accept the correction of errors pursuant to ITB Clause 24.2; or

(b) in the case of a successful Bidder, if the Bidder fails:

(i) to sign the contract in accordance with ITB Clause 34; or

(ii) to furnish performance security in accordance with ITB Clause 35.

16. Period of Validity of Bids

16.1 Bids shall remain valid for the period specified in the **Bid Data Sheet** after the deadline date of bid submission prescribed by the Purchaser, pursuant to ITB Clause 19. A bid valid for a shorter period shall be rejected by the Purchaser as nonresponsive.

16.2 In exceptional circumstances, the Purchaser may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The bid security provided under ITB Clause 15 shall also be suitably extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid.

17. Format and Signing of

17.1 The Bidder shall prepare an original bid indicated in the **Bid Data Sheet**, clearly marking each "TECHNICAL BID" and

Bid “FINANCIAL BID,” as appropriate. In the event of any discrepancy between them, the original shall govern.

17.2 The original bid shall be typed and signed by the Bidder or a person or persons duly authorized to bind the Bidder to the contract. All pages of the bid, except for unamended printed literature, shall be initialed by the person or persons signing the bid.

17.3 Any interlineations, erasures, or overwriting shall be valid only if they are initialed by the person or persons signing the bid.

17.4 The Bidder shall furnish information as described in the Form of Bid on commissions or gratuities, if any, paid or to be paid to agents relating to this Bid, and to contract execution if the Bidder is awarded the contract.

D. Submission of Bids

18. Sealing and Marking of Bids

18.1 The Bidder shall seal the Technical and Financial Bid in separate envelopes, duly marking the envelopes as “TECHNICAL” and “FINANCIAL.” The envelopes shall then be sealed in an outer envelope.

18.2 The inner and outer envelopes shall:

- (a) be addressed to the Purchaser at the address given in the **Bid Data Sheet**; and
- (b) bear the Project name indicated in the Bid Data Sheet, the Invitation for Bids (IFB) title and number indicated in the Bid Data Sheet, and a statement: “DO NOT OPEN BEFORE,” to be completed with the time and the date specified in the **Bid Data Sheet**, pursuant to ITB Clause 22.1.

18.3 The inner envelopes shall also indicate the name and address of the Bidder to enable the bid to be returned unopened in case it is declared “late.”

18.4 If the outer envelope is not sealed and marked as required by ITB Clause 18.2, the Purchaser will assume no responsibility for the bid’s misplacement or premature opening.

19. Deadline for Submission of Bids

19.1 Bids must be received by the Purchaser at the address specified under ITB Clause 18.2 (a) not later than the time and date specified in the **Bid Data Sheet**.

19.2 The Purchaser may, at its discretion, extend this deadline for the submission of bids by amending the bidding documents in

accordance with ITB Clause 7, in which case all rights and obligations of the Purchaser and bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

- 20. Late Bids** 20.1 Any bid received by the Purchaser after the deadline for submission of bids prescribed by the Purchaser pursuant to ITB Clause 19 will be rejected and returned unopened to the Bidder.
- 21. Modification and Withdrawal of Bids** 21.1 The Bidder may modify or withdraw its bid after the bid's submission, provided that written notice of the modification, including substitution or withdrawal of the bids, is received by the Purchaser prior to the deadline prescribed for submission of bids.
- 21.2 The Bidder's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of ITB Clause 18. A withdrawal notice may also be sent by fax, but followed by a signed confirmation copy, postmarked not later than the deadline for submission of bids.
- 21.3 No bid may be modified after the deadline for submission of bids.
- 21.4 No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Bid Form. Withdrawal of a bid during this interval may result in the Bidder's forfeiture of its bid security, pursuant to the ITB Clause 15.7.

E. Opening and Evaluation of Bids

- 22. Opening of Bids by the Purchaser** 22.1 The Purchaser will open all bids in the presence of bidders' representatives who choose to attend, at the time, on the date, and at the place specified in the **Bid Data Sheet**. The bidders' representatives who are present shall sign a register evidencing their attendance.
- 22.2 The bidders' names, bid modifications or withdrawals, bid prices, discounts, and the presence or absence of requisite bid security and such other details as the Purchaser, at its discretion, may consider appropriate, will be announced at the opening. No bid shall be rejected at bid opening, except for late bids, which shall be returned unopened to the Bidder pursuant to ITB Clause 20.
- 22.3 Bids (and modifications sent pursuant to ITB Clause 21.2) that are not opened and read out at bid opening shall not be considered further for evaluation, irrespective of the circumstances.
- 22.4 The Purchaser will prepare minutes of the bid opening.

- 23. Clarification of Bids**
- 23.1 During evaluation of the bids, the Purchaser may, at its discretion, ask the Bidder for a clarification of its bid. The request for clarification and the response shall be in writing, and no change in the prices or substance of the bid shall be sought, offered, or permitted.
- 24. Preliminary Examination**
- 24.1 The Purchaser will examine the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the bids are generally in order.
- 24.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If there is a discrepancy between words and figures, the amount in words will prevail. If the Supplier does not accept the correction of the errors, its bid will be rejected, and its bid security may be forfeited.
- 24.3 The Purchaser may waive any minor informality, nonconformity, or irregularity in a bid which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any Bidder.
- 24.4 Prior to the detailed evaluation, pursuant to ITB Clause 26, the Purchaser will determine the substantial responsiveness of each bid to the bidding documents. For purposes of these Clauses, a substantially responsive bid is one which conforms to all the terms and conditions of the bidding documents without material deviations. Deviations from, or objections or reservations to critical provisions, **such as** those concerning Bid Security (ITB Clause 15), Applicable Law (GCC Clause 31), and Taxes and Duties (GCC Clause 33), will be deemed to be a material deviation. The Purchaser's determination of a bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence.
- 24.5 If a bid is not substantially responsive, it will be rejected by the Purchaser and may not subsequently be made responsive by the Bidder by correction of the nonconformity.

**25. Conversion
to Single
Currency**

25.1 To facilitate evaluation and comparison, the Purchaser will convert all bid prices expressed in the amounts in various currencies in which the bid prices are payable to either:

- (a) Purchaser Country at the selling exchange rate established for similar transactions by the State Bank of Pakistan and National Bank of Pakistan or specified otherwise;

25.2 The currency selected for converting bid prices to a common base for the purpose of evaluation is Pak Rupees to be converted as per rate of the bank shown in ITB 25.1 (a) on the date of opening of the financial bid or specified otherwise in the **Bid Data Sheet**.

**26. Evaluation
and
Comparison
of Bids**

26.1 The Purchaser will evaluate and compare the bids which have been determined to be substantially responsive, pursuant to ITB Clause 24.

26.2 The Purchaser's evaluation of a bid will take into account, in addition to the bid price quoted in accordance with ITB Clause 11.2, one or more of the following factors as specified in the **Bid Data Sheet**, and quantified in ITB Clause 26.3:

- (a) delivery schedule offered in the bid;
- (b) deviations in payment schedule from that specified in the Special Conditions of Contract;
- (c) the cost of components, mandatory spare parts, and service;
- (d) the availability in the Purchaser's country of spare parts and after-sales services for the equipment offered in the bid;
- (e) the projected operating and maintenance costs during the life of the equipment;
- (f) the performance and productivity of the equipment offered; and/or
- (g) other specific criteria indicated in the **Bid Data Sheet** and/or in the Technical Specifications.

26.3 For factors retained in the Bid Data Sheet pursuant to ITB 26.2, one or more of the following quantification methods will be applied, as detailed in the Bid Data Sheet:

- (a) *Delivery schedule.*
 - (i) The goods covered under this invitation are required to be delivered (shipped) within an acceptable range of weeks specified in the Schedule of Requirement. No credit will be given to earlier deliveries, and bids offering delivery beyond this range will be treated as nonresponsive. Within this acceptable range, an adjustment per week, as specified in the **Bid Data Sheet**, will be added for evaluation to the bid price of bids offering deliveries later than the earliest delivery period specified in the Schedule of Requirements.
- (b) *Deviation in payment schedule.*
 - (i) The SCC stipulates the payment schedule offered by the Purchaser. If a bid deviates from the schedule it will be considered as non-responsive bid.

(c) *Cost of spare parts.*

- (i) The list of items and quantities of major assemblies, components, and selected spare parts, likely to be required during the initial period of operation shall be specified by the bidder. The total cost of these items, at the unit prices quoted in each bid, will be added to the bid price.

or

- (ii) The bidder will draw up a list of high-usage and high-value items of components and spare parts, along with estimated quantities of usage in the initial period of operation. The total cost of these items and quantities will be computed from spare parts unit prices submitted by the Bidder and added to the bid price.
- (d) *Spare parts and after sales service facilities in the Purchaser's country.*

The cost to the Purchaser of establishing the minimum service facilities and parts inventories, if outlined in the **Bid Data Sheet** or elsewhere in the bidding documents, if quoted separately, shall be added to the bid price.

(e) *Operating and maintenance costs.*

Since the operating and maintenance costs of the goods under procurement form a major part of the life cycle cost of the equipment, these costs will be evaluated in accordance with the criteria specified in the **Bid Data Sheet** or in the Technical Specifications.

(f) *Performance and productivity of the equipment.*

- (i) Goods offered shall have a minimum productivity specified under the relevant provision in the Technical Specifications to be considered responsive. Evaluation shall be based on the cost per unit of the actual productivity of goods offered in the bid or otherwise specified in the **Bid Data Sheet** or in the Technical Specifications.

(g) *Specific additional criteria*

Other specific additional criteria to be considered in the evaluation and the evaluation method shall be detailed in the **Bid Data Sheet** and/or the Technical Specifications.

26.4. Delivery Schedule.

As mentioned in Bid Data Sheet.

27. Domestic Preference

- 27.1 If the **Bid Data Sheet** so specifies, the Purchaser will grant a margin of preference to goods manufactured in the Purchaser's country for the purpose of bid comparison, in accordance with the procedures outlined in subsequent paragraphs, provided the Bidder shall have established to the satisfaction of the Purchaser that its bid complies with the criteria specified in ITB Clause 10.2 (a):
- 27.2 The Purchaser will first review the bids to confirm the appropriateness of, and to modify as necessary, the bid group classification to which bidders assigned their bids in preparing their Bid Forms and Price Schedules, pursuant to ITB Clauses 10 and 11.
- 27.3 All evaluated bids in each group will then be compared among themselves to determine the lowest evaluated bid of each group. The lowest evaluated bid of each group will next be compared with the lowest evaluated bids of the other groups. If this comparison results in a bid from Group A or Group B being the lowest, it will be selected for contract award.
- 27.4 If, as a result of the preceding comparison, the lowest evaluated bid is from Group C, all Group C bids will then be further compared with the lowest evaluated bid from Group A, after adding to the evaluated bid price of the imported goods offered in each Group C bid, for the purpose of this further comparison only:
- (a) the amount of customs duties and other import taxes that a nonexempt importer would have to pay for the importation of goods offered in each Group C bid;

If the Group A bid in the further comparison is the lowest, it will be selected for award. If not, the lowest evaluated bid from Group C, as determined from the comparison under ITB Clause 27.3 above, will be selected for award.

28. Contacting the Purchaser

- 28.1 From the time of bid opening to the time of contract award, if any bidder wishes to contact the Purchaser on any matter related to the bid, it should do so in writing.
- 28.2 Any effort by a Bidder to influence the Purchaser in its decisions on bid evaluation, bid comparison, or contract award may result in the rejection of the Bidder's bid.

F. Award of Contract

- 29. Post-qualification**
- 29.1 In the absence of prequalification, the Purchaser will determine to its satisfaction whether the Bidder that is selected as having submitted the lowest evaluated responsive bid is qualified to perform the contract satisfactorily, in accordance with the criteria listed in ITB Clause 13.3.
- 29.2 The determination will take into account the Bidder's financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB Clause 13.3, as well as such other information as the Purchaser deems necessary and appropriate.
- 29.3 An affirmative determination will be a prerequisite for award of the contract to the Bidder. A negative determination will result in rejection of the Bidder's bid, in which event the Purchaser will proceed to the next lowest evaluated bid to make a similar determination of that Bidder's capabilities to perform satisfactorily.
- 30. Award Criteria**
- 30.1 Subject to ITB Clause 32, the Purchaser will award the contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined to be the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the contract satisfactorily.
- 31. Purchaser's Right to Vary Quantities at Time of Award**
- 31.1 The Purchaser reserves the right at the time of contract award to increase or decrease, as per requirement, the quantity of goods and services originally specified in the Schedule of Requirements without any change in unit price or other terms and conditions.

- | | |
|---|--|
| 32. Purchaser's Right to Accept Bid and to Reject All Bids | 32.1 The Purchaser reserves the right to accept bid and to annul the bidding process and reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder or bidders. |
| 33. Notification of Award | <p>33.1 Prior to the expiration of the period of bid validity, the Purchaser will notify/inform the successful and unsuccessful Bidder in writing by letter or by Fax/ e-mail, or telephonically, that its bid has been accepted and unaccepted as the case may by.</p> <p>33.2 The notification of award will constitute the formation of the Contract.</p> <p>33.3 Upon the successful Bidder's furnishing of the performance security pursuant to ITB Clause 35, the Purchaser will discharge bid security to each unsuccessful Bidder on his written request, pursuant to ITB Clause 15.</p> <p>33.4 If, after notification of award, a Bidder wishes to ascertain the grounds on which its bid was not selected, it should address its request to the Purchaser. The Purchaser will promptly respond in writing to the unsuccessful Bidder.</p> |
| 34. Signing of Contract | 34.1 After 10 days from the announcement of evaluation report, the Purchaser will send supply order or Formal Contract as the case may be to successful bidder. In case of formal contract, the successful bidder will send back the contract to the purchaser duly signed within 7 days from the issuance date. Failing which the Purchaser reserves the right under ITB Clause 15.7. |
| 35. Performance Security | <p>35.1 Within Seven (07) days from the issuance of acceptance letter from the Purchaser, the successful Bidder shall furnish the performance security in shape of any bank instrument as desired in Page # 1 of Bidding Document. In case the amount of bid security is equal or greater than the value of the goods to be supplied then the bidder shall not require furnishing the performance security separately and the bid security will be retained to meet the requirement of performance security.</p> <p>35.2 Failure of the successful Bidder to comply with the requirement of ITB Clause 35.1 shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, in which event the Purchaser may make the award to the next lowest evaluated Bidder or call for new bids.</p> |
| 36. Corrupt or Fraudulent Practices | 36.1 The purchaser as well as Bidders/Suppliers/Contractors should observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the PPRA Govt. of the Punjab; |

- (a) the terms set forth below as follows:
 - (i) “corrupt practice” means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and
 - (ii) “fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Purchaser, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Purchaser of the benefits of free and open competition;
- (b) The purchaser will reject a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;
- (c) The Purchaser will declare a firm ineligible, either indefinitely or for a stated period of time, to be awarded a University Contract if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing, a University Contract.

36.2 Furthermore, Bidders shall be aware of the provision stated in Clauses 5.4 and 24.1 of the General Conditions of Contract.

37.Blacklisting/37.1 the Purchaser reserves the right to blacklist or deregister (may impose Permanent or temporary bar for participation in the procurement proceedings respectively) the bidder as follows:-

- (a) **Blacklisting:** The bidder who
 - (i) Fail to perform contractual obligations or the performance under the contract is not upto the mark;
 - (ii) Found to be indulging in corrupt or fraudulent practices;
 - (iii) Commit an action causing or liable to cause loss to the University;
 - (iv) Furnish false information;
- (b) **Deregistration:** The bidder who
 - (i) Submit bid as employee of the firm, or proprietor or shareholder being an employee of the University;
 - (ii) Show non-responsive attitude in case of summoning by the University.

- (iii) Back out from their offers after opening of tender;
- (iv) Misbehave with the University employee;

37.2 The bidder shall provide affidavit that the firm was not declared blacklisted or deregistered by any of the Federal and Provincial Government institution.

Section III.

Bid Data Sheet

Bid Data Sheet

The following specific data for the goods to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

| A-Introduction | |
|--|---|
| ITB 2.1 | The invitation for Bids is opened to all suppliers having registration for National Tax Number & Sales Tax Number with Federal Board of Revenue. |
| ITB2.3 | Government owned enterprises may participate, only if they are legally allowed. |
| ITB 2.4 | In addition to the contents of ITB 2.4 the bidder shall not be blacklisted by any organization of the Government of the Punjab as well as Federal Government. The bidder shall provide affidavit to this effect. |
| B- Bidding Documents | |
| ITB 5.1(h) | Not applicable |
| ITB 6.1 | <p>Purchaser's address: Mr. Shahid Ayaz Wahla, Project Director (ICT) through</p> <p style="color: red;">Directorate of Procurement & Inventory Control (DPIC) University of Agriculture, Faisalabad Phone No. 041-9200898</p> <p style="color: red;"><u>FOR TECHNICAL RESPONSE:</u> Mr. Shahid Ayaz Wahla, Project Director (ICT)</p> |
| C-Preparation of Bid | |
| ITB 8.1 | Language of the bid. "English" |
| ITB 11.2 | Prices on F.O.R. basis is required |
| ITB 11.2 (c) ITB 11.3 | Not applicable |
| ITB 13.3 (d) | <p>Qualification requirements attached with Technical Bid:-</p> <p>1. Company /Bidder Profile:</p> <ol style="list-style-type: none"> a. Experience in the relevant field minimum 3 Years b. HR strength/Manpower with the Bidder c. Technical expertise with the bidder d. Sound financial position of the bidder (cash available equal to 50% of the quoted value as per bank statement) not earlier than the last week of the closing date of receipt of the tender or 5 time sales volume of quoted value as per Income tax returns of last financial year. e. Name of owner/proprietor f. Copy of CNIC g. Date of Establishment, Age of Firm h. Copy of NTN and Sales Tax Registration i. Copy of Professional Tax j. Affidavit (Submission of undertaking on legal valid |

| | |
|----------------------------|---|
| | stamp paper (valuing Rs.100/-) that the firm not blacklisted by any of Provincial or Federal Government Department, Agency, Organization or autonomous body or private Sector Organization anywhere in Pakistan |
| ITB 15.1 | <u>Amount of bid security.</u> 2% of the Estimated Cost in shape of Call Deposit Receipt (CDR) in favour of Director (DPIC), UAF to be attached with the technical Bid. However, if attached with financial bid, please mention CDR No., Date and Bank Name |
| ITB 16.1 | Bid validity period. 90 Days |
| ITB 17.1 | Bid: Single Stage (two envelop procedure) |
| D-Submission of Bid | |
| ITB 18.2 (a) | Address for bid submission. Directorate of Procurement & Inventory Control, University of Agriculture, Faisalabad |
| ITB 18.2 (b) | Tender Notice No.40/2019 |
| ITB 19.1 | Deadline for bid submission.11.03.2019 |
| E-Bid Evaluation | |
| ITB 25.1(a) | State Bank or a Commercial Bank to be read as State Bank of Pakistan and National Bank of Pakistan |
| ITB 25.2 | The common base currency is PAK Rupee to be converted as per rate of the bank shown in ITB 25.1(a) of the bid data sheet on the date of opening of the financial bid. |
| ITB 26.3 (a)(i) | The SCC stipulates the payment schedule offered by the purchaser. If a bid deviates from the schedule then it will be considered as non-responsive. |
| ITB 26.3 (c) | The bidder will provide the cost of spare parts required to be replaced during whole life of the goods after the expiry of warranty period. |
| ITB 26.3 (e) | The bidder will provide :- i) Cost of consumables ii) Unit of energy consumption per hour iii) Life cycle of the goods |
| ITB 26.3 (f) | Performance and productivity of Articles. As per Technical Specification |
| ITB 26.3 (g) | As per specification. |
| ITB 27 | As per ITB clause 10.2 prior to the award of procurement contract |
| ITB 33 | Subject to PPRA Rule 2014/UAF Procurement Rule 2014, the bidder with the lowest evaluated bid, if not in conflict with any other law, shall be awarded the procurement contract within the original or extended bid validity period after 10 days of announcement of the evaluation report. |

Section IV.

General Conditions of Contract

Table of Clauses

| | | |
|-----|---|----|
| 1. | Definitions..... | 32 |
| 2. | Application..... | 33 |
| 3. | Country of Origin..... | 33 |
| 4. | Standards..... | 33 |
| 5. | Use of Contract Documents and Information; Inspection and Audit by Purchaser..... | 33 |
| 6. | Patent Rights | 34 |
| 7. | Performance Security | 34 |
| 8. | Inspections and Tests | 34 |
| 9. | Packing..... | 35 |
| 10. | Delivery and Documents..... | 35 |
| 11. | Insurance | 36 |
| 12. | Transportation..... | 36 |
| 13. | Incidental Services | 37 |
| 14. | Spare Parts | 37 |
| 15. | Warranty | 37 |
| 16. | Payment..... | 38 |
| 17. | Prices..... | 39 |
| 18. | Change Orders | 39 |
| 19. | Contract Amendments | 39 |
| 20. | Assignment | 39 |
| 21. | Subcontracts | 39 |
| 22. | Delays in the Supplier's Performance..... | 40 |
| 23. | Liquidated Damages | 40 |
| 24. | Termination for Default | 40 |
| 25. | Force Majeure | 41 |
| 26. | Termination for Insolvency..... | 41 |
| 27. | Termination for Convenience | 42 |
| 28. | Settlement of Disputes | 42 |
| 29. | Limitation of Liability..... | 43 |
| 30. | Governing Language..... | 43 |
| 31. | Applicable Law | 43 |
| 32. | Notices | 43 |
| 33. | Taxes and Duties..... | 43 |

General Conditions of Contract

1. Definitions

1.1 In this Contract, the following terms shall be interpreted as indicated:

- (a) “The Contract” means the agreement entered into between the Purchaser and the Supplier, as recorded in the Contract Form signed by the parties, or the supply order issued by the purchaser to the supplier, as the case may be, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) “The Contract Price” means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
- (c) “The Goods” means all of the equipment, machinery, and/or other materials which the Supplier is required to supply to the Purchaser under the Contract.
- (d) “The Services” means those services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.
- (e) “GCC” means the General Conditions of Contract contained in this section.
- (f) “SCC” means the Special Conditions of Contract.
- (g) “The Purchaser” means the organization purchasing the Goods, as mentioned in Bid Data Sheet.
- (h) “The Purchaser’s country” is **Pakistan**.
- (i) “The Supplier” means the individual or firm supplying the Goods and Services under this Contract and **named in Supply Order**.
- (j) “The University” means the **University of Agriculture, Faisalabad**.
- (k) “The Project Site,” where applicable, means the place or places **named in Bid Data Sheet and technical specifications**
- (l) “Day” means calendar day.

- 2. Application** 2.1 These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of the Contract.
- 3. Country of Origin** 3.1 All Goods and Services supplied under the Contract shall have their origin in the countries as elaborated in the **Technical Specifications**.
- 3.2 For purposes of this Clause, “origin” means the place where the Goods were mined, grown, or produced, or from which the Services are supplied. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 3.3 The origin of Goods and Services is distinct from the nationality of the Supplier.
- 4. Standards** 4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications, and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Goods’ country of origin. Such standards shall be the latest issued by the concerned institution.
- 5. Use of Contract Documents and Information; Inspection and Audit by Purchaser** 5.1 The Supplier shall not, without the Purchaser’s prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Purchaser in connection therewith, to any person other than a person employed by the Supplier in the performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The Supplier shall not, without the Purchaser’s prior written consent, make use of any document or information enumerated in GCC Clause 5.1 except for purposes of performing the Contract.
- 5.3 Any document, other than the Contract itself, enumerated in GCC Clause 5.1 shall remain the property of the Purchaser and shall be returned (all copies) to the Purchaser on completion of the Supplier’s performance under the Contract if so required by the Purchaser.
- 5.4 The Supplier shall permit the Purchaser to inspect the Supplier’s accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the Purchaser, if so required by the Purchaser.

- 6. Patent Rights** 6.1 The Supplier shall indemnify the Purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Purchaser's country.
- 7. Performance Security** 7.1 Within Seven (07) days from the issuance of acceptance letter from the Purchaser, the successful Bidder shall furnish the performance security in shape of CDR at the discretion of the Purchaser in the amount **specified in SCC**. In case the amount of bid security is equal or greater than the value of the goods to be supplied then the bidder shall not require furnishing the performance security separately, it will be retained or deducted from the bidder's claim on bidder's choice.
- 7.2 The proceeds of the performance security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
- 7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Purchaser and shall be in one of the following forms:
- (a) CDR issued by a reputable bank located in the Purchaser's country or abroad, acceptable to the Purchaser, in the form provided in the bidding documents or another form acceptable to the Purchaser.
- 7.4 The performance security will be discharged by the Purchaser and returned to the Supplier not later than thirty (30) days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless otherwise **specified in SCC**.
- 8. Inspections and Tests** 8.1 The Purchaser or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Purchaser. **SCC** and the Technical Specifications shall specify what inspections and tests the Purchaser requires and where they are to be conducted. The Purchaser shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.
- 8.2 The inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no

charge to the Purchaser.

- 8.3 Should any inspected or tested Goods fail to conform to the Specifications, the Purchaser may reject the Goods, and the Supplier shall either replace the rejected Goods or make alterations necessary to meet specification requirements free of cost to the Purchaser.
- 8.4 The Purchaser's right to inspect, test and, where necessary, reject the Goods after the Goods' arrival in the Purchaser's country shall in no way be limited or waived by reason of the Goods having previously been inspected, tested, and passed by the Purchaser or its representative prior to the Goods' shipment from the country of origin.
- 8.5 Nothing in GCC Clause 8 shall in any way release the Supplier from any warranty or other obligations under this Contract.

9. Packing

- 9.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the Purchaser.

10. Delivery and Documents

- 10.1 Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in the Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are specified in SCC.
- 10.2 For purposes of the Contract, "CFR," "CPT", the terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of *Incoterms* published by the International Chamber of Commerce, Paris.
- 10.3 Documents to be submitted by the Supplier are **specified in SCC**.

11. Insurance

- 11.1 The Goods supplied under the Contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery in the manner **specified in the SCC**.
- 11.2 Where delivery of the Goods is required by the Purchaser on a CFR or CPT basis, the Purchaser shall arrange and pay for cargo insurance, naming the supplier as beneficiary.

12. Transportation

- 12.1 Where the Supplier is required under Contract to deliver the Goods FOB, transport of the Goods, up to and including the point of putting the Goods on board the vessel at the specified port of loading, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under the Contract to deliver the Goods FCA, transport of the Goods and delivery into the custody of the carrier at the place named by the Purchaser or other agreed point shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
- 12.2 Where the Supplier is required under Contract to deliver the Goods CFR or CPT, transport of the Goods to the port of destination or such other named place of destination in the Purchaser's country, as shall be specified in the Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
- 12.3 Where the Supplier is required under the Contract to transport the Goods to a specified place of destination within the Purchaser's country, defined as the Project Site, transport to such place of destination in the Purchaser's country, including insurance and storage, as shall be specified in the Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price.
- 12.4 Where the Supplier is required under Contract to deliver the Goods CFR or CPT, no restriction shall be placed on the choice of carrier. Where the Supplier is required under Contract (a) to deliver the Goods FOB or FCA, and (b) to arrange on behalf and at the expense of the Purchaser for international transportation on specified carriers or on national flag carriers of the Purchaser's country, the Supplier may arrange for such transportation on alternative carriers if the specified or national flag carriers are not available to transport the Goods within the period(s) specified in the Contract.

13. Incidental Services

13.1 The Supplier may be required to provide any or all of the following services, including additional services, if any, **specified in SCC**:

- (a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- (e) training of the Purchaser's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

13.2 Prices charged by the Supplier for incidental services, if not included in the Contract Price for the Goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

14. Spare Parts

14.1 As **specified in SCC**, the Supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- (a) such spare parts as the Purchaser may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under the Contract; and
- (b) in the event of termination of production of the spare parts:
 - (i) advance notification to the Purchaser of the pending termination, in sufficient time to permit the Purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the Purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15. Warranty

15.1 The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in

design and materials unless provided otherwise in the Contract. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the Purchaser's specifications) or from any act or omission of the Supplier, that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.

- 15.2 This warranty shall remain valid for twelve (12) months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless **specified otherwise in SCC.**
- 15.3 The Purchaser shall promptly notify the Supplier in writing of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the Supplier shall, within the period specified in notice or in SCC and with all reasonable speed, repair or replace the defective Goods or parts thereof, without costs to the Purchaser.
- 15.5 If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in the notice or in SCC, the Purchaser may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Purchaser may have against the Supplier under the Contract.

16. Payment

- 16.1 The method and conditions of payment to be made to the Supplier under this Contract shall be **specified in SCC.**
- 16.2 The Supplier's request(s) for payment shall be made to the Purchaser in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and Services performed, and by documents submitted pursuant to GCC Clause 10, and upon fulfillment of other obligations stipulated in the Contract.
- 16.3 Payments shall be made promptly by the Purchaser, **but in no case later than thirty (30) days** after submission of an invoice or claim by the Supplier.
- 16.4 The currency or currencies in which payment is made to the Supplier under this Contract shall be **specified in SCC** subject to the following general principle: payment will be made in the currency or currencies in which the payment has been requested in the Supplier's bid.
- 16.5 All payments shall be made in the currency or currencies

specified in the SCC pursuant to GCC 16.4.

- 17. Prices** 17.1 Prices charged by the Supplier for Goods delivered and Services performed under the Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any price adjustments **authorized in SCC** or in the Purchaser's request for bid validity extension, as the case may be.
- 18. Change Orders** 18.1 The Purchaser may at any time, by a written order given to the Supplier pursuant to GCC Clause 32, make changes within the general scope of the Contract in any one or more of the following:
- (a) drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Purchaser;
 - (b) the method of shipment or packing;
 - (c) the place of delivery; and/or
 - (d) the Services to be provided by the Supplier.
- 18.2 If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or delivery schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this clause must be asserted within thirty (30) days from the date of the Supplier's receipt of the Purchaser's change order.
- 19. Contract Amendments** 19.1 Subject to GCC Clause 18, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.
- 20. Assignment** 20.1 The Supplier shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Purchaser's prior written consent.
- 21. Subcontracts** 21.1 The Supplier shall notify the Purchaser in writing of all subcontracts awarded under this Contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the Supplier from any liability or obligation under the Contract.
- 21.2 Subcontracts must comply with the provisions of GCC Clause 3.

22. Delays in the Supplier's Performance

- 22.1 Delivery of the Goods and performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Purchaser in the Schedule of Requirements.
- 22.2 If at any time during performance of the Contract, the Supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the Director (DPIC) in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the Director (DPIC) shall evaluate the situation and may at its discretion extend the Supplier's time for performance, with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of Contract.
- 22.3 Except as provided under GCC Clause 25, a delay by the Supplier in the performance of its delivery obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 23, unless an extension of time is agreed upon pursuant to GCC Clause 22.2 without the application of liquidated damages.

23. Liquidated Damages

- 23.1 Subject to GCC Clause 25, if the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Purchaser shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage **specified in SCC**. Once the maximum is reached, the Purchaser may consider termination of the Contract pursuant to GCC Clause 24.

24. Termination for Default

- 24.1 The Purchaser, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate this Contract in whole or in part:
- (a) if the Supplier fails to deliver any or all of the Goods within the period(s) specified in the Contract, or within any extension thereof granted by the Purchaser pursuant to GCC Clause 22; or
 - (b) if the Supplier fails to perform any other obligation(s) under the Contract.
 - (c) if the Supplier, in the judgment of the Purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.

For the purpose of this clause:

“corrupt practice” means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.

“fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Purchaser of the benefits of free and open competition.

24.2 In the event the Purchaser terminates the Contract in whole or in part, pursuant to GCC Clause 24.1, the Purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.

25. Force Majeure 25.1 Notwithstanding the provisions of GCC Clauses 22, 23, and 24, the Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

25.2 For purposes of this clause, “Force Majeure” means an event beyond the control of the Supplier and not involving the Supplier’s fault or negligence and not foreseeable. Such events may include, but are not restricted to, acts of the Purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.

25.3 If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

26. Termination for Insolvency 26.1 The Purchaser may at any time terminate the Contract by giving written notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of

action or remedy which has accrued or will accrue thereafter to the Purchaser.

**27. Termination
for
Convenience**

27.1 The Purchaser, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.

27.2 The Goods that are complete and ready for shipment within thirty (30) days after the Supplier's receipt of notice of termination shall be accepted by the Purchaser at the Contract terms and prices. For the remaining Goods, the Purchaser may elect:

- (a) to have any portion completed and delivered at the Contract terms and prices; and/or
- (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Services and for materials and parts previously procured by the Supplier.

**28. Settlement of
Disputes**

28.1 If any dispute or difference of any kind whatsoever shall arise between the Purchaser and the Supplier in connection with or arising out of the Contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.

28.2 If the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Purchaser or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.

28.2.1 Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be finally settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under the Contract.

28.2.2 Arbitration proceedings shall be conducted in accordance with the rules of procedure **specified in the SCC.**

28.3 Notwithstanding any reference to arbitration herein,

- (a) the parties shall continue to perform their respective obligations under the Contract unless they otherwise

agree; and

- (b) the Purchaser shall pay the Supplier any monies due the Supplier.

29. Limitation of Liability

29.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6,

- (a) the Supplier shall not be liable to the Purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the Supplier to pay liquidated damages to the Purchaser and
- (b) the aggregate liability of the Supplier to the Purchaser, whether under the Contract, in tort or otherwise, shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

30. Governing Language

30.1 The Contract shall be written in the language **specified in SCC**. Subject to GCC Clause 31, the version of the Contract written in the specified language shall govern its interpretation. All correspondence and other documents pertaining to the Contract which are exchanged by the parties shall be written in the same language.

31. Applicable Law

31.1 The Contract shall be interpreted in accordance with the laws of the Purchaser's country, unless otherwise **specified in SCC**.

32. Notices

32.1 Any notice given by one party to the other pursuant to this Contract shall be sent to the other party in writing or facsimile and confirmed in writing to the other party's address **specified in SCC**.

32.2 A notice shall be effective when delivered or on the notice's effective date, whichever is later.

33. Taxes and Duties

33.1 A foreign Supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the Purchaser's country and purchaser's country as **specified in SCC**.

33.2 A local Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Goods to the Purchaser.

Section V.

Special Conditions of Contract

Table of Clauses

| | | |
|----|--|----|
| 1. | Performance Security (GCC Clause 7) | 46 |
| 2. | Warranty (GCC Clause 15)..... | 46 |
| 3. | Payment (GCC Clause 16)..... | 46 |
| 4. | Settlement of Disputes (GCC Clause 28) | 47 |
| 5. | Applicable Law (GCC Clause 31) | 48 |
| 6. | Notices (GCC Clause 32)..... | 48 |
| 7. | Taxes and Duties (GCC Clause 33) | 48 |

SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses.

1. Performance Security (GCC Clause 7)

GCC 7.1—

- A. For goods offered from within Pakistan and abroad by the local agent by Pakistan:

the successful Bidder shall furnish the performance security @ 10% for the warranty period of one year of the value of Supply Order or Contract in shape of CDR or any bank instrument except bank guarantee in favour of Director (DPIC), UAF within Seven (07) days from the issuance of acceptance and 10% performance security letters from the Purchaser for permanent equipment. In case the amount of bid security is equal or greater than the value of the performance security, then the bidder shall not require to furnish the performance security separately.

- B. 2% CDR or any bank instrument except bank guarantee in favour of Director (DPIC) already received in lieu of earnest money in case of general type/consumable good(s) will be retained by the office for 3 month from the day of supply of the respective good(s) or fully consumed whichever is earlier.

2. Inspection and Tests (GCC Clause 8)

GCC 8.1- By the concerned purchaser in accordance with the specifications or samples or both as required.

- 3.** The representative of the firm(s) shall present the Authority Letter from the respective firm in the tender opening meetings with them, failing which he will not allowed to sit in the said meeting

4. Warranty (GCC Clause 15)

GCC15.2&15.4: One year free of cost labour and material etc. at site from the date of commissioning of goods.

5. Bid Prices (11.2 ITB)

- a). for goods offered from within Pakistan;

the price shall be quoted on FOR UAF basis. (FOR means the price of goods quoted by the bidder shall be inclusive of all costs, expenses, charges, duties and taxes etc. whatsoever incidental to their delivery, installation and commissioning as the case may be at UAF site).

6. Payment (GCC Clause 16)

7. Prices (GCC Clause 17)

GCC17.1: The successful bidder(s) shall provide the price reasonability certificate to the effect that the rates quoted are reasonable in accordance with the market. If it is found at any stage, the quoted rates are higher than the market ones or the item(s) have been provided to any other Institute/Department etc at less rates than the quoted ones. The firm undertakes to refund the difference amount to the purchaser on demand.

8. Change Orders (GCC Clause 18)

Not applicable

9. **Liquidated Damages (GCC Clause 23)**

GCC 23.1—Applicable rate:
The liquidated damages, if imposed, will be recovered at the rate of upto0.67% of the value of goods supplied/installed/commission late per day or a part of a period exceeding the original delivery period, subject to the provision that the total liquidated damages thus imposed will not exceed 10% of the total value of the goods delivered/installed/commission late.

10. **Settlement of Disputes (GCC Clause 28)**

The settlement of dispute will be settled in accordance with mechanism for redresal of grievances and settlement of dispute as specified below:-

Complaints of bidder/contractor shall be disposed/settled by a committee and arbitration prior to the entry into force and after into force of procurement contract respectively. Accordingly, grievances committee with powers and terms of reference and method of arbitration are as under:-

A. **Grievances Committee:**

The committee comprises the following to address the complaints of the bidders prior to entry into force of the procurement contract:-

- | | | |
|------|--|-------------|
| i. | The Treasurer | (Convener) |
| ii. | Mr. Shahid Ayaz Wahla, Project Director (ICT) | (Member) |
| iii. | Resident Auditor or the Technical Expert(s) not below the rank of Assistant Professor | (Member) |
| iv. | The Director (DPIC) | (Secretary) |

Any bidder feeling aggrieved by any act of the procuring agency after the submission of his bid may lodge a written complaint concerning his grievances not later than 10 days after the announcement of the bid evaluation report under rule 37 of the UAF Procurement Rules 2014.

The committee shall address the complaints of bidders that may occur prior to the entry into force of the procurement contract. The committee shall investigate and decide upon the complaint within fifteen days of the receipt of the complaint. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.

Any bidder not satisfied with the decision of the committee may lodge an appeal in the relevant court of jurisdiction.

B. **Arbitration:**

After coming into force of the procurement contract, all matters of dispute or difference except regarding rejection of goods by the Inspector under GCC clause 8 (Standard Bidding Document) or cancellation of the contract by the Purchaser, under GCC Clause 24 and 27 (Standard Bidding Document) arising out of the agreement between the parties thereto, the settlement of which is not otherwise specially provided for in contract agreement, shall be referred to arbitration as under:-

(a)**Foreign Currency Contracts (CFR/CPT, etc.) made directly with Foreign Principal / Manufacturer**

i. The dispute shall be referred for adjudication to two arbitrators one to be nominated by each party, who before entering upon the reference shall appoint an umpire by mutual agreement, and if they do not agree, a judge of the Superior Court will be requested to appoint the umpire. The arbitration proceedings shall be held in Pakistan and under Pakistan Law.

- ii. The venue of arbitration shall be the place from which the contract is issued or such other places as the Purchaser at his discretion may determine.
- iii. Arbitration award so given will be firm and final.

(b)Indigenous (FOR) contracts

The settlement of dispute, if not otherwise especially provided for in the contract shall be referred for the decision of Vice Chancellor, University of Agriculture, Faisalabad. His decision shall be final and binding on both the parties. The work under the contract shall if reasonably possible continue, under the proceedings before the Vice Chancellor and no account of such proceeding unless they are subject of the dispute.

Note:

- The arbitration award shall be recorded in writing.
- CFR/CPT, etc., contracts made through local agents would be dealt under sub para-B (b) above.

(c) Prior Notice for arbitration:

If the supplier intends to go for arbitration, he shall have to give 30 days notice in writing informing the purchaser of his intention to refer to the points of differences or dispute of arbitration. He shall have to define clearly the point of difference and or dispute in his notice.

C. Court Jurisdiction

Only the Courts at Faisalabad shall have exclusive jurisdiction to adjudicate upon any “lis” brought by either of the parties in relation to the contract.’

11. Applicable Law (GCC Clause 31)

GCC 31.1—UAF Procurement Rules 2014 and Laws governing in Pakistan

12. Notices (GCC Clause 32)

GCC 32.1: The Supplier shall provide address for notice purposes:

13. Taxes and Duties (GCC Clause 33)

14. Stamp Act

In accordance with the Stamp Act 1899 amended from time to time, the contractor shall require to affix stamp duty @ 25 paisa per hundred rupees on the value of the contract.

15. Firms should have their own manufacturing unit and a in house fully automatic edge banding machine installed in factory.

16. Firm should have the experience of import on his own. (documented evidence needed)

Section VI.

Schedule of Requirements

Schedule of Requirements

Number

Description

Quantity

Delivery schedule:

Delivery time within 2 Months after issuance of Supply Order

| Sr. No. | Component Name | Estimated Amount Rs. In Million |
|---------|-------------------------|------------------------------------|
| 1. | Library | 8.568 |
| 2. | ICT-Service Block | 10.000 |
| 3. | ITRCDB | 1.500 |
| 4. | Student Services Center | 6.489 |

Section VII.

Technical Specifications

TECHNICAL SPECIFICATIONS

The bidder shall quote the goods along with the serial number mentioned below against each and also provide soft copy in Excel Sheet without price. The quoted goods shall have point to point commentary.

LIBRARY LOT

| | Technical Specifications of Furniture & Fixture for Library under ICT Project | | | | |
|---------|---|----------|--|----------------|--------------------|
| Sr. No. | Description | Quantity | Specification | Cost/unit (RS) | Total Cost (In Rs) |
| 1 | Main Hall | | | | |
| | Study Tables | 80 | Supply of study table with size :3’x2’x2 ½’Top: made of shesham win board or one side Formica and other side veneered of selected colour, thickness 16 mm, top thickness enhanced by of the same additional packing strip underneath the top, total thickness 32 mm, exposed edges covered with solid seasoned shesham wood and shine. lacquer polish finish. Drawer: Two made of shesham win board having thickness 16 mm exposed edges covered with solid seasoned shesham wood and shine lacquer polish finish, Imported channel/railing, lock and handle good quality, size: 18”x 12”x 5”. Lower structure: made of solid seasoned shesham wood and shine lacquer polish finish , Four legs 2”x2” square, upper strips 1”x2.5” lower strips 1”x2 as per standard and as approved by the committee. As per sample approved. | | |
| | Study Chairs | 500 | Overall structure made of solid seasoned shesham wood with shine lacquer polish finish without seat and back, inner structure seat 17”x16” and back 16”x10” made of Acacia wood having master molty foam seat 2” thick and 1” thick covered with selected color fabric/leatherite back legs 1 ½” x 1 ½” back 36” inch seat height 18” inch seat 16”x18” | | |

| | | | | | |
|---|----------------------------------|-----|--|--|--|
| | Book/Thesis Racks (double sided) | 150 | Library Rack (Double Face) Providing and fixing Double Face over all structure made of MDF lamination sheet 3/4" thick used for overall structure, Two open section and two front door in front of lower part one horizontal shelf exposed edge covered with solid shesham wood, 3/4" thick M DA sheet of same color fixed meddle, along with lock hands 6-1/2" x3-1/2"X 24". complete in all respect. As per approved by the authority. | | |
| | Sub Total - 1 | | | | |
| 2 | Digital Library IT Lab | | | | |
| | Computer Chairs | 50 | Supplying of Computer Chair with Inner structure of the seat & back made of imported bent plywood sheet 12mm, upholstered in selected colour fabric/leatherette with seat 2-1/2” Thick Foam and back 2” thick Foam(Master Molty), and polypropylene polymer ARMS, revolving and tilting mechanism with Hydraulic lift with 300mm five star Nylon Base as per standard and as approved by the committee. As per sample approved. | | |
| | Computer Tables | 50 | Table with Size: 3-1/2’x1 ½’ x2 ½’ structure made of shesham winboard having thickness of 16mm used for overall structure. First top thickness enhanced by winboard and additional packing strip underneath. The top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood. One lockable drawer with handle and one key board tray with bearing railing. One cable cup fixed in back. One CPU section having inside width of 15” for easy accommodation of tower type CPU. Back of CPU closed with 16mm shesham winboard . Selected colour polish with shine laquer finish as per standard and as approved by the committee. As per sample approved. | | |

| | | | | | |
|---|--|----|--|--|--|
| | Front desk & Chair for lab | 1 | <p>Overall structure made of high density fiber board laminated at one side and formica and one side laminated selected color edge covered with solid seasoned shesam wood three lockable drawers and one keyboard tray with telescopic channels. One CPU Box.size 6’x2.5’x3.5’</p> <p>Computer Chair Providing and fixing Inner structure of the seat & back made of imported bent plywood sheet 12mm upholstered in selected color fabric /leatherite with seat 2-1/2" thick foam and back 2" thick foam (master, molty) and polypropylene polymer ARMS, revolving and tilting mechanism with mechanism with Haulic lift with 300mm five star Nylon base. Complete in all respect, As approved by the authority.</p> | | |
| | White Board | 1 | WHITE BOARD : Board size 4’x8’. Overall Structure is made of white laminated sheet of 16mm with duster tray, Exposed edges and Additional with groved lines on top of solid seasoned shesam wood and N.C. lacquer polish finish. | | |
| | Vertical Blinds (80 sift @ 150 per sift) | 80 | P/F of vertical window size (80 sift @150 per ft) | | |
| | Sub Total - 2 | | | | |
| 3 | Video Conference Room | | | | |
| | Chair | 25 | <p>Providing and fixing overall structure made of solid seasoned shesam wood with selected color polished seat and back weaving with natural cane seat size: 19"x18" seat height 18" back 18"x10" back height 36" back legs size 1-1/4"x1-1/2" front legs1-1/4"x1-1/2" frame size seat and back 1"x2" thick upper strip 1"x2" lower strip between legs 1"x 1" thick top arm strip 1"x2"x15-3/4" ,Complete in all respect, As approved by the authority.</p> | | |
| | Rostrum | 1 | ROSTRUM size: 4’ x 2’-6’’ x1’-6’’.Overall structure made of selected colour Laminated sheet having thickness of 16mm . Top thickness enhanced by laminating an additional packing strip underneath, the total top thickness 29mm , Exposed edges covered with | | |

| | | | | | |
|---|--|----|---|--|--|
| | | | solid seasoned shesham wood and N.C. lacquer polish finish. | | |
| | Desks | 25 | Supplying of Classroom front desk structure made of angle iron 1-1/2" approx with ICI enamel spray paint 3 coats, seat and back, top and front fixed with 3/4" thick lamination sheet, edges covered with solid seasoned shesham wood and shine lacquer polish finish, size: (seat width 1' back height 18" top width 14" and front height 33"), fixed with rawal bolts. complete in all respect. As per approved by the committee and as per sample to approved. | | |
| | Vertical Blinds (40 sift @ 150 per sift) | 40 | P/F of vertical window size (40 sift @ 150 per ft) | | |
| | Sub Total - 3 | | | | |
| 4 | A/V Room | | | | |
| | Chair | 35 | Providing and fixing overall structure made of solid seasoned shesham wood with selected color polished seat and back weaving with natural cane seat size: 19"x18" seat height 18" back 18"x10" back height 36" back legs size 1-1/4"x1-1/2" front legs1-1/4"x1-1/2" frame size seat and back 1"x2" thick upper strip 1"x2" lower strip between legs 1"x 1" thick top arm strip 1"x2"x15-3/4" ,Complete in all respect, As approved by the authority. | | |
| | Vertical Blinds (40 sift @ 150 per sift) | 40 | P/F of vertical window size (40 sift @ 150 per ft) | | |
| | Sub Total - 4 | | | | |

| | | | | | |
|---|--|----|---|--|--|
| 5 | Meeting Room | | | | |
| | Chairs for Meeting Room | 12 | Supplying of chair of overall structure made of solid seasoned shesham wood with selected colour, polish shine Lacquer finish, seat and back weaving with natural cane. Seat size: seat 19"x18" Seat height 18" Back Size: 18"x10" back height 36" back leg size 1 ¼" x 1 ½" Front leg size 1 ¼" x 1 ½", frame size seat and back 1"x2" thick ,upper stripe 1"x2", lower stripe between legs 1"x1" thick. Top arm strip 1x2x15 ¾ " as per standard | | |
| | Meeting Room Tables | 1 | Providing and fixing meeting table U shape having linear length 42'x2.5'x2.5' such that 02 no. vertical component of 18'x2.5'x2.5' and 01 horizontal component with average size 6'x2.5'x2.5' to be made in curvature shape with suitable radiiat ends the top will be made of shesham wood while the lower part shesham vin board the entire top surface will be divided into panels at suitable distant apart .The provision of audio video service will also be made excluding cost of audio video and cabling. This includes mat finishing complete in all respect. Mate finish | | |
| | White Board | 1 | WHITE BOARD : Board size 4'x8'. Overall Structure is made of white laminated sheet of 16mm with duster tray, Exposed edges and Additional with groved lines on top of solid seasoned shesham wood and N.C. lacquer polish finish. | | |
| | Vertical Blinds (40 sift @ 150 per sift) | 40 | P/F of vertical window size (40 sift @ 150 per ft) | | |
| | Sub Total - 5 | | | | |

| | | | | | |
|---|----------------------------|---|---|--|--|
| 6 | Assistant Librarian Office | | | | |
| | Officer chair | 1 | Providing and fixing overall structure made of solid seasoned shesham wood with selected color polished seat and back weaving with natural cane seat size: 19"x18" seat height 18" back 18"x10" back height 36" back legs size 1-1/4"x1-1/2" front legs1-1/4"x1-1/2" frame size seat and back 1"x2" thick upper strip 1"x2" lower strip between legs 1"x 1" thick top arm strip 1"x2"x15-3/4" ,Complete in all respect, As approved by the authority. | | |
| | Officer Table | 1 | Supplying of Office table Size: 5’x 3’ x 2 ½ ’. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ ”x2 ½ ”. as per standard and as approved by the committee. As per sample approved. | | |
| | Visitor chair wooden | 2 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour,polish mate Laquer finish, Seat3” &2” Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |

| | | | | | |
|--|------------------|---|---|--|--|
| | Side rack wooden | 1 | Supplying of Side Rack with Size: 3-1/2’x1 ½’ x2 ½ ’ structure made of shesham winboard having thickness of 16mm used for overall structure. First top thickness enhanced by winboard and additional packing strip underneath. The top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood. One lockable drawer with handle and one key board tray with bearing railing. One cable cup fixed in back. One CPU section having inside width of 15” for easy accommodation of tower type CPU. Back of CPU closed with 16mm | | |
|--|------------------|---|---|--|--|

| | | | | | |
|--|--|----|--|--|--|
| | | | shesham winboard . Selected colour polish with shine lacquer finish | | |
| | Vertical Blinds (40 sift @ 150 per sift) | 40 | P/F of vertical window size (40 sift @ 150 per ft) | | |
| | Sub Total - 6 | | | | |

| | | | | | |
|---|-------------------------|---|---|--|--|
| 7 | Deputy Librarian Office | | | | |
| | Officer chair | 1 | Providing and fixing overall structure made of solid seasoned shesham wood with selected color polished seat and back weaving with natural cane seat size: 19"x18" seat height 18" back 18"x10" back height 36" back legs size 1-1/4"x1-1/2" front legs1-1/4"x1-1/2" frame size seat and back 1"x2" thick upper strip 1"x2" lower strip between legs 1"x 1" thick top arm strip 1"x2"x15-3/4" ,Complete in all respect, As approved by the authority. | | |
| | Officer Table | 1 | Supplying of Office table Size: 5'x 3' x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ ”x2 ½” . as per standard and as approved by the committee. As per sample approved. | | |
| | Visitor chair wooden | 2 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour,polish mate Laquer finish, Seat3” &2” Back made of upholstered in Master molty foam & selected colour fabric/leatherier | | |

| | | | | | |
|--|--|----|---|--|--|
| | Side rack wooden | 1 | Supplying of Side Rack with Size: 3-1/2'x1 ½' x2 ½ ' structure made of shesham winboard having thickness of 16mm used for overall structure. First top thickness enhanced by winboard and additional packing strip underneath. The top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood. One lockable drawer with handle and one key board tray with bearing railing. One cable cup fixed in back. One CPU section having inside width of 15” for easy accommodation of tower type CPU. Back of CPU closed with 16mm shesham winboard . Selected colour polish with shine lacquer finish | | |
| | Vertical Blinds (40 sift @ 150 per sift) | 40 | P/F of vertical window size (40 sift @ 150 per ft) | | |
| | Sub Total - 7 | | | | |

| | | | | | |
|---|--|---|---|--|--|
| 8 | Librarian Office | | | | |
| | Executive Table with side and back racks | 1 | <p>Supplying of Executive Table with Size: 6'x3 'x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure without top. Top made of solid seasoned shesham wood with three selected color leatherite pieces .Top strip 1 ½"x2 ½", additional strip layer of same wood 1x1 ½"underneath . Exposed edges covered with solid seasoned shesham wood, with selected color polish of matt lacquer finish. Four drawer on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ "x3". Glides i/c 5 additional panels fixed on front and side.</p> <p>Supplying of Side Rack with Size: 3-1/2'x1 ½' x2 ½ ' structure made of shesham winboard having thickness of 16mm used for overall structure. First top thickness enhanced by winboard and additional packing strip underneath. The top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood. One lockable drawer with handle and one key board tray with bearing railing. One cable cup fixed in back. One CPU section having inside width of 15" for easy accommodation of tower type CPU. Back of CPU closed with 16mm shesham winboard . Selected colour polish with shine lacquer finish</p> <p>Back Rack: Size: 6x16x2.5 Made of shesam win board, edge covered with solid shesam wood, 4 doors, best quality mat finish polish (As per Sample) and Side Rack: Size: 3 ½ x 16x2.5Frame Made of Shehsam Win Board, edge covered with solid shesham wood and mat finish polish (As per Sample)</p> | | |

| | | | | | |
|--|--|----|---|--|--|
| | Executive chair | 1 | Supplying of revolving chair with High Back Chair: Seat & Back made of imported laminated one piece plywood shell 12mm upholstered with, seat 4” Thick Foam and back 3” thick Foam(Master Molty),and with padded ARMS, Fabric/leatherite. Revolving and Hydraulic lift system with 320mm five pronged nylon base with twin disc castors | | |
| | Visitor chair wooden | 2 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour,polish mate Laquer finish, Seat3” &2” Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Book rack wooden | 1 | Library Rack(Double Face) Providing and fixing Double Face over all structure made of MDF lamination sheet 3/4" thick used for overall structure, Two open section and two front door in front of lower part one horizontal shelf exposed edge covered with solid shesham wood, 3/4" thick M DA sheet of same color fixed meddle, along with lock hands 6-1/2" x3-1/2"X 24". complete in all respect. As per approved by the authority. | | |
| | Sofa set executive (5 seater) | 1 | Supplying of sofa with Inner STRUCTURE MADE OF Acacia Wood, SEAT & BACK UPHOLSTERED, seat 5” Thick Foam and back 2” thick Foam(Master Molty), with selected color fabric/leatherite | | |
| | Center Tables | 1 | Supplying of center table with Size: 4’x2’x1 ½’. Overall structure made of partly shesham wood and win board top made of Approx 16mm shesham Winboard , Top thickness enhanced by laminating strip of additional layer of same win board glued to the top. Exposed edges covered with solid seasoned shesham wood, Overall selected color polish with matt lacquer finish. | | |
| | Vertical Blinds (40 sft @ 150 per sft) | 40 | P/F of vertical window size (40 sift @150 per ft) | | |
| | Sub Total - 8 | | | | |

| | | | | | |
|---|-----------------------------|---|--|--|--|
| 9 | Entrance \ Reception | | | | |
| | Front desk | 2 | Overall structure made of high density fiber board laminated at one side and formica and one side laminated selected color edge covered with solid seasoned shesam wood three lockable drawers and one | | |

| | | | | | |
|----|--------------------------------|---|---|--|--|
| | | | keyboard tray with telescopic channels. One CPU Box.size 6’x2.5’x3.5’ | | |
| | Chair | 4 | Providing and fixing overall structure made of solid seasoned shesham wood with selected color polished seat and back weaving with natural cane seat size: 19"x18" seat height 18" back 18"x10" back height 36" back legs size 1-1/4"x1-1/2" front legs1-1/4"x1-1/2" frame size seat and back 1"x2" thick upper strip 1"x2" lower strip between legs 1"x 1" thick top arm strip 1"x2"x15-3/4" ,Complete in all respect, As approved by the authority. | | |
| | Lockers | 4 | | | |
| | Sub Total - 9 | | | | |
| 10 | Computer and Reference Section | | | | |
| | Chairs | 3 | Providing and fixing overall structure made of solid seasoned shesham wood with selected color polished seat and back weaving with natural cane seat size: 19"x18" seat height 18" back 18"x10" back height 36" back legs size 1-1/4"x1-1/2" front legs1-1/4"x1-1/2" frame size seat and back 1"x2" thick upper strip 1"x2" lower strip between legs 1"x 1" thick top arm strip 1"x2"x15-3/4" ,Complete in all respect, As approved by the authority. | | |

| | | | | | |
|----|----------------------------|---|--|--|--|
| | Table | 2 | Supplying of Office table Size: 5'x 3' x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ ''x2 ½''. as per standard and as approved by the committee. As per sample approved. | | |
| | Visitor chair wooden | 2 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour,polish mate Laquer finish, Seat3'' &2'' Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Steel Almirah | 1 | Size: 6'x3'x1.5'overall structure made of 22 gauge iron sheet ,three drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Sub Total - 10 | | | | |
| 11 | Acquisition Section | | | | |
| | Chairs | 2 | Providing and fixing overall structure made of solid seasoned shesham wood with selected color polished seat and back weaving with natural cane seat size: 19"x18" seat height 18" back 18"x10" back height 36" back legs size 1-1/4"x1-1/2" front legs1-1/4"x1-1/2" frame size seat and back 1"x2" thick upper strip 1"x2" lower strip between legs 1"x 1" thick top arm strip 1"x2"x15-3/4" ,Complete in all respect, As approved by the authority. | | |

| | | | | | |
|----|---------------------------------------|---|--|--|--|
| | Table | 1 | Supplying of Office table Size: 5’x 3’ x 2 ½ ’. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ ’’x2 ½’’. as per standard and as approved by the committee. As per sample approved. | | |
| | Visitor chair wooden | 2 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour,polish mate Laquer finish, Seat3’’ &2’’ Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Sub Total - 11 | | | | |
| 12 | Classification and Cataloging Section | | | | |
| | Chairs | 2 | Providing and fixing overall structure made of solid seasoned shesham wood with selected color polished seat and back weaving with natural cane seat size: 19"x18" seat height 18" back 18"x10" back height 36" back legs size 1-1/4"x1-1/2" front legs1-1/4"x1-1/2" frame size seat and back 1"x2" thick upper strip 1"x2" lower strip between legs 1"x 1" thick top arm strip 1"x2"x15-3/4" ,Complete in all respect, As approved by the authority. | | |

| | | | | | |
|----|-----------------------|---|--|---|--|
| | Table | 1 | Supplying of Office table Size: 5’x 3’ x 2 ½ ’. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ ’’x2 ½’’. as per standard and as approved by the committee. As per sample approved. | - | |
| | Visitor chair wooden | 2 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour,polish mate Laquer finish, Seat3’’ &2’’ Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Sub Total - 12 | | | | |
| 13 | Fresh Arrival Section | | | | |
| | Chairs | 1 | Providing and fixing overall structure made of solid seasoned shesham wood with selected color polished seat and back weaving with natural cane seat size: 19"x18" seat height 18" back 18"x10" back height 36" back legs size 1-1/4"x1-1/2" front legs1-1/4"x1-1/2" frame size seat and back 1"x2" thick upper strip 1"x2" lower strip between legs 1"x 1" thick top arm strip 1"x2"x15-3/4" ,Complete in all respect, As approved by the authority. | | |





| | | | | | |
|----|--------------------------|---|--|--|--|
| | Table | 1 | Supplying of Office table Size: 5'x 3' x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ ”x2 ½”. as per standard and as approved by the committee. As per sample approved. | | |
| | Steel Almirah | 2 | Size: 6’x3’x1.5’overall structure made of 22 gauge iron sheet ,three drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Sub Total - 13 | | | | |
| 14 | Secretarial Staff | | | | |
| | Chairs | 3 | Providing and fixing overall structure made of solid seasoned shesham wood with selected color polished seat and back weaving with natural cane seat size: 19"x18" seat height 18" back 18"x10" back height 36" back legs size 1-1/4"x1-1/2" front legs1-1/4"x1-1/2" frame size seat and back 1"x2" thick upper strip 1"x2" lower strip between legs 1"x 1" thick top arm strip 1"x2"x15-3/4" ,Complete in all respect, As approved by the authority. | | |





| | | | | | |
|----|--|---|---|--|--|
| | Table | 2 | Supplying of Office table Size: 5’x 3’ x 2 ½ ’. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ ”x2 ½ ”. as per standard and as approved by the committee. As per sample approved. | | |
| | Visitor chair wooden | 2 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour,polish mate Laquer finish, Seat3” &2” Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Steel Almira | 2 | Size: 6’x3’x1.5’overall structure made of 22 gauge iron sheet ,three drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Cabinet steel | 2 | File Cabinet Iron: Size: 57”x24”x18” Four drawer with separate lock,22 gauge with selected paint (As per Sample) | | |
| | Display board (4 x 6 ft.) with glass front | 1 | | | |
| | Sub Total - 14 | | | | |
| 15 | Store | | | | |
| | Steel Almira | 4 | Size: 6’x3’x1.5’overall structure made of 22 gauge iron sheet ,three drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Cabinet steel | 2 | File Cabinet Iron: Size: 57”x24”x18” Four drawer with separate lock,22 gauge with selected paint (As per Sample) | | |
| | Sub Total - 15 | | | | |
| 16 | Binding Section | | | | |



| | | | | | |
|--|--------------------|---|--|--|--|
| | Chairs | 2 | Providing and fixing overall structure made of solid seasoned shesham wood with selected color polished seat and back weaving with natural cane seat size: 19"x18" seat height 18" back 18"x10" back height 36" back legs size 1-1/4"x1-1/2" front legs1-1/4"x1-1/2" frame size seat and back 1"x2" thick upper strip 1"x2" lower strip between legs 1"x 1" thick top arm strip 1"x2"x15-3/4" ,Complete in all respect, As approved by the authority. | | |
| | Table | 2 | Supplying of Office table Size: 5'x 3' x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ ''x2 ½''. as per standard and as approved by the committee. As per sample approved. | | |
| | Steel Almira | 1 | Size: 6'x3'x1.5'overall structure made of 22 gauge iron sheet ,three drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Sub Total - 16 | | | | |
| | | | | | |
| | Grand Total (1-17) | | | | |


ICT Services Block Lot

| Sr. No. | Description | Quantity |
|---------|---|----------|
| 1 | IT Training General Labs (1) | |
| | <p>Computer Chairs Please quote the rates of all the chairs 1st is Venus brand 2nd is citizen brand</p> <div><div>V-704</div><div>900-A</div><div><div><div>Cushion Color</div><div>●</div></div><div><div>Shell Color</div><div>●</div></div></div><div><div>www.venus.net.pk</div></div></div> | 70 |
| | <p>Computer Tables Size(W6’xD2’xH2.5’) side 1.5" thick, top 3/4"thick, valinity panel 3/4"thick ;Material: Lamination Sheet; edges covered with oak wood polished/painted ; two keyboard trays, if possible drawer for pencils; gliders; rates with polish and paint separately. provision of cables(data and electrical with sockets);</p> | 35 |
| | <p>Front desk side 3" thick, top 3/4"thick, valinity panel metal based ;Material: chipboard ¾" thick; edges covered with oak wood. Side and front paint and top polished ; gliders; steel riser between sides and top; three draws on right side with central lock and key. Front side round in shape.</p> <p>Chair Base material Nylon; Breathable mesh back and mesh fabric cushion; with Up and down mechanism; lock able tilt</p> | 1 |
| | <p>Rostrum (60’’x20’’x18’') Made of win board sheet, edge covered with solid seasoned sheesham wood and polish, university mono on front side. At center university monogram, instead of pattern in photo with round edges.</p> | 01 |
| | <p>White Board (8’x4’) Win board 3/4 inch thick lasani sheet with pre-pressed Formica, appropriate marker tray, edge covered with polished wood(2’')</p> | 01 |
| | Vertical Blinds (sft) | 160 |
| 2 | Teaching Computer Labs (5) | |
| | <p>Computer Chairs Please quote the rates of all the chairs 1st is Venus brand 2nd is citizen brand</p> <div><div>V-704</div><div>900-A</div><div><div><div>Cushion Color</div><div>●</div></div><div><div>Shell Color</div><div>●</div></div></div><div><div>www.venus.net.pk</div></div></div> | 250 |
| | <p>Computer Tables Size(W6’xD2’xH2.5’) side 1.5" thick, top 3/4"thick, valinity panel 3/4"thick ;Material: Lamination Sheet; edges covered</p> | 125 |

| | | |
|---|--|-----|
| | with oak wood polished/painted ; two keyboard trays, if possible drawer for pencils; gliders; rates with polish and paint separately. provision of cables(data and electrical with sockets); | |
| | White Board (8’x4’) Win board 3/4 inch thick lasani sheet with pre-pressed Formica, appropriate marker tray, edge covered with polished wood(2’’) | 5 |
| | Rostrum (60’’x20’’x18’’) Made of win board sheet, edge covered with solid seasoned sheesham wood and polish, university mono on front side. At center university monogram, instead of pattern in photo with round edges.  | 05 |
| | Vertical Blinds (sft) | 200 |
| 3 | Research Computer Labs for MS/Phd Sochlors (1) | |
| | Computer Chairs Please quote the rates of all the chairs 1st is Venus brand 2nd is citizen brand  | 20 |
| | Computer Tables Size(W6’xD2’xH2.5’) side 1.5" thick, top 3/4"thick, valinity panel 3/4"thick ;Material: Lamination Sheet; edges covered with oak wood polished/painted ; two keyboard trays, if possible drawer for pencils; gliders; rates with polish and paint separately. provision of cables(data and electrical with sockets); | 10 |
| | Rostrum (60’’x20’’x18’’) Made of win board sheet, edge covered with solid seasoned sheesham wood and polish, university mono on front side. At center university monogram, instead of pattern in photo with round edges.  | 01 |
| | White Board (8’x4’) Win board 3/4 inch thick lasani sheet with pre-pressed Formica, appropriate marker tray, edge covered with polished wood(2’’) | 1 |
| | Vertical Blinds (sft) | 80 |
| 4 | Video Conference Room (for 50 students) | |
| | Chair Base material Nylon; Breathable mesh back and mesh fabric cushion; with Up and down mechanism; lock able tilt  | 50 |
| | Rostrum (60’’x20’’x18’’) Made of win board sheet, edge covered with solid seasoned sheesham wood and polish, university mono on front side. At center university monogram, instead of pattern in photo with round edges. | 1 |

| | | |
|---|---|-----|
| |  | |
| | Computer Tables Size(W6’xD2’xH2.5’) side 1.5" thick, top 3/4"thick, valinity panel 3/4"thick ;Material: Lamination Sheet; edges covered with oak wood polished/painted ; two keyboard trays, if possible drawer for pencils; gliders; rates with polish and paint separately. provision of cables(data and electrical with sockets); | 25 |
| 5 | Classrooms / Lecture Rooms (8) | |
| | Class Room Desks and Bench for 8 class rooms Structure made of mild steel pipe 1” x 2” 18 gauge with ICI deluxe enamel spray paint 3 coats, seat, back top and front fixed/covered with selected color lamination sheet (3/4 inch thick), edges covered with polished solid seasoned sheesham wood size:(seat width 14 inch, back height 35 inch with lamination sheet 16 inch, top width 14 inch and front height 33 inch), Fixed on available steps in class-rooms/lecture-theater as per their format with rawal bolts. Rate in running foot (measurement will be from seat center horizontally | 700 |
| | Rostrum (60”x20”x18”) Made of win board sheet, edge covered with solid seasoned sheesham wood and polish, university mono on front side. At center university monogram, instead of pattern in photo with round edges.  | 8 |
| | White Board (8’x4’) Win board 3/4 inch thick lasani sheet with pre-pressed Formica, appropriate marker tray, edge covered with polished wood(2”) | 8 |
| | Vertical Blinds (sft) | 640 |
| 6 | Seminar / Training Room (1 of 100 capacity each) | |
| | Chairs Computer Tables Size(W6’xD2’xH2.5’) side 1.5" thick, top 3/4"thick, valinity panel 3/4"thick ;Material: Lamination Sheet; edges covered with oak wood polished/painted ; two keyboard trays, if possible drawer for pencils; gliders; rates with polish and paint separately. provision of cables(data and electrical with sockets); | 40 |
| |  Please quote the rates of all the chairs (Venus brand) | 80 |
| | Rostrum (60”x20”x18”) Made of win board sheet, edge covered with solid seasoned sheesham wood and polish, university mono on front side. At center university monogram, instead of pattern in photo with round edges.  | 1 |

| | | |
|---|--|------|
| | White Board (8’x4’) Win board 3/4 inch thick lasani sheet with pre-pressed Formica, appropriate marker tray, edge covered with polished wood(2’’) | 1 |
| | Vertical Blinds (sft) | 160 |
| 7 | Lecture Theatre (for 250 to 300 students) | |
| | Desks and Bench Structure made of mild steel pipe 1’’ x 2’’ 18 gauge with ICI deluxe enamel spray paint 3 coats, seat, back top and front fixed/covered with selected color lamination sheet (3/4 inch thick), edges covered with polished solid seasoned sheesham wood size:(seat width 14 inch, back height 35 inch with lamination sheet 16 inch, top width 14 inch and front height 33 inch), Fixed on available steps in class-rooms/lecture-theater as per their format with rawal bolts. Rate in running foot (measurement will be from seat center horizontally | 600 |
| | Rostrum (60’’x20’’x18’') Made of win board sheet, edge covered with solid seasoned sheesham wood and polish, university mono on front side. At center university monogram, instead of pattern in photo with round edges.  | 2 |
| | White Board (8’x4’) Win board 3/4 inch thick lasani sheet with pre-pressed Formica, appropriate marker tray, edge covered with polished wood(2’’) | 2 |
| | Table (for theater) 12’x2’x30’’ (In two parts 6ft each) made of win board sheet, edge covered with solid seasoned sheesham wood and polish | |
| | Vertical Blinds (sft) | 240 |
| 8 | Stores (2) | |
| | Steel Almirah 72’’x47’’x24’’(HxWxD) 22 gauge With lock, key and handles , inside shelves. | 6 |
| 9 | Officer Office IT / Faculty Offices (Shared) | |
| | Officer chair Base material Nylon; Breathable mesh back and mesh fabric cushion; with Up and down mechanism; lock able tilt  | 30 |
| | Officer Table side 3" thick, top 3/4"thick, valinity panel metal based ;Material: chipboard ¾" thick; edges covered with oak wood. Side and front paint and top polished ; gliders; steel riser between sides and top; three draws on right side with central lock and key. Front side round in shape. | 15 |
| | Visitor chair wooden wooden Frame made of solid seasoned shesham wood, Seat & back poshish with A grade Master Molty Foam. | 30 |
| | Book rack 4’x 7’ Made with lasani A grade sheet with shelves painted | 15 |
| | Wooden Almirah 72’’x47’’x24’’(HxWxD) with lock, key and handle of A grade, inside shelves made with lasani sheet ¾’’ all edges covered with wood | 5 |
| | Steel Almirah 72’’x47’’x24’’(HxWxD) 22 gauge With lock, key and handles , inside shelves. | 5 |
| | Display board (4 x 6 ft) with glass front | 1 |
| | Vertical Blinds (sft) | 160 |
| | Water dispenser hot and cold with water bottle (about 18 liters) 220volt, 50Hz | 3 |
| | | |
| | Sitting place for faculty (1200ftsq) Providing and fixing of Aluminum (about 2mm thick) and glass(5mm) partitioning including doors | 1200 |

| | | |
|--|--|--|
| | <p>with full accessories (door closer, handles, locks high quality etc) rate for solid and glass separately required. The partitioning will looks like a below photo</p>  | |
|--|--|--|

ITRCDB LOT

| Technical Specifications of Furniture & Fixture for ITRCDB under ICT Project | | | | | |
|--|-------------------------|----------|---|----------------|--------------------|
| Sr. No. | Description | Quantity | Specification | Cost/unit (RS) | Total Cost (In Rs) |
| 1 | Meeting Room | | | | |
| | Chairs for Meeting Room | 20 | Supplying of chair of overall structure made of solid seasoned shesham wood with selected colour, polish shine Lacquer finish, seat and back weaving with natural cane. Seat size: seat 19”x18” Seat height 18” Back Size: 18”x10” back height 36” back leg size 1 ¼” x 1 ½” Front leg size1 ¼” x 1 ½”, frame size seat and back 1”x2” thick ,upper stripe 1”x2”, lower stripe between legs 1”x1” thick. Top arm strip 1x2x15 ¾ “ as per standard | | |
| | Meeting Room Tables | 1 | Providing and fixing meeting table U shape having linear length 42'x2.5'x2.5' such that 02 no. vertical component of 18'x2.5'x2.5' and 01 horizontal component with average size 6'x2.5'x2.5' to be made in curvature shape with suitable radiiat ends the top will be made of shesham wood while the lower part shesham vin board the entire top surface will be divided into panels at suitable distant apart .The provision of audio video service will also be made excluding cost of audio video and cabling. This includes mat finishing complete in all respect. Mate finish | | |
| | White Board | 1 | WHITE BOARD : Board size 4’x6’. Overall Structure is made of white laminated sheet of 16mm with duster tray, Exposed edges and Additional with groved lines on top of solid seasoned shesham wood and N.C. lacquer polish finish. | | |
| | Sub Total - 1 | | | | |
| | | | | | |

| | | | | | |
|---|--------------------------|----|--|--|--|
| 2 | Officer Office IT | | | | |
| | Officer chair | 7 | <p>Providing and fixing overall structure made of solid seasoned shesham wood with selected color polished seat and back weaving with natural cane seat size: 19"x18" seat height 18" back 18"x10" back height 36" back legs size 1-1/4"x1-1/2" front legs 1-1/4"x1-1/2" frame size seat and back 1"x2" thick upper strip 1"x2" lower strip between legs 1"x1" thick top arm strip 1"x2"x15-3/4" ,Complete in all respect, As approved by the authority.</p> | | |
| | Officer Table | 7 | <p>Supplying of Office table Size: 5'x 3' x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ "x2 ½ ". as per standard and as approved by the committee. As per sample approved.</p> | | |
| | Visitor chair wooden | 14 | <p>Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour,polish mate Laquer finish, Seat3" &2" Back made of upholstered in Master molty foam & selected colour fabric/leatheritev</p> | | |
| | Side rack wooden | 7 | <p>Supplying of Side Rack with Size: 3-1/2'x1 ½' x2 ½ ' structure made of shesham winboard having thickness of 16mm used for overall structure. First top thickness enhanced by winboard and additional packing strip underneath. The top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood. One lockable drawer with handle and one key board tray with bearing railing. One cable cup fixed in back. One CPU section having inside width of 15" for easy accommodation of tower type CPU. Back of CPU closed with 16mm shesham winboard . Selected colour polish with shine lacquer finish</p> | | |
| | Steel Almirah | 7 | <p>Size: 6'x3'x1.5'overall structure made of 22 gauge iron sheet ,three</p> | | |

| | | | | | |
|---|--|---|---|--|--|
| | | | drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Sub Total - 2 | | | | |
| 3 | Director Office | | | | |
| | Executive Table with side and back racks | 1 | <p>Supplying of Executive Table with Size: 6’x3 ’x 2 ½ ’. Structure made of shesham winboard board having thickness of 16mm used for overall structure without top. Top made of solid seasoned shesham wood with three selected color leatherite pieces .Top strip 1 ½”x2 ½”, additional strip layer of same wood 1x1 ½”underneath . Exposed edges covered with solid seasoned shesham wood, with selected color polish of matt lacquer finish. Four drawer on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ ”x3”. Glides i/c 5 additional panels fixed on front and side.</p> <p>Supplying of Side Rack with Size: 3-1/2’x1 ½’ x2 ½ ’ structure made of shesham winboard having thickness of 16mm used for overall structure. First top thickness enhanced by winboard and additional packing strip underneath. The top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood. One lockable drawer with handle and one key board tray with bearing railing. One cable cup fixed in back. One CPU section having inside width of 15” for easy accommodation of tower type CPU. Back of CPU closed with 16mm shesham winboard . Selected colour polish with shine lacquer finish</p> <p>Back Rack: Size: 6x16x2.5 Made of shesam win board, edge covered with solid shesam wood, 4 doors, best quality mat finish polish (As per Sample) and Side Rack: Size: 3 ½ x 16x2.5Frame Made of Shehsam Win Board, edge covered with solid shesham wood and mat finish polish (As per Sample)</p> | | |
| | Executive chair | 1 | Supplying of revolving chair with High Back Chair: Seat & Back made of imported laminated one piece plywood shell 12mm upholstered with, seat 4” Thick Foam and back 3” thick Foam(Master Molty),and with padded ARMS, Fabric/leatherite. Revolving and Hydraulic lift system with 320mm five pronged nylon base with twin disc castors | | |
| | Visitor chair | 2 | Supplying of visiting chairs with | | |

| | | | | | |
|---|---|----|--|--|--|
| | wooden | | inner structure made of acacia wood and outer structure made of shesham wood with selected colour,polish mate Laquer finish, Seat3” &2” Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Sofa set executive (5 seater) | 1 | Supplying of sofa with Inner STRUCTURE MADE OF Acacia Wood, SEAT & BACK UPHOLSTERED, seat 5” Thick Foam and back 2” thick Foam(Master Molty), with selected color fabric/leatherite | | |
| | Center Tables | 1 | Supplying of center table with Size: 4’x2’x1 ½’. Overall structure made of partly shesham wood and win board top made of Approx 16mm shesham Winboard , Top thickness enhanced by laminating strip of additional layer of same win board glued to the top. Exposed edges covered with solid seasoned shesham wood, Overall selected color polish with matt lacquer finish. | | |
| | Sub Total - 3 | | | | |
| 4 | IT Support Center and Director’s PA Room | | | | |
| | Chairs | 10 | Supplying of Chair with Inner structure of the seat & back made of imported bent plywood sheet 12mm, upholstered in selected colour fabric/leatherette with seat 2-1/2” Thick Foam and back 2” thick Foam(Master Molty), and polypropylene polymer ARMS, revolving and tilting mechanism with Hydraulic lift with 300mm five star Nylon Base as per standard and as approved by the committee. As per sample approved. | | |
| | Table | 7 | Table with Size: 3-1/2’x1 ½’ x2 ½ ’ structure made of shesham winboard having thickness of 16mm used for overall structure. First top thickness enhanced by winboard and additional packing strip underneath. The top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood. One lockable drawer with handle and one key board tray with bearing railing. One cable cup fixed in back. One CPU section having inside width of 15” for easy accommodation of tower type CPU. Back of CPU closed with 16mm shesham winboard . Selected colour polish with shine laquer finish as per standard and as approved by the committee. As per sample approved.. | | |
| | Visitor chair | 10 | Supplying of visiting chairs with | | |

| | | | | | |
|--|--|---|--|--|--|
| | wooden | | inner structure made of acacia wood and outer structure made of shesham wood with selected colour,polish mate Laquer finish, Seat3” &2” Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Steel Almira | 5 | Size: 6’x3’x1.5’overall structure made of 22 gauge iron sheet ,three drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Display board (4 x 6 ft.) with glass front | 1 | | | |
| | Sub Total - 4 | | | | |
| | | | | | |

Student Services Center Lot

| S. # | Description | Quantity | Specifications | Cost/unit (Rs.) | Total (Rs.) |
|----------|---|----------|--|-----------------|-------------|
| | GROUND FLOOR | | | | |
| 1 | Dining Area | | | | |
| | Dining Table | 50 | Providing and fixing of dining table consisting of M.S frame 1 ^{1/2} " x3" Box Pipe 16 SWG, legs 3"x3" square pipe 16 SWG with lower part 1 ^{1/2} " x 3" brasses to be supported with vertical pipe 1 ^{1/2} " x 3" 16 SWG. The top of the table further to be divided in to three panel, with 1"x2" 16 SWG The top of table will be covered with lamination sheet 3/4" thick MDF best quality, An additional packing strip of same board MDF Sheet 3/4" such that over all thickness of table top becomes 1 ^{1/2} " exposed out edges to be covered with shesham wood i/c, polishing and enamel paint complete in all respect as per approved design and drawing by the authority. | | |
| | Chairs for Dining Hall | 500 | Overall structure made of sheesham wood, seat size 16"x17" one unit, seat height 18", back height 33" 3 vertical strips fixed on back having size ¾"x1.5", leg size 1.5"x1 ¼" and lacquer polish. | | |
| | Sub Total-1 | | | | |
| 2 | Admin Office | | | | |
| | Table | 1 | Supplying of Office table Size: 5'x 3' x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ "x2 ½". | | |
| | Chair | 1 | Chairs: Structure made of solid sheshum wood, seat & bak cane knitted with lacquer polish. | | |
| | Visitor chair wooden | 12 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour,polish mate Laquer finish, Seat3" &2" Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Book rack wooden | 1 | Over all structure made of 16mm thick shisham win board having upper part with 2 open shelves. lower part 2. Front door and one horizontal shelve. size 6 1/2' X 31/2' X 1' 1/2' of approved quality with selected colour shine lacquer polish finishing i/c lock and handle of best quality complete in all respect | | |
| | Center Tables | 1 | Supplying of center table with Size: 4'x2'x1 ½'. Overall structure made of partly shesham wood and win board top made of Approx 16mm shesham Winboard , Top thickness enhanced by laminating strip of additional layer of same win board glued to the top. Exposed edges covered with solid seasoned shesham wood, Overall selected color polish with matt lacquer finish. | | |
| | Vertical Blinds (40 sft @ Rs.150 per sft) | 40 | P/F of vertical window size (80 sift @150 per ft) | | |

| | | | | | |
|----------|---|-----|---|--|--|
| | Sub Total-2 | | | | |
| | FIRST FLOOR | | | | |
| 3 | Community Hall | | | | |
| | Chairs | 100 | Overall structure solid seasoned black Shesham wood Two seats & back in one frame bracing of shesham Seat & back cane wood with lacquer polish Length 3.5 ft Back 3 ft Seat Length 2.5 ft | | |
| | Rostrum | 1 | ROSTRUM size: 4' x 2'-6" x1'-6". Overall structure made of selected colour Laminated sheet having thickness of 16 mm. Top thickness enhanced by laminating an additional packing strip underneath, the total top thickness 29mm , Exposed edges covered with solid seasoned shesham wood and N.C. lacquer polish finish. | | |
| | Vertical Blinds (80 sft @ Rs.150 per sft) | 80 | P/F of vertical window size (80 sft @150 per ft) | | |
| | Sub Total-3 | | | | |
| 4 | Orientation Hall | | | | |
| | Chairs | 100 | Overall structure solid seasoned black Shesham wood Two seats & back in one frame bracing of shesham Seat & back cane wood with lacquer polish Length 3.5 ft Back 3 ft Seat Length 2.5 ft | | |
| | Rostrum | 2 | ROSTRUM size: 4' x 2'-6" x1'-6". Overall structure made of selected colour Laminated sheet having thickness of 16 mm. Top thickness enhanced by laminating an additional packing strip underneath, the total top thickness 29mm , Exposed edges covered with solid seasoned shesham wood and N.C. lacquer polish finish. | | |
| | Vertical Blinds (80 sft @ Rs.150 per sft) | 80 | P/F of vertical window size (80 sft @150 per ft) | | |
| | Sub Total-4 | | | | |
| 5 | Senior Tutor Office | | | | |
| | Executive Table with side and back racks | 1 | Supplying of Executive Table with Size: 6'x3 'x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure without top. Top made of solid seasoned shesham wood with three selected color leatherite pieces.Top strip 1 ½"x2 ½", additional strip layer of same wood 1x1 ½"underneath . Exposed edges covered with solid seasoned shesham wood, with selected color polish of matt lacquer finish. Four drawer on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ "x3". Glides i/c 5 additional panels fixed on front and side. | | |

| | | | | | |
|----------|---|----|---|--|--|
| | | | Supplying of Side Rack with Size: 3-1/2'x1 ½' x2 ½' structure made of shesham winboard having thickness of 16mm used for overall structure. First top thickness enhanced by winboard and additional packing strip underneath. The top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood. One lockable drawer with handle and one key board tray with bearing railing. One cable cup fixed in back. One CPU section having inside width of 15" for easy accommodation of tower type CPU. Back of CPU closed with 16mm shesham winboard . Selected colour polish with shine lacquer finish Back Rack: Size: 6x16x2.5 Made of shesam win board, edge covered with solid shesam wood, 4 doors, best quality mat finish polish (As per Sample) and Side Rack: Size: 3 ½ x 16x2.5Frame Made of Shehsam Win Board, edge covered with solid shesham wood and mat finish polish (As per Sample) | | |
| | Executive Chair | 1 | Supplying of revolving chair with High Back Chair: Seat & Back made of imported laminated one-piece plywood shell 12mm upholstered with, seat 4" Thick Foam and back 3" thick Foam (Master Molty), and with padded ARMS, Fabric/leatherite. Revolving and Hydraulic lift system with 320mm five pronged nylon base with twin disc castors | | |
| | Visitor chair wooden | 2 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour, polish mate Lacquer finish, Seat3" &2" Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Book rack wooden | 1 | Over all structure made of 16mm thick shisham win board having upper part with 2 open shelves. lower part 2. Front door and one horizontal shelve. size 6 1/2' X 31/2' X 1' 1/2' of approved quality with selected colour shine lacquer polish finishing i/c lock and handle of best quality complete in all respect | | |
| | Sofa set executive (5 seater) | 1 | Supplying of sofa with Inner structure made of Acacia Wood, seat & back upholstered, seat 5" Thick Foam and back 2" thick Foam(Master Molty), with selected color fabric/leatherite | | |
| | Center Tables | 1 | Supplying of center table with Size: 4'x2'x1 ½'. Overall structure made of partly shesham wood and win board top made of Approx 16mm shesham Winboard , Top thickness enhanced by laminating strip of additional layer of same win board glued to the top. Exposed edges covered with solid seasoned shesham wood, Overall selected color polish with matt lacquer finish. | | |
| | Vertical Blinds (40 sft @ Rs.150 per sft) | 40 | P/F of vertical window size (80 sft @150 per ft) | | |
| | Sub Total-5 | | | | |
| 6 | Foreign Student Advisor Office | | | | |
| | Executive Table with side and back racks | 1 | Supplying of Executive Table with Size: 6'x3 'x 2 ½' . Structure made of shesham winboard board having thickness of 16mm used for overall structure without top. Top made of solid seasoned shesham wood with three selected color leatherite pieces. Top strip 1 ½"x2 ½", additional strip layer of same wood 1x1 ½" underneath. Exposed edges covered with solid seasoned shesham wood, with selected color polish of matt lacquer finish. Four drawer on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ "x3". Glides i/c 5 additional panels fixed on front and side. Supplying of Side Rack with Size: 3-1/2'x1 ½' x2 ½' structure made of shesham winboard having thickness | | |

| | | | | | |
|----------|---|----|---|--|--|
| | | | of 16mm used for overall structure. First top thickness enhanced by winboard and additional packing strip underneath. The top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood. One lockable drawer with handle and one key board tray with bearing railing. One cable cup fixed in back. One CPU section having inside width of 15" for easy accommodation of tower type CPU. Back of CPU closed with 16mm shesham winboard . Selected colour polish with shine lacquer finish Back Rack: Size: 6x16x2.5 Made of shesam win board, edge covered with solid shesam wood, 4 doors, best quality mat finish polish (As per Sample) and Side Rack: Size: 3 ½ x 16x2.5Frame Made of Shehsam Win Board, edge covered with solid shesham wood and mat finish polish (As per Sample) | | |
| | Executive Chair | 1 | Supplying of revolving chair with High Back Chair: Seat & Back made of imported laminated one-piece plywood shell 12mm upholstered with, seat 4" Thick Foam and back 3" thick Foam (Master Molty), and with padded ARMS, Fabric/leatherite. Revolving and Hydraulic lift system with 320mm five pronged nylon base with twin disc castors | | |
| | Visitor chair wooden | 2 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour, polish mate Lacquer finish, Seat3" &2" Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Book rack wooden | 1 | Over all structure made of 16mm thick shisham win board having upper part with 2 open shelves. lower part 2. Front door and one horizontal shelve. size 6 1/2' X 31/2' X 1' 1/2' of approved quality with selected colour shine lacquer polish finishing i/c lock and handle of best quality complete in all respect | | |
| | Sofa set executive (5 seater) | 1 | Supplying of sofa with Inner structure made of Acacia Wood, seat & back upholstered, seat 5" Thick Foam and back 2" thick Foam(Master Molty), with selected color fabric/leatherite | | |
| | Center Tables | 1 | Supplying of center table with Size: 4'x2'x1 ½'. Overall structure made of partly shesham wood and win board top made of Approx 16mm shesham Winboard , Top thickness enhanced by laminating strip of additional layer of same win board glued to the top. Exposed edges covered with solid seasoned shesham wood, Overall selected color polish with matt lacquer finish. | | |
| | Vertical Blinds (40 sft @ Rs.150 per sft) | 40 | P/F of vertical window size (80 sft @150 per ft) | | |
| | Sub Total-6 | | | | |
| 7 | Secretarial Staff Room | | | | |
| | Chairs | 4 | Chairs: Structure made of solid sheshum wood, seat & bak cane knitted with lacquer polish. | | |
| | Table | 4 | Supplying of Office table Size: 5'x 3' x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ "x2 ½ ". as per standard and as approved by the committee. As per sample approved. | | |
| | Visitor chair wooden | 18 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of | | |

| | | | | | |
|----------|--|---|---|--|--|
| | | | shesham wood with selected colour, polish mate Lacquer finish, Seat3" &2" Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Wooden Almirah | 2 | Wooden Almirah: Size: 6x18x6Made of shesham win board, edge covered with solid shesham wood, door, drawer, key board tray and glass, Mat finish (As per Sample) (As per Sample) | | |
| | Cabinet steel | 2 | File Rack Size: 57" x 24" x 18",overall structure made of 22 gauge iron sheet ,three drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Sub Total-7 | | | | |
| 8 | Store | | | | |
| | Wooden Almirah | 4 | Wooden Almirah: Size: 6x18x6Made of shesham win board, edge covered with solid shesham wood, door, drawer, key board tray and glass, Mat finish (As per Sample) (As per Sample) | | |
| | Cabinet steel | 4 | File Rack Size: 57" x 24" x 18",overall structure made of 22 gauge iron sheet ,three drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Sub Total-8 | | | | |
| | SECOND FLOOR | | | | |
| 9 | DSA Office | | | | |
| | Executive Table with side and back racks | 1 | Supplying of Executive Table with Size: 6'x3 'x 2 ½ ' . Structure made of shesham winboard board having thickness of 16mm used for overall structure without top. Top made of solid seasoned shesham wood with three selected color leatherite pieces. Top strip 1 ½"x2 ½", additional strip layer of same wood 1x1 ½" underneath . Exposed edges covered with solid seasoned shesham wood, with selected color polish of matt lacquer finish. Four drawer on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ "x3". Glides i/c 5 additional panels fixed on front and side. Supplying of Side Rack with Size: 3-1/2'x1 ½' x2 ½ ' structure made of shesham winboard having thickness of 16mm used for overall structure. First top thickness enhanced by winboard and additional packing strip underneath. The top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood. One lockable drawer with handle and one key board tray with bearing railing. One cable cup fixed in back. One CPU section having inside width of 15" for easy accommodation of tower type CPU. Back of CPU closed with 16mm shesham winboard. Selected colour polish with shine lacquer finish Back Rack: Size: 6x16x2.5 Made of shesam win board, edge covered with solid shesam wood, 4 doors, best quality mat finish polish (As per Sample) and Side Rack: Size: 3 ½ x 16x2.5Frame Made of Shehsam Win Board, edge covered with solid shesham wood and mat finish polish (As per Sample) | | |
| | Executive Chair | 1 | Supplying of revolving chair with High Back Chair: Seat & Back made of imported laminated one piece plywood shell 12mm upholstered with, seat 4" Thick Foam and back 3" thick Foam (Master Molty), and with padded arms, Fabric/leatherite. Revolving and Hydraulic lift system with 320mm five pronged nylon base with twin disc castors | | |
| | Visitor chair wooden | 6 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour, polish mate Lacquer finish, Seat3" &2" Back made of upholstered in | | |

| | | | | | |
|-----------|---|----|--|--|--|
| | | | Master molty foam & selected colour fabric/leatheritev | | |
| | Book rack wooden | 1 | Over all structure made of 16mm thick shisham win board having upper part with 2 open shelves. lower part 2. Front door and one horizontal shelve. size 6 1/2' X 31/2' X 1' 1/2' of approved quality with selected colour shine lacquer polish finishing i/c lock and handle of best quality complete in all respect | | |
| | Sofa set executive (5 seater) | 2 | Supplying of sofa with Inner STRUCTURE MADE OF Acacia Wood, SEAT & BACK UPHOLSTERED, seat 5" Thick Foam and back 2" thick Foam(Master Molty), with selected color fabric/leatherite | | |
| | Center Tables | 2 | Supplying of center table with Size: 4'x2'x1 ½'. Overall structure made of partly shesham wood and win board top made of Approx 16mm shesham Winboard , Top thickness enhanced by laminating strip of additional layer of same win board glued to the top. Exposed edges covered with solid seasoned shesham wood, Overall selected color polish with matt lacquer finish. | | |
| | Vertical Blinds (40 sft @ Rs.150 per sft) | 40 | P/F of vertical window size (80 sift @150 per ft) | | |
| | Sub Total-9 | | | | |
| 10 | PA Room | | | | |
| | Chairs | 1 | Chairs: Structure made of solid sheshum wood, seat & back cane knitted with lacquer polish. | | |
| | Table | 1 | Supplying of Office table Size: 5'x 3' x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ "x2 ½". | | |
| | Visitor chair wooden | 4 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour,polish mate Lacquer finish, Seat3" &2" Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Cabinet steel | 1 | File Rack Size: 57" x 24" x 18",overall structure made of 22 gauge iron sheet ,three drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Sub Total-10 | | | | |
| 11 | Secretarial Staff Room | | | | |
| | Chairs | 8 | Chairs: Structure made of solid sheshum wood, seat & bak cane knitted with lacquer polish. | | |
| | Table | 8 | Supplying of Office table Size: 5'x 3' x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ "x2 ½". as per standard and as approved by the committee. As per sample approved. | | |
| | Visitor chair wooden | 32 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of | | |

| | | | | | |
|-----------|---|----|---|--|--|
| | | | shesham wood with selected colour, polish mate Lacquer finish, Seat3" &2" Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Wooden Almirah | 4 | Wooden Almirah: Size: 6x18x6Made of shesham win board, edge covered with solid shesham wood, door, drawer, key board tray and glass, Mat finish (As per Sample) (As per Sample) | | |
| | Cabinet steel | 4 | File Rack Size: 57" x 24" x 18",overall structure made of 22 gauge iron sheet ,three drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Sub Total-11 | | | | |
| 12 | Associate DSAs Office | | | | |
| | Table | 1 | Supplying of Office table Size: 5'x 3' x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ "x2 ½ ". as per standard and as approved by the committee. As per sample approved. | | |
| | Chair | 1 | Chairs: Structure made of solid sheshum wood, seat & bak cane knitted with lacquer polish. | | |
| | Visitor chair wooden | 12 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour, polish mate Lacquer finish, Seat3" &2" Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Book rack wooden | 1 | Over all structure made of 16mm thick shisham win board having upper part with 2 open shelves. lower part 2. Front door and one horizontal shelve. size 6 1/2' X 31/2' X 1' 1/2' of approved quality with selected colour shine lacquer polish finishing i/c lock and handle of best quality complete in all respect | | |
| | Center Tables | 1 | Supplying of center table with Size: 4'x2'x1 ½ '. Overall structure made of partly shesham wood and win board top made of Approx 16mm shesham Winboard , Top thickness enhanced by laminating strip of additional layer of same win board glued to the top. Exposed edges covered with solid seasoned shesham wood, Overall selected color polish with matt lacquer finish. | | |
| | Vertical Blinds (40 sft @ Rs.150 per sft) | 40 | P/F of vertical window size (80 sft @150 per ft) | | |
| | Sub Total-12 | | | | |
| 13 | Deputy DSAs Office | | | | |
| | Visitor chair wooden | 8 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour, polish mate Lacquer finish, Seat3" &2" Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Center Tables | 2 | Supplying of center table with Size: 4'x2'x1 ½ '. Overall structure made of partly shesham wood and win board top made of Approx 16mm shesham Winboard , Top thickness enhanced by laminating strip of additional layer of same win board glued to the top. Exposed edges covered with solid seasoned shesham wood, Overall selected color polish with matt lacquer finish. | | |

| | | | | | |
|-----------|---|----|--|--|--|
| | Vertical Blinds (40 sft @ Rs.150 per sft) | 40 | P/F of vertical window size (80 sft @150 per ft) | | |
| | Sub Total-13 | | | | |
| 14 | Meeting Room | | | | |
| | Chairs for Meeting Room | 17 | Supplying of chair of overall structure made of solid seasoned shesham wood with selected colour, polish shine Lacquer finish, seat and back weaving with natural cane. Seat size: seat 19"x18" Seat height 18" Back Size: 18"x10" back height 36" back leg size 1 ¼" x 1 ½" Front leg size 1 ¼" x 1 ½", frame size seat and back 1"x2" thick, upper stripe 1"x2", lower stripe between legs 1"x1" thick. Top arm strip 1x2x15 ¾ " as per standard | | |
| | Meeting Room Tables | 1 | Providing and fixing meeting table U shape having linear length 42'x2.5'x2.5' such that 02 no. vertical component of 18'x2.5'x2.5' and 01 horizontal component with average size 6'x2.5'x2.5' to be made in curvature shape with suitable radii at ends the top will be made of shesham wood while the lower part shesham vin board the entire top surface will be divided into panels at suitable distant apart. The provision of audio video service will also be made excluding cost of audio video and cabling. This includes mat finishing complete in all respect. Mate finish | | |
| | White Board (4 x 6) | 1 | Board size 4*6. Overall structure is made is made of white laminated sheet of 16 mm with duster tray, Exposed edges and Additional boarder 21/2"*5" with groves lines on top of solid seasoned shesham wood and N.C lacquer polish finish. | | |
| | Vertical Blinds (40 sft @ Rs.150 per sft) | 40 | P/F of vertical window size (40 sft @150 per ft) | | |
| | Sub Total-14 | | | | |
| 15 | Store | | | | |
| | Wooden Almirah | 6 | Wooden Almirah: Size: 6x18x6Made of shesham win board, edge covered with solid shesham wood, door, drawer, key board tray and glass, Mat finish (As per Sample) (As per Sample) | | |
| | Cabinet steel | 6 | File Rack Size: 57" x 24" x 18",overall structure made of 22 gauge iron sheet ,three drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Sub Total-15 | | | | |
| 16 | Male I.D. Card Unit | | | | |
| | Chairs | 1 | Chairs: Structure made of solid sheshum wood, seat & bak cane knitted with lacquer polish. | | |
| | Table | 1 | Supplying of Office table Size: 5'x 3' x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ "x2 ½". | | |
| | Visitor chair wooden | 4 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of | | |

| | | | | | |
|-----------|---|----|--|--|--|
| | | | shesham wood with selected colour, polish mate Lacquer finish, Seat3" &2" Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Cabinet steel | 2 | File Rack Size: 57" x 24" x 18",overall structure made of 22 gauge iron sheet ,three drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Sub Total-16 | | | | |
| 17 | Female I.D. Card Unit | | | | |
| | Chairs | 1 | Chairs: Structure made of solid sheshum wood, seat & back cane knitted with lacquer polish. | | |
| | Table | 1 | Supplying of Office table Size: 5'x 3' x 2 ½ '. Structure made of shesham winboard board having thickness of 16mm used for overall structure. First top thickness enhanced by the same board an additional packing strip underneath the top having thickness of 32mm in total. Exposed edges covered with solid seasoned shesham wood and selected color shine lacquer polish finish and glides. Three drawers on one side with central lock and handle of fine quality with bearing railing. Footrest strip 1 ½ "x2 ½". | | |
| | Visitor chair wooden | 4 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour, polish mate Lacquer finish, Seat3" &2" Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Cabinet steel | 2 | File Rack Size: 57" x 24" x 18",overall structure made of 22 gauge iron sheet ,three drawers with central lock with good quality channels, all silver hammer ICI painted . | | |
| | Sub Total-17 | | | | |
| 18 | Alumni Hall | | | | |
| | Sofa Set (5 seater) | 2 | Supplying of sofa with Inner structure made of Acacia Wood, seat & back upholstered, seat 5" Thick Foam and back 2" thick Foam(Master Molty), with selected color fabric/leatherite | | |
| | Visitor chair wooden | 24 | Supplying of visiting chairs with inner structure made of acacia wood and outer structure made of shesham wood with selected colour, polish mate Lacquer finish, Seat3" &2" Back made of upholstered in Master molty foam & selected colour fabric/leatheritev | | |
| | Center Tables | 6 | Supplying of center table with Size: 4'x2'x1 ½ '. Overall structure made of partly shesham wood and win board top made of Approx 16mm shesham Winboard , Top thickness enhanced by laminating strip of additional layer of same win board glued to the top. Exposed edges covered with solid seasoned shesham wood, Overall selected color polish with matt lacquer finish. | | |
| | Vertical Blinds (40 sft @ Rs.150 per sft) | 40 | P/F of vertical window size (40 sft @150 per ft) | | |
| | Sub Total-18 | | | | |
| | Grand Total (1-18) | | | | |

Section VIII.

Sample Forms

Sample Forms

| | | |
|----|---|-------|
| 1. | Bid Form and Price Schedules | 91,92 |
| 2. | Manufacturer’s/Distrbutor's/Dealer's Certificate Form | 93 |

1. Bid Form and Price Schedules

Date: _____
Tender No. _____

To:

Mr. Shahid Ayaz Wahla,
Project Director (ICT),
Convener of Tender Committee,
University of Agriculture,
Faisalabad.

Gentlemen and/or Ladies:

Having examined the bidding documents including Tender No.40/2019, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply and deliver *[description of goods and services]*in conformity with the said bidding documents for the sum of *[total bid amount in words and figures]*or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid. We understand that failure to furnish all information required by the bidding documents or to submit a bid not substantially responsive to the bidding documents in every respect will be at our risk and may result in the rejection of its bid.

If our bid is accepted, we undertake to provide a performance security in the form, in the amounts, and within the times specified in the bidding documents and to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements. Failure to which, the Purchaser reserve the right to take action as per provisions of the bidding documents.

We agree to abide by this Bid for the Bid Validity Period specified in Clause 16.1 of the Bid Data Sheet and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

| Name and address of agent | Amount and Currency | Purpose of Commission or gratuity |
|------------------------------|------------------------|---|
| _____ | _____ | _____ |
| _____ | _____ | _____ |
| _____ | _____ | _____ |
| (if none, state “none”) | | |

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us. We understand that you are not bound to accept the lowest or any bid you may receive.

We certify/confirm that we comply with all requirements as per ITB Clause 2 of the bidding documents.

Dated this _____ day of _____ 19_____.

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

Price Schedule for Goods Offered from within the Purchaser's Country

Name of Bidder _____.Tender Number _____.Page _ of ____.

| 1 | 2 | 3 | 4 | 5 |
|------|-------------|-------------------|----------|---------------------------|
| Item | Description | Country of origin | Quantity | Price including all Taxes |
| | | | | |

Signature of Bidder _____

Note: In case of discrepancy between unit price and total, the unit price shall prevail.

Manufacturer’s/Distributor’s/Dealer’s Certificate Form

[See Clause 13.3 (a) of the Instructions to Bidders.]

To: *[name of the Purchaser]*

WHEREAS *[name of the Manufacturer/Distributor/Dealer]* who are established and reputable Manufacturer/Distributor/Dealer of *[name and/or description of the goods]* having factories/Warehouse/trading house at *[address of factory]*

do hereby authorize *[name and address of Agent]* to submit a bid, and subsequently negotiate and sign the Contract with you against Tender No. *[reference of the Invitation to Bid]* for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per Clause 15 of the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Bids.

[signature for and on behalf of Manufacturer]

Note: This letter of authority should be on the letterhead of the Manufacturer/Distributor/Dealer and should be signed by a person competent and having the power of attorney to bind the Manufacturer. It should be included by the Bidder in its bid.