


Bidders are directed to comply the following checklist along with the sealed envelope of bidding documents while participating the quotation as per schedule date and time.

SR. NO	BIDDER DOCUMENTS	MENTIONED PAGE NO. (To Filled By the Tenderer)
Required Documents to Participate in Bidding for F.Y 2023-24:-		
1	<u>Written Application</u> <sup>*</sup> on Firm's Letter Head Pad for the Work you are going to participate under this bidding document.	
2	Copy of Registration Certificate, (Active NTN Certificate) with Federal Board of Revenue.	
3	Copy of Registration Certificate, (Active PNTN Certificate) with Punjab Revenue Authority Punjab	
4	Copy of STN Registration Certificate, (Active STN Certificate) with Federal Board of Revenue. (For Purchase items Only)	
		

<sup>\*</sup>  
*Not required for the Downloaded Tendering Documents*

**Note:** Bidders may be directed to provide forth-said information, prior to the opening, of the Quotation if the Executive Engineer ECD-M deems necessary.

Contractor

Executive Engineer  
ECD-M; UAF

UNIVERSITY OF AGRICULTURE, FAISALABAD

Item Rate (Details Notice of Inviting DNIQ) / Percentage Age Rate Quotation & Contract for Works

Name of the Firm:		(To Whom the Quotation is Issued)		
Sr.#	Name of Work	Amount (Rs.)	Quotation Fee	Time Limit*
1	Provision of External Sewerage system around press building at Gobind pura road, UAF	196,724/-	100/-	Two Weeks
2	Purchase of Concrete made outlets with stoppers required for main campus, UAF	88,419/-	100/-	Two Weeks
3	Repair of Electric work at Various places in Campus, UAF (May-2023)	123,219/-	100/-	Two Weeks
4	Repair and Up-gradation of Electric work at Various Places at Main Campus, UAF	180,707/-	100/-	Two Weeks
5	Electric Connection to AMRI Building from newly installed 200 KVA Transformer at Engineering Work Shop Main Campus, UAF	124,276/-	100/-	Two Weeks
* Note: - Time Extension (if any) should not be more than original completion time mentioned in the W.O. In case of any contradiction, this provision will prevail. However, this can be right off with the prior approval of the Competent Authority, UAF any time during the execution of the work under specific circumstances.				
Dead Line for submission of Quotation:			---19-10-2023-----	
Opening of Quotation :			---19-10-2023-----	

Issued by:

Executive Engineer (ECD-M)  
University of Agriculture,  
Faisalabad.

Date: -----

Signature: -----  
(OFFICE STAMP)

**Note:**

The officer / Quotation Opening committee is competent to reject the Quotation, which does not bear the signature and stamp of the issuing officer in favor of the contractor/firm to whom the tender-documents was issued against prescribed fee (Non-Refundable) for the purpose/ work requested thereto. However, the Quotation documents can be downloaded Free of Cost from UAF website. The Quotation documents in a sealed envelope must reach to the **Office of Executive Engineer, University of Agriculture Faisalabad** up to schedule of closing.

Contractor

Executive Engineer  
ECD-M; UAF

## GENERAL DIRECTIONS

### FOR

### THE GUIDANCE OF THE QUOTATIONER

1. These directions are provided to assist the quotationer in preparing and submitting his quotation. The quotation shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.
2. All necessary documents, such as copies of specifications (excluding standard specification books, **MRS, 2<sup>nd</sup> Bi-Annual 2023 District Faisalabad**), contract documents, including bill of quantities, estimated scheduled rates and any other documents required in connection with the preparation of quotation or execution of works, signed by the engineer-in-charge will accompany the quotation form and the cost of such annexed documents will be reflected in the cost of the quotation form.
3. The quotationer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his quotation.
4. No single quotation shall include more than one work. A quotationer who wishes to quotation for two or more works shall submit quotation for each work, separately.
5. The memorandum of work quotation for, and the schedule of materials and equipment to be supplied by the engineer-in-charge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the engineer-in-charge before the quotation form is issued. At this stage the quotationer should ensure that the quotation form so issued is complete in all respects.
6. The quotationer shall note that the ultimate responsibility for the quality of work and its conformity with the specifications and drawings rests solely with the successful bidder whose quotation is accepted.
7. The quotationer shall, at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the quotation and entering into contract, and shall determine and satisfy himself by such means as he may consider necessary or desirable as to all matters pertaining to the quotation. The quotationer shall also satisfy himself before submitting his quotation as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and transportation facilities in the area. The quotationer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his quotation. The engineer-in-charge shall not assume any responsibility regarding information gathered interpretation or deduction, which the quotationer may arrive at, from the date that may be furnished with the contract documents.
8. (a) The quotationer shall fill up the Bill of Quantities and indicate the percentage rate above or below the MRS of rates for the "MRS items" on which he is willing to undertake each item of work. No premium will be quoted by the contractor against non-MRS/item rates, for which the rate and amount has already been filled in by the engineer-in-charge in the bid schedule. (b) In case quotations are called on item rate basis (DNIT), the quotationer shall quote his own unit rate in the Bill of quantities on which he is willing to undertake each item of work.
9. i. The quotation shall work out the amount against each item of work in the Bill of Quantities and will indicate the total amount of his quotation (including the cost of Non-MRS items rates for which the rate and amount has already been filled in by the engineer-in-charge in the Bill of Quantities) on which he is willing to complete the works. The total amount worked out in the Bill of Quantities shall be entered by the quotationer in his quotation as his quotation price for the work. In case of discrepancy between amounts in figures and in words, the amount in words shall prevail.  
 ii. Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the quotationer will be extended in working out of the amount of the quotation and the total amount of the bid schedule will be adjusted accordingly.  
 iii. If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule.  
 iv. If it is found that the quotationer has not entered any unit rate and amount against any of the pay items of the bid schedule, the engineer-in-charge shall fill in the blanks by noting the word "NIL" In such blanks at the time of opening of the quotation. Such pay items shall be deemed to be covered by the rates of other items.  
 v. If the quotationer does not accept the adjusted/corrected amount of quotation according to the above provision, his quotation shall be rejected, and the earnest money forfeited.
10. The quotation, which proposes any alteration in the works specified in the Bill of quantities or in the time allowed for carrying out the works or any other condition mentioned by the Engineer-in-charge, will be liable to rejection. The quotationer shall sign each and every page of the quotation and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the quotation duly signed by the quotationer. Any addition or alteration made after filing the forms shall duly have attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection.

**Contractor**

**Executive Engineer  
ECD-M; UAF**

11. The quotationer shall fill in the quotation documents, in ink. Errors, if any, shall be scored out, and corrections re-written legibly and attested by the quotationer. Any addition or alteration made after filling the form shall be duly attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection. Any quotation with unattested correction shall be attested by the quotationer in the presence of other quotationers at the time of opening of the quotation except that no correction shall be permissible in the rate or amount of the bid schedule or in the quoted price after the opening of the quotation.
12. Additional Clause (s) for a particular work shall be typed on separate sheet(s) by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets. The quotationer shall not add or delete any additional clause(s) in the additional clauses sheet (s), provided by the Engineer-in-charge.
13. The quantities mentioned in the Bill of Quantities are estimated quantities, to be used for preparing quotations, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein, except as determined in accordance with the provisions of Clause 42 of the general conditions of contract.
14. (i) The quotation shall be signed by the person (s) duly authorized to do so. In the event of the quotation being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the quotation and it must disclose that the firm is duly registered under the Partnership Act, 1932, or any other law in force.  
  
(ii) The quotation submitted by a joint venture of two or more firms shall be accompanied by a document of formation of the joint venture, duly registered and authenticated by competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person (s) authorized to represent it and accept it obligate, the participation of several firms forming the joint venture and any other information of necessary to permit a full appraisal of its function.  
(iii) A quotation submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.  
(iv) In all cases, the quotation must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.
15. Each quotationer shall be deemed to have satisfied himself before quotation as to the correctness and sufficiency of his quotation and of the rates and prices stated in the bid schedule which rates and prices shall, except in so far as it is otherwise expressly provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.
16. The quotationer may modify or withdraw his quotation after submission, provided that the modification or notice of withdrawal is received in writing by the engineer-in-charge prior to the prescribed deadline for submission of quotations. The quotationer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "MODIFICATION or WITHDRAWAL as appropriate. No quotation may be modified subsequent to the deadline for submission of quotation. Withdrawal of a quotation during the interval between the deadline for submission of quotations and the expiration of the period of quotation validity i.e. sixty (60) days as specified by the quotationer in the Form of Quotation may result in the forfeiture of the quotation security.
17. The quotationer shall submit the original Quotation Documents complete in all respects and keep a copy of the quotation for his own record. The original should be sealed in an inner and an outer envelope, duly marking the envelopes as "ORIGINAL". The sealed envelope shall (a) be addressed to engineer-in-charge (b) and bear the following identification: Quotation for (Name of Contract), (Reference Number of Quotation), and the words "DO NOT OPEN BEFORE (Time and Date, set for opening)". The envelopes shall indicate the name and address of the quotationer to enable the quotation to be returned unopened in case it is declared to have been received late or is otherwise unacceptable. If the envelope is not sealed the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the quotation submitted. A quotation opened prematurely because of improper identification will be rejected.
18. The quotationer shall indicate in the space provided in the quotation his full and proper address at which notice may be legally served on him and to which all correspondence in connection with his quotation and the contract

**Contractor****Executive Engineer  
ECD-M; UAF**

is to be sent.

- 19. The presentation of a quotation implies full acceptance on the part of the quotationer of these instructions and all other conditions set forth in the contract document.
- 20. Any quotation received by the Executive Engineer (Engineer-in-charge) after the deadline for submission offenders prescribed in the Notice Inviting Quotations will be returned unopened to the quotationer.
- 21. The Engineer-in-charge or his duly authorized officer (not below the rank of Assistant Engineer) will open quotations in the presence of intending quotationers or their authorized agents, who may be present at the time. The officer opening the quotation will announce the names of the quotationer, quotation rates and the presence of requisite quotation security.
- 22. Promptly after the opening of Quotations, the Engineer-in-charge will undertake a detailed evaluation of quotations. The Engineer-in-charge will determine whether each quotation is substantially responsive to the requirements of the quotation documents and conforms to all the terms, conditions and specifications of the quotation documents without material deviation or reservation. If a quotation is not substantially responsive to the requirements of the quotation documents, it will be rejected by the engineer-in-charge and may not subsequently be made responsive by the quotationer having corrected or withdrawn the non-confirming deviation or reservation.
- 23. Except for information to be read out by the Engineer-in-charge at the time of opening quotations in accordance with **Para 21 above**, no information relating to the examination, clarification, evaluation and comparison of quotations and recommendations concerning the award of contract shall not be disclosed to quotationers or other persons not officially concerned with such process. Any effort by the quotationer to influence the process of examination, clarification, evaluation and comparison of quotations, and in decisions concerning award of contact/work, may-result in the rejection of his quotation.
- 24. The Engineer-in-charge shall have the right of the rejecting all or any of the quotations without assigning any reason thereof. The Engineer-in-charge will not be bound to award the contract to the lowest or to any other quotationer.

I/We.....

(Name of the contractor)

The undersigned Quotationer, having examined the GENERAL DIRECTIONS for work of .....

..... (Name of the work)

and the works associated therewith, and having examined the site of the above named works, or having caused the site to be visited OR our behalf by my/our competent and reliable agent, and having satisfied myself/ourselves as to all conditions under which the above named work must be performed, hereby offer to execute, complete and maintain the whole of the above mentioned work including its ancillary works associated therewith, in accordance with entire satisfaction of the Executive Engineer /Assistant Executive Engineer & I/We understand that you are not bound to accept the lowest or any quotation you may receive, and you will not defray any expenses incurred by me/us in bidding.

Yours faithfully,  
(Signature of Quotationer)/Seal

Dated this ..... Day of ..... **2023**

**Contractor**

**Executive Engineer  
ECD-M; UAF**

# BID SCHEDULE

## 1. Schedule of item (MRS & Input Rates)

Name of work: \_\_\_\_\_

(To be filled in by the quotationer)

Sr. No.	<u>Items in schedule of rates</u>		Description	Estimated quantity	Unit of Rates	<u>Schedule of rates</u>		Amount (Rs....
	Page No.	Serial No.				Labour	Composite	
1	2	3	4	5	6	7	8	9

Mandatory to Write in Words: (Urdu/English)

Total cost of MRS Items Rs. \_\_\_\_\_

Contractor

Executive Engineer

ECD-M; UAF

# BID SCHEDULE

## 1. Schedule of item (N.S. Items)

Name of work \_\_\_\_\_

(To be filled in by the quotationer)

Sr. No	Pay item No. of reference to special specification supplied	Description of item	Estimated quantity	Unit of Rates	Unit rate To be filled in the contractors where not already filled by the Executive Engineer		Amount (To be filled in by the contractor when not already filled in by the project director for items against which the unit rate have already been filled in by him)
					In figure	In Words	
1	2	3	4	5	6	7	8

Mandatory to Write in Words: (Urdu/English)

Total cost of item rates Rs. \_\_\_\_\_

Contractor

Executive Engineer

ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 037/2023 Sr. No. 01					
Name of Work:		PROVISION OF EXTERNAL SEWERAGE SYSTEM AROUND PRESS AT GOBIND PURA ROAD UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Earthwork excavation in open cutting for sewers and manholes as shown in drawings including shuttering and timbering, dressing to correct section and dimensions according to templates and levels, and removing surface water, in all types of soil except shingle, gravel and rock:-i)0 ft. to 7.0 ft. (0 to 2.10 m) depth(15,934.55-31.5% reduce=15,934.55-5019.38=10915.17	1143.75	%0cft		
2	Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:-(b) Ratio 1: 4: 8	45.63	%cft		
3	Pacca brick work other than building upto 10ft. (3 m) Ratio 1:4	180.19	%cft		
4	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	28.13	%cft		
5	Applying floating coat of cement 1/32" (0.8 mm) thick.	209.00	%sft		
6	Cement plaster 1:3 upto 20' (6.00 m) height b)½" (13 mm) thick	81.50	%sft		
7	Cement plaster 1:3 upto 20' (6.00 m) height c)¾" (20 mm) thick	225.50	%sft		
8	Providing and laying R.C.C. pipe, moulded with cement concrete 1:1½:3, with spigot socket or collar joint, etc. including cost of reinforcement, conforming to B.S. 5911: Part I: 1981, Class "L" including carriage of pipe from factory to site of work, lowering in trenches to correct alignment and grade, jointing, cutting pipes where necessary, finishing and testing, etc., complete iii) 225 mm (9:) i/d	102.50	rft		
9	Rehandling of earthwork:a)Lead upto a single throw of Kassi, phaorah or shovel	762.50	%0cft		
10	Making Sewerage connection to Existing Manhole of main sewerage pipe line including cost of Plugging dewatering desilting making hole in wall repairing and restoration etc complete in working condition	1.00	one job		
TOTAL:					
ADD PST@5%					
G. TOTAL (A)					
Mandatory to Write in Words: (Urdu/English)					



DETAILED NOTICE INVITING QUOTATION ( <i>DNIT</i> ) <i>QUOTATION. 037/2023 Sr. No. 02</i>					
Name of Work:		Purchase of Concrete Made Outlets With Stoppers Required For Main Campus UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	S/o Concrete Made Outlet with Stopper 26" dia	4.00	No.s		
2	S/o Concrete Made Outlet with Stopper 24" dia	1.00	No.s		
3	S/o Concrete Made Outlet with Stopper 20" dia	9.00	No.s		
4	S/o Concrete Made Outlet 26" dia	21.00	No.s		
5	S/o Concrete Made Stopper 24" dia	16.00	No.s		
6	S/o Concrete Made Stopper 22" dia	9.00	No.s		
7	S/o Concrete Made Stopper 20" dia	17.00	No.s		
8	S/o Concrete Made Stopper 18" dia	6.00	No.s		
9	S/o Concrete Made Stopper 16" dia	2.00	No.s		
10	S/o Concrete Made Stopper 14" dia	2.00	No.s		
TOTAL:					
Add 18% GST					
G. TOTAL					
<i>Mandatory to Write in Words: (Urdu/English)</i>					

Contractor

Executive Engineer  
ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 037/2023 Sr. No. 03					
Name of Work:		Repair of Electric work at Various places in Campus, UAF (May-2023)			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	P/F PVC double layer Switch kit Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge Fan Dimmer For Entomology = 02 No. Tanki road-2 = 04 No	6.00	No.		
2	Providing and fixing Copper winded Exhaust fan with louver and shutter made of Pak/Younas/G.F.C. i/c the cost of necessary cable and hardware for connection from ceiling rose complete as approved and directed by Engineer Incharge. (Motor Only) Plastic body: 12 " dia Club rest r room no. 02	0.50	No.		
3	Supply and fitting of capacitor 2.2 uF, for ceiling fans. Entomolgy	1.00	No.		
4	Supply and fitting of capacitor 10 uF. Entomolgy	1.00	No.		
5	P/F PVC double layer Switch kit Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge Three Pin Power Plug 15-32 Amp For Entomology	1.00	No.		
6	S/E of 3 pin 10/15 Amp. wall socket with shoe, open type. For Entomology =01 No New rest house pak army = 01 No	2.00	No.		
7	S/E of PVC duct (16x38) size For Tanki road-2 =20 rft New rest house pak army = 12 rft	32.00	Rft		
8	S/E of copper conductor cables for service connection, in prelaidd pipe /G.I. wire/trenches, etc. (rate for cable only):- PVC insulated, PVC sheathed twin core, 250/440 volts. 3/0.74 mm (3/0.029") For Tanki road-2 = 30 Rft new rest house pak army = 40 Rft	70.00	Rft		
9	S/E of Steel nail 2-2x1/2 size For Tanki road-2 = 12 No Club rest house = 02 No Zero Point = 04 No	18.00	No.		
10	S/E of copper conductor cables for service connection, in prelaidd pipe /G.I. wire/trenches, etc. (rate for cable only):-PVC insulated, PVC sheathed twin core, 250/440 volts.7/0.74 mm (7/0.029")For Tanki road-2 = 20 MtrClub rest house = 4 MtrZero point = 17 Mtr	41.00	Mtr		
11	S/E of wooden board with bakelite sheet making holes (9x4) size For Club rest house = 01 No Zero Point = 01 No	2.00	No.		
12	S/E of cut out, bakelite. open type For Zero Point	1.00	No.		
13	S/E of False ceiling down light 18 watt For House-32 Lalazar	9.00	No.		
14	S/E of copper conductor cables for service connection, in prelaidd pipe /G.I. wire/trenches, etc. (rate for cable only):- PVC insulated, PVC sheathed twin core, 250/440 volts. 7/1.12 mm (7/0.044") For Lalazar- 38	19.00	Mtr		

Contractor

Executive Engineer

ECD-M; UAF

15	Suppling,Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screws,necessary wire complete in all respect as approved and directed by the Engineer Incharge. Double Pole: 6-40 Amp (6 KA) For Lalazar-38	1.00	No.		
16	S/E of PVC tape For tanki road-2 = 01 No Lalazar-38 = 01 No	2.00	No.		
17	S/E of 2 pin shoe	1.00	No.		
18	S/E of G.I. pipes for wiring purposes, including pull boxes, inspection boxes, bends, tees, etc. complete with all specials. recessed in walls, including hooks, cutting jharries and repairing surface: 20 mm i/d size For Tanki road-2 = 6 rft	6.00	Rft		
19	P/F of nuts and bolts with washer For tanki road-2= 06 No	6.00	No.		
20	S/E of automatic switch Faisal made For Zero point	1.00	No.		
21	Kit replacement of 2- TON A/C D.C inverterFor Director P&D	1.00	No.		
PO ECD ENTOMOLOGY OFFICE (Repair of A/C 1x1/2-TON, 2-TON ORIENT)					
22	Gas R-22	2.00	Kg		
	Supply and Installation of Gas & Liquid Copper Piping of specified size and thickness including the cost of Fittings, Welding Complete clamps/hangers/supports,testing charges and all other related material for installation purpose complete in all respect as approved and directed by the Engineer Incharge; with insulation tape Ø 1/4"	15.00	Rft		
	Supply and Installation of Gas & Liquid Copper Piping of specified size and thickness including the cost of Fittings, Welding Complete clamps/hangers/supports,testing charges and all other related material for installation purpose complete in all respect as approved and directed by the Engineer Incharge; with insulation tape Ø 1/2"	15.00	Rft		
	Capcitor /power factor relay 1.5-TON 50 uF	1.00	No.		
	Capcitor /power factor relay 2-TON 60 uF	1.00	No.		
Dean Animal Husbandry Office (Repair of A/C Inverter 1x1/2-TON)					
23	Flyer nut with pipe	1.00	No.		
	R- 410 Refridgent	1.50	Kg		
	LPG	0.50	Kg		
	Oxygen	0.10	kg		
	Copper rod	1.00	No.		
VC House					
24	R- 410 Refridgent	0.50	No.		
	R-22 gas	3.25	No.		
	Tflon tape	2.00	No.		
TOTAL:					
ADD PST @ 5%					
G. TOTAL					
Mandatory to Write in Words: (Urdu/English)					

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 037/2023 Sr. No. 04					
Name of Work:		Repair and Up-gradation of Electric work at various places at Main Campus, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	P/F PVC double layer Switch kit Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge One way Gange Switch Fan Dimmer For VC house= 02 No Coori-dination office= 02 No	4.00	No.		
2	Supply and Installation of Gas & Liquid Copper Piping of specified size and thickness including the cost of Fittings, Welding Complete clamps/hangers/supports,testing charges and all other related material for installation purpose complete in all respect as approved and directed by the Engineer Incharge Ø 1/4" Entomology office:	10.00	Rft		
3	Supply and Installation of Gas & Liquid Copper Piping of specified size and thickness including the cost of Fittings, Welding Complete clamps/hangers/supports,testing charges and all other related material for installation purpose complete in all respect as approved and directed by the Engineer Incharge Ø 1/2" Entomology office:	10.00	Rft		
4	Supply/charging of Refridgent R-22 For Office Sectary to VC= 01 KG PBI office= (02+02)= 04 KG Office Entomology= 1.5 g	6.50	Kg		
5	Providing and fixing Copper winded Exhaust fan with louver and shutter made of Pak/Younas/G.F.C. i/c the cost of necessary cable and hardware for connection from ceiling rose complete as approved and directed by Engineer Incharge. Plastic body: 12 " dia Main Water Supply House No. 03= 01 No	1.00	No.		
6	Providing and fixing Copper winded Exhaust fan with louver and shutter made of Pak/Younas/G.F.C. i/c the cost of necessary cable and hardware for connection from ceiling rose complete as approved and directed by Engineer Incharge.Plastic body: 12 " dia (Shutter only)For Club rest house XEN residence= 01 No	1.00	No.		
7	Supply and fitting of capacitor 2.2 uF, for ceiling fans. For Firdouse colony no 11= 01 No House no 24 Bilal colony= 01 No Lalazar house no 38= 01 No Entomology office= 02 No	5.00	No.		
8	Supply and fitting of capacitor 10 uF. PBI Office= 01 No	1.00	No.		
9	P/F PVC double layer Switch kit Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge Three Pin Light plug For Treasure House= 02 No Lalazar House No 32= 04 No	6.00	No.		
10	P/F PVC double layer Switch kit Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge Three Pin Power Plug 15- 32 Amp For VC House = 01 No Rajay wala= 01 No	2.00	No.		

Contractor

Executive Engineer

ECD-M; UAF

11	P/F PVC double layer Switch kit Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge 06 Gange For VC House camp office = 02 No Coori-dination office= 01 No	3.00	No.		
12	S/E of 3 pin 10/15 Amp. wall socket Recessed type Firdouse house no 11= 02 No	2.00	No.		
13	Supply and erection of G.I. wire of all sizes, including binding wire No. 16 SWG for support of rubber wire or earthing wire, pole to pole etc.For Raja Wala Road/bilal colony gate	13.00	Kg		
14	S/E of PVC insulated aluminium cable (7/0.052) 2/core PBI colony & Superident farm for services= 400 Rft Raja wala gate/Bilal Colony= 300 Rft Jinah Hall= 300 Rft	1000.00	Rft		
15	S/E of copper conductor cables for service connection, in prelaidd pipe /G.I. wire/trenches, etc. (rate for cable only):- PVC insulated, PVC sheathed twin core, 250/440 volts. 3/0.74 mm (i) (3/0.076") VC House= 16 Rft	16.00	Rft		
16	S/E of copper conductor cables for service connection, in prelaidd pipe /G.I. wire/trenches, etc. (rate for cable only):- PVC insulated, PVC sheathed twin core, 250/440 volts. (ii) (7/0.036) 2/core For Entomalogy office= 60 Rft	60.00	Rft		
17	Supply and erection of single core PVC insulated copper conductor cables, in prelaidd PVC pipe/M.S. conduit/G.I pipe/wooden strip batten/wooden casing an capping/G.I. wire/trenches (rate for cables only):- 250/440 volts, PVC insulated: 3/0.74 mm (3/0.029") Lalazar house no 41	160.00	Rft		
18	Supply and erection of switches 10/15 Amp.Recessed type VC house= 02 No	2.00	No.		
19	P/F PVC concealed Switch kit Box i/c the cost of screws complete as approved and directed by the Engineer Incharge Small: Treasure house= 02 No Entomalogy office= 01 No	3.00	No.		
20	Supply and fitting of ball bearing of size 6201, 6202 or 6203 for ceiling fans.House No 24 Bilal Colony	2.00	No.		
21	P/F of Falyer Nut office of theSectary to VC office	1.00	No.		
22	P/F of nuts and bolts with washer Power House = 06 No Soil Science=14 No	20.00	No.		
23	Making bolts and nuts of iron rods. (.17 kg per nut bolt) x4=0.68 Kg	0.68	Kg		
24	Suppling,Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaidd DBs and Panels i/c the cost of screwes,necessary wire complete in all respect as approved and directed by the Engineer Incharge. Double Pole: 6-40 Amp (6 KA) For VC house= 01 No Entomaolgy office= 01 No	2.00	No.		
25	S/E of M.S fan hook Soil Science	10.00	No.		
26	Repair of clamp meter (Bettery replace, clear bulb for testing, calibration of meter etc) For Power House	1.00	Job		
27	S/F of gola glass 14" size complete in all respect	4.00	No.		

Quotation No 037/2023			Page 14 of 15		
	For Club rest house				
28	S/F of base of gola 14" size Club rest house	4.00	No.		
29	Supply and erection of G.I. pipes for wiring purposes, including pull boxes, inspection boxes, bends, tees, etc. complete with all specials. on surface, including clamps, etc. 20 mm i/d Lalazar house no 38	5.00	Rft		
30	Supply and erection of girder clamp hook Lalazar house no 38	1.00	No.		
31	S/F of steel nail 1" to 2x1/2" Entomalogy	3.00	No.		
32	S/F of steel clipEntomalogy=05 NoLalazar house no 41= 24 No	29.00	No.		
33	S/E of PVC tape Soil Science = 02 No Lalazar-41 = 01 No	3.00	No.		
34	S/F of fancy globe For VC house	6.00	No.		
35	Small iron work, such as gusset plates, knees, bends, stirrups, straps, rings, etc. including cutting, drilling, riveting, handling, assembling and fixing; but excluding erection in position. For VC house	4.50	'kg		
36	S/E of Rawal bolt 6" size VC House	24.00	No.		
Total					
ADD PST @ 5%					
G. TOTAL					
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer  
ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION ( <i>DNIT</i> ) <i>QUOTATION. 037/2023 Sr. No. 05</i>					
Name of Work:		ELECTRIC CONNECTION TO AMRI BUILDING FROM NEWLY INSTALLED 200 KVA TRANSFORMER AT ENGINEERING WORK SHOP MAIN CAMPUS, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	S/E of copper conductor cables for service ditto connection, in prelaid pipe/G.I. wire/trenches, etc. (rate for cable only):- PVC insulated, PVC sheathed 4 core, 600/1000 volt non armoured cable:- 16 mm (7/0.064") Cable brand: Pakistan, Poinier, Fast	130.00	Rft		
2	S/E of G.I. wire of all sizes, including binding wire No. 16 SWG for support of rubber wire or earthing wire, pole to pole etc.	4.50	Kg		
3	S/E of PG connector	4.00	No.		
4	S/E of G.I. pipes for wiring purposes, including pull boxes, inspection boxes, bends, tees, etc. complete with all specials. on surface, including clamps, etc. 50 mm i/d (2" dia size)	10.00	Rft		
5	S/E of stay for house service pipe, erected with straining screws and 7/14" stay wire, complete. (8x2)= 16 Rft	16.00	Rft		
				Total	
				ADD PST @ 5%	
				G. TOTAL	
<i>Mandatory to Write in Words: (Urdu/English)</i>					

Contractor

Executive Engineer  
ECD-M; UAF