


Tenderer/ Bidders/Consulting Firms are directed to comply the following checklist along with the sealed envelope of bidding documents while participating the tender as per schedule date and time.

| SR. NO | BIDDER DOCUMENTS | MENTIONED PAGE NO. (To Filled By the Tenderer) |
|---|--|---|
| Compulsory Required Documents to Participate in Bidding for F.Y 2023-24 are:- | | |
| 1 | <u>Written Application</u> * on Firm’s Letter Head Pad for the Work you are going to participate under this bidding document. | |
| 2 | License of Pakistan Engineering Council (Not-Required for Pre-Qualified Contractors in D and E Category and involved in repair works of ECD-M) A. Valid License Copy is mandatory from the PEC Registered contractors for the said PEC- Class as per prescribed guidelines <u>“Can be provided on request / published for Pre-Qualification of Contractors for related PEC Category for F.Y. 2023-24.”</u> B. Copy of the Prequalification Certificate/Notification with ECD, UAF for the current Financial Year (In-Process) Dully issued by the Executive Engineer (M) or (P) | |
| 3 | Copy of Registration Certificate, (Active NTN Certificate) with Federal Board of Revenue. | |
| 4 | Copy of Registration Certificate, (Active PNTN Certificate) with Punjab Revenue Authority Punjab | |
|  | | |

*
Not required for the Downloaded Tendering Documents

Note: Bidders are directed to provide forth-said information with the tender to the Office of Executive Engineer, UAF to proceed further.

Contractor

ECD-M; UAF

Executive Engineer

Stereo I.B No. 386 (revised)
Stereo I.B No. 389 (revised)
Stereo I.B No. 28 (revised)
Stereo I.B No. 29 (revised)

Agreement No. _____

UNIVERSITY OF AGRICULTURE, FAISALABAD

(Item Rate / Percentage Age Rate Tender & Contract for Works)

| | | | |
|---|-------------------------------------|--|---|
| 1 | Name of work: | <div>i. Up-gradation and renovation work of Block-II (Old building) at Pharmacy Department, UAF.</div> <div>ii. Up-gradation and renovation work of Block-I (New building) at Pharmacy Department, UAF.</div> <div>iii. Providing and installation of one cusic discharge 3 phase 30 HP electric turbine at Sugarcane quarter, UAF.</div> <div>iv. Supply and erection of 11 KV AL/XLPE, 3/core armored cable for shifting of overhead HT line (OHL) into underground cable (UGC) at newly constructed convocation stage at D-ground, main campus, UAF.</div> <div>v. Provision of 200 KVA Transformer (step up/step down, 415V/11000V) for connection/transmission of 100KW Biogas production with electric bulk supply system and provision of New Electric connection at the Main Gate PBI, PARS UAF.</div> | |
| 2 | Estimated cost : | <div>PKR: 4,954,741/-</div> <div>PKR: 1,103,173/-</div> <div>PKR: 4,800,280/-</div> <div>PKR: 1,229,129/-</div> <div>PKR: 2,035,631/-</div> | |
| 3 | Time for completion : | <div>i. One Month</div> <div>ii. One Month</div> <div>iii. One Month</div> <div>iv. One Month</div> <div>v. One Month</div> | <div>Note: - Time Extension (if any) should not be more than original completion time mentioned in the W.O. In case of any contradiction, this provision will prevail. However, this can be right off with the prior approval of the Competent Authority, UAF any time during the execution of the work under specific circumstances.</div> |
| 4 | Amount of Bid Security: | <div>PKR: 99,095/-</div> <div>PKR: 22,063/-</div> <div>PKR: 96,006/-</div> <div>PKR: 24,583/-</div> <div>PKR: 40,713/-</div> | |
| 5 | Issued to: | | |
| 6 | Pre-tender conference: | N.A. | |
| 7 | Dead Line for submission of Tender: | -----05-09-2023----- | |
| 8 | Opening of Tender : | -----05-09-2023----- | |
| 9 | Issued by: | Office Of Executive Engineer, University of Agriculture, Faisalabad. | |

Date: -----

Signature: -----

(OFFICE STAMP)

Note:
The officer / Tender Opening committee is competent to reject the tender, which does not bear the signature and stamp of the issuing officer in favor of the contractor/firm to whom the tender-documents was issued against prescribed fee (Non-Refundable) for the purpose/ work requested thereto. However, the tender documents can be downloaded Free of Cost from UAF or PPRA website. Tender documents in a sealed envelope along with prescribed Bid Security @ 2% in shape of CDR/DD in favour of Executive Engineer (ECD-M) /Treasure, UAF

Contractor

Executive Engineer

ECD-M; UAF

must reach to the **Office of Executive Engineer, University of Agriculture Faisalabad** up to schedule of closing.

GENERAL DIRECTIONS FOR THE GUIDANCE OF THE TENDERER

1. These directions are provided to assist the tenderer in preparing and submitting his tender. The tender shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.
2. All necessary documents, such as copies of specifications (excluding standard specification books, **MRS, 2nd Bi-Annual 2023 District Faisalabad**), contract documents, including bill of quantities, estimated scheduled rates and any other documents required in connection with the preparation of tender or execution of works, signed by the engineer-in-charge will accompany the tender form and the cost of such annexed documents will be reflected in the cost of the tender form.
3. The tenderer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his tender.
4. No single tender shall include more than one work. A tenderer who wishes to tender for two or more works shall submit tender for each work, separately.
5. The memorandum of work tendered for, and the schedule of materials and equipment to be supplied by the engineer-in-charge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the engineer-in-charge before the tender form is issued. At this stage the tenderer should ensure that the tender form so issued is complete in all respects.
6. The tenderer shall note that the ultimate responsibility for the quality of work and its conformity with the specifications and drawings rests solely with the successful bidder whose tender is accepted.
7. The tenderer shall, at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the tender and entering into contract, and shall determine and satisfy him self by such means as he may consider necessary or desirable as to all matters pertaining to the tender. The tenderer shall also satisfy himself before submitting his tender as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and transportation facilities in the area. The tenderer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his tender. The engineer-in-charge shall not assume any responsibility regarding information gathered interpretation or deduction, which the tenderer may arrive at, from the date that may be furnished with the contract documents.
8. (a) The tenderer shall fill up the Bill of Quantities and indicate the percentage rate above or below the MRS of rates for the "MRS items" on which he is willing to undertake each item of work. No premium will be quoted by the contractor against non-MRS/item rates, for which the rate and amount has already been filled in by the engineer-in-charge in the bid schedule.

(b) In case tenders are called on item rate basis, the tenderer shall quote his own unit rate in the Bill of quantities on which he is willing to undertake each item of work.
9. i. The tender shall work out the amount against each item of work in the Bill of Quantities and will indicate the total amount of his tender (including the cost of Non-MRS items rates for which the rate and amount has already been filled in by the engineer-in-charge in the Bill of Quantities) on which he is willing to complete the works. The total amount worked out in the Bill of Quantities shall be entered by the tenderer in his tender as his tender price for the work. In case of discrepancy between amounts in figures and in words, the amount in words shall prevail.

Contractor

Executive Engineer

ECD-M; UAF

- ii. Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the tenderer will be extended in working out of the amount of the tender and the total amount of the bid schedule will be adjusted accordingly.
 - iii. If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule.
 - iv. If it is found that the tenderer has not entered any unit rate and amount against any of the pay items of the bid schedule, the engineer-in-charge shall fill in the blanks by noting the word "NIL" in such blanks at the time of opening of the tender. Such pay items shall be deemed to be covered by the rates of other items.
 - v. If the tenderer does not accept the adjusted/corrected amount of tender according to the above provision, his tender shall be rejected, and the earnest money forfeited.
10. The tender, which proposes any alteration in the works specified in the Bill of quantities or in the time allowed for carrying out the works or any other condition mentioned by the Engineer-in-charge, will be liable to rejection. The tenderer shall sign each and every page of the tender and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the tender duly signed by the tenderer. Any addition or alteration made after filing the forms shall duly attested by the tenderer. Non-compliance of this condition shall render the tender liable to rejection.
 11. The tenderer shall fill in the tender documents, in ink. Errors, if any, shall be scored out, and corrections re-written legibly and attested by the tenderer. Any addition or alteration made after filling the form shall be duly attested by the tenderer. Non-compliance of this condition shall render the tender liable to rejection. Any tender with unattested correction shall be attested by the tenderer in the presence of other tenderers at the time of opening of the tender except that no correction shall be permissible in the rate or amount of the bid schedule or in the tendered price after the opening of the tender.
 12. Additional Clause (s) for a particular work shall be typed on separate sheet(s) by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets. The tenderer shall not add or delete any additional clause(s) in the additional clauses sheet (s), provided by the Engineer-in-charge.
 13. The quantities mentioned in the Bill of Quantities are estimated quantities, to be used for preparing tenders, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein, except as determined in accordance with the provisions of Clause 42 of the general conditions of contract.
 14. No tender without earnest money shall be entertained, Earnest money, calculated @ 2% of the estimated cost of the work (rounded suitably), shall be in the form of 'deposit at call receipt'. The earnest money of the unsuccessful tenderers shall normally be returned by the Engineer-in-charge within a week of opening of the tenders and in any case not later than sixty (60) days following the date set for opening of tenders. In the event of the tender being accepted, or receipt for the earnest money forwarded therewith, shall thereupon be given to the contractor. The earnest money of the successful tenderer on execution of the contract covering work will be adjusted towards the amount of security deposit to be retained from the first amount (s) payable to the contractor under the contract.
 15. The successful tenderer will be required to enter into a contract, furnish the performance security (where-ever required) and to commence the work within the time specified in the memorandum of work. Should the successful tenderer refuse or fail for any reason to enter into contract, or to furnish the performance security or to commence the work within the time specified in the memorandum of work, it should constitute a just cause for the annulment of the award and in the event of such annulment, the entire earnest money shall be forfeited to Government, as compensation for such default.
 16. (i) The tender shall be signed by the person (s) duly authorized to do so. In the event of

Contractor

Executive Engineer

ECD-M; UAF

the tender being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the tender and it must disclose that the firm is duly registered under the Partnership Act, 1932, or any other law in force.

(ii) The tender submitted by a joint venture of two or more firms shall be accompanied by a document of formation of the joint venture, duly registered and authenticated by competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person (s) authorized to represent it and accept it obligate, the participation of several firms forming the joint venture and any other information of necessary to permit a full appraisal of its function.

(iii) A tender submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.

(iv) In all cases, the tender must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.

17. Each tenderer shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender and of the rates and prices stated in the bid schedule which rates and prices shall, except in so far as it is otherwise expressly provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.
18. The tenderer may modify or withdraw his tender after submission, provided that the modification or notice of withdrawal is received in writing by the engineer-in-charge prior to the prescribed deadline for submission of tenders. The tenderer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "MODIFICATION or WITHDRAWAL as appropriate. No tender may be modified subsequent to the deadline for submission of tender. Withdrawal of a tender during the interval between the deadline for submission of tenders and the expiration of the period of tender validity i.e. sixty (60) days as specified by the tenderer in the Form of Tender may result in the forfeiture of the tender security.
19. The tenderer shall submit the original Tender Documents complete in all respects and keep a copy of the tender for his own record. The original should be sealed in an inner and an outer envelope, duly marking the envelopes as "ORIGINAL". The inner and outer envelopes shall (a) be addressed to engineer-in-charge (b) and bear the following identification: Tender for (Name of Contract), (Reference Number of Tender), and the words "DO NOT OPEN BEFORE (Time and Date, set for opening)". The inner envelopes shall indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared to have been received late or is otherwise unacceptable. If the outer envelope is not sealed and marked and instructed above, the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the tender submitted. A tender opened prematurely because of improper identification will be rejected.
20. The tenderer shall indicate in the space provided in the tender his full and proper address at which notice may be legally served on him and to which all correspondence in connection with his tender and the contract is to be sent.
21. The presentation of a tender implies full acceptance on the part of the tenderer of these instructions and all other conditions set forth in the contract document.
22. Any tender received by the Executive Engineer (Engineer-in-charge) after the deadline for submission of tenders prescribed in the Notice Inviting Tenders will be returned unopened to the tenderer.
23. The Engineer-in-charge or his duly authorized officer (not below the rank of Assistant Engineer) will open tenders in the presence of intending tenderers or their authorized agents, who may be present at the time. The officer opening the tender will announce the names of the tenderer, tender rates and the presence of requisite tender security.

Contractor

Executive Engineer

ECD-M; UAF

24. Promptly after the opening of Tenders, the Engineer-in-charge will undertake a detailed evaluation of tenders. The Engineer-in-charge will determine whether each tender is substantially responsive to the requirements of the tender documents and conforms to all the terms, conditions and specifications of the tender documents without material deviation or reservation. If a tender is not substantially responsive to the requirements of the tender documents, it will be rejected by the engineer-in-charge and may not subsequently be made responsive by the tenderer having corrected or withdrawn the non-confirming deviation or reservation.
25. Except for information to be read out by the Engineer-in-charge at the time of opening tenders in accordance with Para 23 above, no information relating to the examination, clarification, evaluation and comparison of tenders and recommendations concerning the award of contract shall not be disclosed to tenderers or other persons not officially concerned with such process. Any effort by the tenderer to influence the process of examination, clarification, evaluation and comparison of tenders, and in decisions concerning award of contact, may-result in the rejection of his tender.
26. To assist in the examination, evaluation and comparison of tenders, the Engineer-in-charge may ask tenderers individually for clarification of their tenders, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, but no change in the price or substance of the tender shall be sought, offered or permitted except as required to confirm the correction of arithmetical errors discovered by the Engineer-in-charge during the evaluation of the tender.
- 26(A) In case the total tendered amount is less than 5% of the approved estimated (DNIT) amount, the lowest bidder will have to deposit additional performance security from the Scheduled Bank ranging from 5% to 10% as under, within 15 days of issuance of notice or within expiry period of bid, whichever is earlier.

| TOTAL TENDERED AMOUNT BELOW CORRESPONDING ESTIMATED COST. | ADDITIONAL PERFORMANCE SECURITY. |
|---|----------------------------------|
| 5% | 5% |
| 6% | 6% |
| 7% | 7% |
| 8% | 8% |
| 9% | 9% |
| 10% | 10% |

27. The Engineer-in-charge shall have the right of the rejecting all or any of the tenders without assigning any reason thereof. The Engineer-in-charge will not be bound to award the contract to the lowest or to any other tenderer.
28. The unit rates and prices entered in the bid schedule will be the rates at which the contractor will be paid (subject to the adjustment specified in clause 55 of the annexed conditions) and shall be deemed to include all costs of performing the work, including income tax, super tax and/or other charges, duties and taxes of the Government, autonomous, semi-autonomous and local bodies, profits and costs of accepting the general risk, liabilities and obligations set forth in or implied from the contract.
29. Prior to the expiration of the period of tender validity (60 days) prescribed in the Tender Form or any extension thereof that may have been granted by the tenderer, the Engineer-in-charge will notify the successful tenderer by cable and confirm in writing by registered letter that his tender has been accepted. This letter of acceptance shall name the sum which will be paid in consideration of the execution, completion and maintenance of the works as prescribed in the contract, (hereinafter called the contract price). The notification of award will constitute the formation of the contract.
30. At the time, the Engineer-in-charge notifies acceptance of the tender to the tenderer he will send the tenderer the Form of Agreement provided in the tender documents, incorporating all agreements between the parties. Within fifteen (15) days of receipt of the of Agreement, the successful tenderer shall furnish the performance security (10% of the Contract Price) and sign the contract in the presence of the Engineer-in-charge.

Contractor

Executive Engineer
ECD-M; UAF

- 31. After the successful tenderer has signed the -contract famished adequate performance security the Engineer-in-charge will notify to the un-successful tenderers that they were unsuccessful.
- 32. The completion period will be reckoned from the date of delivering the award or the handing over of the site to the contractor, whichever is later.
- 33. A copy of the contract agreement may be obtained by the contractor at his own cost.

TENDER FOR WORK

To
The Executive Engineer,
Engineering Construction Department, (Maintenance)
University of Agriculture,
Faisalabad

Dear Sir,
I/We.....

(Name of the contractor)

The undersigned tenderer, having examined the conditions of contract, specification, drawing bid schedule and addenda Nos..... thereto, for the work of
.....
.....
.....

(Name of the work)

and the works associated therewith, and having examined the site of the above named works, or having caused the site to be visited OR our behalf by my/our competent and reliable agent, and having satisfied myself/ourselves as to all conditions under which the above named work must be performed, hereby offer to execute, complete and maintain the whole of the above mentioned work including its ancillary works associated therewith, in accordance with the said contract documents, including the addenda indicated above, at tender price of Rs. (Rupees).....

Or such other sums as may be ascertained in accordance with the said conditions of contract and the rates, and the prices set forth in the bid schedule.

- 2. As security for the due performance of the undertaking and obligations of this tender, I/We submit herewith a deposit at call receipt No..... dated..... In the amount of Rs. (Rupees) From theBranch ofBank drawn in your favor or may payable to you as earnest money, the full value of which will be absolutely forfeited to Government,, without prejudice to any other rights or remedies of the said *Government*, should I/We withdraw or modify' the tender within its validity period of sixty (60) days, following the date of receipt of tender.
- 3 .I/We understand that if my/our tender is accepted, the foil value of the earnest money as attached with the tender shall be detained by *University* towards the amount of security deposit specified in clause 48 of the said conditions of contract and item (d) of the Memorandum of work.
- 4. Should this tender be accepted by you, I/We hereby undertake:-
 - (a) To sign ail the necessary documents for entering into a contract agreement in the form set out In the contract document within fifteen (15) days following your notification of such acceptance.
 - (b) To commence the work within the stipulated time named in item (f) of memorandum

Contractor **Executive Engineer**
ECD-M; UAF

hereto annexed following the date of issuance of your order to proceed with or the handing over of the site, whichever is later and in the event of my/our failure to do so, the entire amount of earnest money deposited by me/us for which deposit at a call receipt is enclosed herewith, is to be absolutely forfeited to the University.. On the commencement of work, I/We hereby also agree to abide by and fulfill all the terms or provisions of the said conditions of the contract annexed hereto so far as applicable and in default thereof, to forfeit and pay to the University the sums of money mentioned in the said conditions.

- (c) To complete and deliver the whole work comprised in the contract within the time stipulated in item No. (g) of the Memorandum hereto annexed, subject to such extension in the time limit as may be granted under the conditions of contract.
 - (d) the furnishing of performance security under item (h) of the memorandum annexed hereto, in the sum equal to 10 (ten) percent of the cost of the work in same form sum equal to 10 (ten) percent of the cost of the work in the same form and on the same condition as are prescribed by and to the satisfaction of the Engineer-in-charge.
- 5. I/We also agree that when materials and/or equipment for the work are provided by the t, the rates to be paid for them shall be as provided in Appendices annexed hereto.
 - 6. I/We agree to abide by this tender for the period of sixty (60) days following the date set for receiving of tenders and it shall remain binding upon me/us and may be accepted by you at any time before the expiration of that period.
 - 7. Unless and until a formal agreement is prepared and executed, this tender, together with your written acceptance thereof, shall constitute a binding contract between us, and shall be deemed for all purposes to be the contract agreement.
 - 8. I/We understand that you are not bound to accept the lowest or any tender you may receive, and that you will not defray any expenses incurred by me/us in tendering.

Thanking you,

Yours faithfully,
(Signature of Tenderer)

NAME.....
*
Address

Dated thisDay of 2023

I hereby accept the above tender on behalf of the Tender Committee UAF / Government.

(Signature of Executive Engineer)

*

In case the above address is changed, the contractor will immediately notify in writing to the *Executive Engineer*, his new address.

MEMORANDUM OF WORK

| | | |
|------|---|---|
| a) | General Description: | <div><div>i. Up-gradation and renovation work of Block-II (Old building) at Pharmacy Department, UAF.</div><div>ii. Up-gradation and renovation work of Block-I (New building) at Pharmacy Department, UAF.</div><div>iii. Providing and installation of one cusic discharge 3 phase 30 HP electric turbine at Sugarcane quarter, UAF.</div><div>iv. Supply and erection of 11 KV AL/XLPE, 3/core armored cable for shifting of overhead HT line (OHL) into underground cable (UGC) at newly constructed convocation stage at D-ground, main campus, UAF.</div><div>v. Provision of 200 KVA Transformer (step up/step down, 415V/11000V) for connection/transmission of 100KW Biogas production with electric bulk supply system and provision of New Electric connection at the Main Gate PBI, PARS UAF.</div></div> |
| | Estimated Cost: | <div>PKR: 4,954,741/-</div> <div>PKR: 1,103,173/-</div> <div>PKR: 4,800,280/-</div> <div>PKR: 1,229,129/-</div> <div>PKR: 2,035,631/-</div> |
| i. | Amount of earnest money to accompany the tender (to be furnished by the tenderer in the shape of "deposit at call" from a scheduled Bank of Pakistan) | <div>PKR: 99,095/-</div> <div>PKR: 22,063/-</div> <div>PKR: 96,006/-</div> <div>PKR: 24,583/-</div> <div>PKR: 40,713/-</div> |
| ii. | Percentage of security deposit to be retained from the bills. | <div>Ten (10) percent</div> <div>Five (5) percent</div> |
| | <div>i) On the amount of work done up to Rs.5.0 million</div> <div>ii) On the amount of work done beyond Rs.5.0 million.</div> | |
| iii. | Minimum amount of interim running bills | <div>Rupees five million (Rs.----- only</div> |
| iv. | Mobilization period | <div>Fifteen (05) calendar days</div> |
| v. | Time allowed for completing the work after the expiry of mobilization period | <div>-----NA-----calendar months</div> |
| vi. | Amount of performance security in the form of Bank Guarantee (see contract conditions clause 7 and General direction 26 (a) | <div>Five (05) percent of the accepted tender price in the case of tenders with cost of exceeding Rs.50.00 million and as per general condition 26(a) for all tenders.</div> |
| vii. | Period of maintenance (after the date of issuance of certificate of completion) | <div>Twelve (06) calendar months.</div> |

Contractor

ECD-M; UAF

Executive Engineer

BID SCHEDULE

1. Schedule of item (MRS & Input Rates)

Name of work: _____

(To be filled in by the tenderer)

| Sr. No. | <u>Items in schedule of rates</u> | | Description | Estimated quantity | Unit of Rates | <u>Schedule of rates</u> | | Amount (Rs.... |
|---------|-----------------------------------|------------|-------------|--------------------|---------------|--------------------------|-----------|----------------|
| | Page No. | Serial No. | | | | Labour | Composite | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | |

Mandatory to Write in Words: (Urdu/English)

Contractor

Executive Engineer
ECD-M; UAF

BID SCHEDULE

1. Schedule of item (N.S. Items)

Name of work _____

(To be filled in by the tenderer)

| Sr. No | Pay item No. of reference to special specification supplied | Description of item | Estimated quantity | Unit of Rates | Unit rate To be filled in the contractors where not already filled by the Executive Engineer | | Amount (To be filled in by the contractor when not already filled in by the project director for items against which the unit rate have already been filled in by him) |
|--------|---|---------------------|--------------------|---------------|---|----------|--|
| | | | | | In figure | In Words | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | | | | | | |

Mandatory to Write in Words: (Urdu/English)

Total cost of item rates Rs. _____

Contractor

Executive Engineer
ECD-M; UAF

BID SCHEDULE

Name of Work _____

(To be filled in by the tenderer)

Total tendered amount of the work:
(To be filled in by the tenderer)

1. Total Cost.

Rs. _____

2. Total Cost of Item Rates

Rs. _____

Grand Total Rs. _____

Rupees _____

Mandatory to Write in Words: (Urdu/English)

Contractor

Executive Engineer
ECD-M; UAF

| DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2023 Sr. No. 01 | | | | | |
|--|--|---|-------|----------------------------|--------------|
| Name of Work: | | Up-gradation and renovation work of Block-II (Old building) at Pharmacy Department, UAF | | | |
| Sr. No | Item Details/ Description of works | Qty | Unit | To be filled by the Bidder | |
| | | | | Rate Quoted | Amount (PKR) |
| 1 | Dismantling cement concrete 1:2:4 plain | 32.36 | %cft | | |
| 2 | Dismantling cement concrete 1:4:8 plain | 28.30 | %cft | | |
| 3 | Dismantling glazed or encaustic tiles, etc | 273.83 | %sft | | |
| 4 | Removing cement or lime plaster | 702.00 | %sft | | |
| 5 | Removing door with chowkhat | 7.00 | each | | |
| 6 | Dismantling brick work in lime or cement mortar. | 572.61 | %cft | | |
| 7 | Dismantling 2nd class tile roofing | 300.00 | %sft | | |
| 8 | Dismantling cement concrete reinforced separating reinforcement from concrete, cleaning and straightening the same. | 274.93 | %cft | | |
| 9 | Excavation in foundation of building, bridges and other structures, including dabbling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) ordinary soil | 18.75 | %0cft | | |
| 10 | Providing, laying, watering and ramming brick or stone ballast 1½"to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects. | 4.13 | %cft | | |
| 11 | Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:-(b) Ratio 1: 4: 8 | 32.09 | %cft | | |
| 12 | Pacca brick work in foundation and plinth in 1:6 cement sand mortor | 12.66 | %cft | | |

| | | | | | |
|--------------------|--|---------------|-------|--|--|
| Tender No. 17/2023 | | Page 14 of 28 | | | |
| 13 | Providing and laying damp proof course of cement concrete 1:2: 4(using cement, sand and shingle), including bitumen coating 1½" thick (40 mm) | 10.13 | %sft | | |
| 14 | Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:6 | 164.63 | %cft | | |
| 15 | Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:4 | 132.19 | %cft | | |
| 16 | Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4 | 26.36 | %cft | | |
| 17 | Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40 | 262.77 | %kg | | |
| 18 | Reinforced cement concrete in roof slab, beams columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast 3) This item shall not be applicable in situ, complete in all respect c) 3c type 1:2:4 | 125.87 | p.cft | | |
| 19 | Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position | 473.97 | %kg | | |
| 20 | Providing & Fixing corrugated galvanized iron sheets with G.I. bolts,nuts, limpet and bitumen washers, wind ties, complete in all respects without valleys and ridges Add extra 13%,on composite rates for 2nd,floor Height work a) 20 BWG | 267.75 | %sft | | |
| 21 | Single layer of tiles 9"x4½"x1½" (225x113x40 mm) laid over 4"(100 mm) earth and 1" (25 mm) mud plaster without Bhoosa, grouted with cement sand 1:3 on top of RCC roof slab, provided with 34 lbs. per %Sft. or 1.72 Kg/Sq.m bitumen coating sand blinded.+poly theen sheet Labour only | 300.00 | %sft | | |
| 22 | Grouting 4½"(113 mm) dry brick work with cement mortar ratio 1: 5 | 14465.00 | %sft | | |

Contractor

Executive Engineer
ECD-M; UAF

| | | | | | |
|----|---|----------|-------|--|--|
| 23 | cement plaster 1:4 ratio upto 20 ft height ½" thickness | 362.50 | %sft | | |
| 24 | Applying floating coat of cement 1/32" (0.8 mm) thick. | 1430.00 | %sft | | |
| 25 | cement plaster 1:4 ratio upto 20 ft height ¾" thickness | 1422.00 | %sft | | |
| 26 | G.I. wire gauze 22 SWG, 12x12 meshes per square inch, (5x5 in cm2) fixed to chowkat, with ¾"('20 mm) thick deodar wood strip and screws | 438.75 | sft | | |
| 27 | Glazing with panes (24 oz. to 26 oz.), using putty and deodar wooden fillets | 339.75 | sft | | |
| 28 | Providing and applying wall putty of 2mm thickness over plastered surface (new surface)top repare the surface even and smooth complete in all respect. | 1921.63 | %sft | | |
| 29 | Distempering 2 coats on old surface | 45229.65 | %sft | | |
| 30 | Scaraping old distemper or paint on wall | 18091.86 | %sft | | |
| 31 | painting door and window any typ 2 coats on old surface | 15632.00 | %sft | | |
| 32 | painting saches fanlight wire guazed or glazed door and window 2 coats on old surfce | 8058.75 | %sft | | |
| 33 | Providing and fixing 1st class solid wood wrought joinery in panelled or panelled and glazed doors and windows of specified thickness with 1"thick solid wood panels with step and 1-1/2"x2-1/2" beadings all around the panels i/c the cost of Tower bolt and andles complete in all respect (Excluding the cost of sliding bolt,lock and chowkats(frame), etc.) as approved and directed by the | 26.00 | p.sft | | |

Contractor

Executive Engineer
ECD-M; UAF

| | | | | | |
|----|---|---------|------|--|--|
| | Engineer Incharge(a)Deodar wood Door (iii)1-1/2" thick (40 mm) | | | | |
| 34 | P/F 3/4" dia heavy duty sliding bolt of specified material i/c the cost of hard ware complete in all respect as approved and directed by the Engineer Incharge b)Brass (iii) 18" (450 mm) long | 4.00 | each | | |
| 35 | Providing and fixing autotomatic hydrauli coperated door closer imported heavy duty complete in all respect as approved and directed by the Engineer Incharge | 2.00 | each | | |
| 36 | P/F of Tower bolt 8" long | 10.00 | each | | |
| 37 | French polishing complete b)on old work | 3037.62 | %sft | | |
| 38 | Providing and fixing of wooden cabinet cature | 220.00 | each | | |
| 39 | Prepared and painting saches fanlight wire guazed or glazed door and window 3 coats on old surfce | 52.00 | %sft | | |
| 40 | Preparing surface and painting guard bars, gates of iron bars, gratings, railing (including standards, braces, etc.) and in similar open work 3 coats on new surface | 769.47 | %sft | | |
| 41 | Nicking concrete surface (a) Cement concrete surface | 60.00 | %sft | | |
| 42 | Providing and fixing marble strip of any shade for dividing the mosaic flooring into panels Size 1½" x 3/8" (40 x 10 mm | 6.60 | rft | | |
| 43 | Providing and laying flooring with China Verona Marble having uniform texture (Spotless) of required size and specified thickness, with adhesive bond over 3/4" thick bedding of (1:2) cement sand mortor i/c the cost of matching sealer, cutting, grinding and chemical polishing complete in all respect as approved and directed by the Engineer Incharge i)1/2" thick(12"x12"/12"x24") | 399.79 | sft | | |

| | | | | | |
|----|---|---------|-------|--|--|
| 44 | 1½"(40 mm) thick mosaic flooring, consisting of ½ "(13mm) mosaic topping of one part of cement and marble powder in the ratio of 3:1 and two parts of marble chips,laid over 1"(25 mm) thick floor of 1:2:4 cement concrete,including rubbing and polishing complete with finishing (a) using grey cement | 11.00 | %sft | | |
| 45 | Mosaic dado or skirting with one part of cement and marble powder in the ratio of 3:1 and two parts of marble chips, laid over ½"(13 mm) thick cement plaster 1:3, including rubbing and polishing, complete with finishing: (a) using grey cement:i) 3/8"(10 mm) thick | 2.64 | %sft | | |
| 46 | Rubbing and polishing grit floor, including repairing voids,uneven surface, complete in all respects | 3045.69 | sft | | |
| 47 | Providing and laying superb quality Porcelain glazed tiles flooring of MASTER brand of specified size in approved design,Color and Shade with adhesive/ bond over ¾" thick (1:3) cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respect as approved and directed by the Engineer Incharge.a)Full body Glazed tiles (i) 400mmx 400 mm | 194.58 | p.sft | | |
| 48 | Providing and laying superb quality Ceramic tile floors of Master brand of specified size ,Glossy /Matt /Texture of approved Color and Shade as per approved design with adhesive bond ,over ¾" thick (1;2) cement sand plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects and as approved and directed by the Engineer Incharge i)12"x18"/12"x24"/10"x24" /8"x24"/12"x36" | 133.07 | sft | | |
| 49 | Providing and laying superb quality Ceramic tiles dado of Master brand of specified size, Glossy/ Matt/ Texture skirting/ dado of approved Color and Shade with adhesive bond over 1/2" thick (1:2) cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects as approved and directed by the Engineer In charge i)12"x18"/12"x24"/10"x24" /8"x24"/12"x36" | 320.88 | sft | | |
| 50 | Providing and laying ¾" thick full width Prepolished Marble slab for Vanities/ Shelves/ Treads/ Window Cills, having Uniform texture (Spotless) with adhesive bond over ¾" thick (1:2) cement sand mortar i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge i)China Verona | 317.08 | p.sft | | |
| 51 | Providing and fixing false ceiling comprises of Gypsum board laminated sheet of size 2'x2' /2'x3' /3'x3' of specified design and thickness i/c cost of fixtures i.e galvanized angle 1"x1"at wall sides, galvanized tee 1¼"x1" and 1½"x1" both at 4' c/c (made of Taiwan CK Mor equivalent), hanging with G.I/ Copper wire 16 SWG, G.I hook, Rawal Plug etc complete in all respects as approved and directed by the Engineer Incharge i)6 mm thick(Labour rate only) | 3247.54 | sft | | |

| | | | | | |
|----|---|---------|--------|--|--|
| 52 | Providing and fixing false ceiling comprises of Gypsum board laminated sheet of size 2'x2' /2'x3' /3'x3' of specified design and thickness i/c cost of fixtures i.e galvanized angle 1"x1"at wall sides, galvanized tee 1¼"x1" and 1½"x1" both at 4' c/c (made of Taiwan CK Mor equivalent), hanging with G.I/ Copper wire 16 SWG, G.I hook, Rawal Plug etc complete in all respects as approved and directed by the Engineer Incharge i)6 mm thick | 3714.00 | sft | | |
| 53 | Supplying, fabrication and installation of duct using prime quality hot dipped G.I sheet metal (Z-275) of specified thickness including the cost of hangers, tees, bends, reducers, elbows, turning vanes and splitter etc coupled with jointing sealant, mounting supports @ 8ft c/c and smoke testing charges complete in all respects as approved and directed by the Engineer Incharge.(vi)18-SWG | 180.00 | p.sft | | |
| 54 | Providing and fixing Vin board cabinet 3/4" thick with drawers 3"deep in 'Kitchen including termite proofing and polishing with synthetic enamel as specified, with handles hinges,screws etc.,complete in all respects. iii) 2' deep,without back | 579.58 | p.sft | | |
| 55 | Providing, fixing, testing and commissioning of µ-PVC (Unplasticized polyvinyl Chloride) Nikasi/waste pipe make of dadex/ Popular/ Beta/ BBJ plain/ socket ended conforming to code EN-1401 of specified SDR (Standard Dimension Ratio) including the cost of specials and Solvents complete in all respect as approved and directed by the Engineer Incharge.Type (SDR 32.5/SN-8)v)4"(110 mm) | 22.50 | rft | | |
| 56 | Providing and installing P.V.C. bends, of B.S.S.i) Class `B' working pressure b) 4" i/d (100 mm) | 3.00 | each | | |
| 57 | Providing and installing P.V.C. tees, of B.S.S (i) Class `B' working pressure:-b) 4" i/d (100 mm) | 3.00 | each | | |
| 58 | Providing, laying, cutting, jointing, testing and disinfecting G.I. pipeline in trenches, with socket joints, using G.I.pipes of B.S.S. 1387-1967 complete in all respects, with specials and valves.ii) Medium Quality a)½" i/d (15 mm) 2.65mm thick | 120.00 | rft | | |
| 59 | Providing, laying, cutting, jointing, testing and disinfecting G.I. pipeline in trenches, with socket joints, using G.I.pipes of B.S.S. 1387-1967 complete in all respects, with specials and valves.ii) Medium Quality b) ¾" i/d (20 mm) 2.65mm thick | 52.00 | rft | | |
| 60 | Providing, laying, testin gand commissioning of POLYROPYLENE RANDOM COPOLYMER (PPRC) water supply pipe made of (Dadex/Popular/Beta/BBJ) with specified pressure rating PN (PRESSURE NOMINAL) and conforming to DIN 8077-8078 code i/c cost of solvent,specials,making jharries complete in all respect as approved and directed by Engineer Incharge.(Internal/External Diameters mentioned b)PN- | 90.00 | p. rft | | |

Contractor

Executive Engineer
ECD-M; UAF

| | | | | | |
|----|---|-------|------|--|--|
| | 20 pipe (iii)(1") 32 mm | | | | |
| 61 | Providing and fixing CP heavy duty brass Ball valve with CP handle of specified diameter made of Faisal/ Sonex/ Master best quality or equivalent complete in all respect as approved and directed by the Engineer Incharge.i) 1/2" dia | 16.00 | each | | |
| 62 | Providing and fixing CP heavy duty brass Ball valve with CP handle of specified diameter made of Faisal/ Sonex/ Master best quality or equivalent complete in all respect as approved and directed by the Engineer Inchargeii) 3/4" dia | 3.00 | each | | |
| 63 | P/Fixing PPRC L-bow 32mmx¾" dadex made as approved site Engineer | 3.00 | each | | |
| 64 | P/Fixing PPRC L-BOW 32/ 25mmx1/2" dadex made as approved site Engineer | 11.00 | each | | |
| 65 | P/Fixing of C.P Nipple 1"x½" | 11.00 | each | | |
| 66 | Providing and fixing, flushing bend of PVC.ii)4 cm (1½") | 3.00 | each | | |
| 67 | Providing, fixing, testing and commissioning of µ-PVC (Unplasticized poly vinyl Chloride) Nikasi/ waste pipe Fittings make of dadex/Popular/Beta/BBJ conforming to code EN-140 Including the cost of Solvents complete in all respect as approved and directed by the EngineerIn charge(a) P-Trap(i) 4" dia | 6.00 | each | | |
| 68 | Providing and fitting white glazed earthen ware water closet squatter type, with separate foot rest | 3.00 | each | | |
| 69 | P/Fixing Floor Trape Jali 6"x6" double cover as approved site Engineer) | 3.00 | each | | |
| 70 | Providing and fitting glazed earthen ware wash hand basin 56x40 cm (22"x16") including bracket set, waste pipe and waste coupling, etc.i) white, with pedestal | 3.00 | each | | |
| 71 | Providing and fixing chromium plated tee stop cock 15mm (½"). | 6.00 | each | | |

Contractor

Executive Engineer
ECD-M; UAF

| | | | | | |
|---|--|---------|---------------|--|--|
| Tender No. 17/2023 | | | Page 20 of 28 | | |
| 72 | P/F of Sawan Neck Cock ½" dia Powder coated as approved by the Engineer | 15.00 | each | | |
| 73 | Providing and fixing of Bib cock ½" dia | 4.00 | each | | |
| 74 | Providing and fitting plastic made low down flushing cistern 13.63 litre (3 gallons) capacity, including bracket set, copper connection, etc. complete i) white color | 3.00 | each | | |
| 75 | Providing and fixing BATHROOM ACCESSORIES (7-piece set) MASTER BRAND - One Cosmetic Shelf, One Towel rod with bracket, One soap dish, One double hook, One towel ring, brush holder, toilet paper holder & looking glass i/c the cost of hardwares etc complete in all respect as approved and directed by the Engineer incharge | 3.00 | each | | |
| 76 | Removing Malba up to 10 KM | 1108.18 | %cft | | |
| Total : | | | | | |
| PST@_____% | | | | | |
| G. TOTAL: | | | | | |
| Mandatory to Write in Words: (Urdu/English) | | | | | |

Contractor

Executive Engineer
ECD-M; UAF

| DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2023 Sr. No. 02 | | | | | |
|--|--|--|------|----------------------------|--------------|
| Name of Work: | | Up-gradation and renovation work of Block-I (New building) at Pharmacy Department, UAF | | | |
| Sr. No | Item Details/ Description of works | Qty | Unit | To be filled by the Bidder | |
| | | | | Rate Quoted | Amount (PKR) |
| 1 | Dismantling cement concrete 1:2:4 plain | 1.68 | %cft | | |
| 2 | Dismantling cement concrete 1:4:8 plain | 2.45 | %cft | | |
| 3 | Dismantling glazed or encaustic tiles, etc | 61.38 | %sft | | |
| 4 | Removing cement or lime plaster | 728.00 | %sft | | |
| 5 | Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:-(b) Ratio 1: 4: 8 | 10.97 | %cft | | |
| 6 | Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:4 | 5.27 | %cft | | |
| 7 | Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4 | 4.88 | %cft | | |
| 8 | cement plaster 1:4 ratio upto 20 ft height ½" thickness | 10.00 | %sft | | |
| 9 | Applying floating coat of cement 1/32" (0.8 mm) thick. | 10.00 | %sft | | |
| 10 | Providing and fixing, expended metal ½" to ¾" (13 mm to 20 mm) mesh 16 gauge fixed to chowkat with 1" (25 mm) thick deodar wood strip and screws, etc.(item no.1=4x0.08x0.08=0.0256x10,718.15=274.38 Rs.=581.20-274.38= 306.81 | 2.64 | sft | | |
| 11 | Providing and applying wall putty of 2mm thickness over plastered surface (new surface)top repare the surface even and smooth complete in all respect. | 4813.00 | %sft | | |
| 12 | Distempering 2 coats on old surface | 31717.81 | %sft | | |

Contractor

Executive Engineer
ECD-M; UAF

| | | | | | |
|------------|--|----------|-------|--|--|
| 13 | Scarping old distemper or paint on wall | 12687.13 | %sft | | |
| 14 | Providing and applying weather shield paint of approved quality on external surface of building including preparation of surface, application of primer complete in all respect:old surface | 10557.00 | %sft | | |
| 15 | Providing and fixing of wooden cabinet cature | 331.00 | each | | |
| 16 | Preparing surface and painting guard bars, gates of iron bars, gratings, railing (including standards, braces, etc.) and in similar open work 3 coats on new surface | 170.00 | %sft | | |
| 17 | Providing and laying superb quality Porcelain glazed tiles flooring of MASTER brand of specified size in approved design,Color and Shade with adhesive/ bond over 3/4" thick (1:3) cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respect as approved and directed by the Engineer Incharge.a)Full body Glazed tiles (ii) 600mmx 600 mm | 375.21 | p.sft | | |
| 18 | Providing, fixing, testing and commissioning of μ-PVC (Unplasticized polyvinyl Chloride) Nikasi/waste pipe make of dadex/ Popular/ Beta/ BBJ plain/ socket ended conforming to code EN-1401 of specified SDR (Standard Dimension Ratio) including the cost of specials and Solvents complete in all respect as approved and directed by the Engineer Incharge.Type (SDR 32.5/SN-8)v)4"(110 mm) | 50.00 | rft | | |
| 19 | Providing and installing P.V.C. bends, of B.S.S.i) Class `B' working pressure b) 4" i/d (100 mm) | 3.00 | each | | |
| 20 | Providing and installing P.V.C. tees, of B.S.S (i) Class `B' working pressure:-b) 4" i/d (100 mm) | 3.00 | each | | |
| 21 | Constructing gully grating chamber, 12"x12", (300x300mm) complete in all respects:B)concrete Gully trap 5,338.35-328.75= 5009.6 | 3.00 | each | | |
| 22 | Removing Malba up to 10 KM | 38.16 | %cft | | |
| Total: | | | | | |
| PST@_____% | | | | | |
| G. TOTAL: | | | | | |

Mandatory to Write in Words: (Urdu/English)

| DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2023 Sr. No. 03 | | | | | |
|--|--|---|-------|----------------------------|--------------|
| Name of Work: | | Providing and installation of one cusic discharge 3 phase 30 HP electric turbine at Sugarcane quarter, UAF. | | | |
| Sr. No | Item Details/ Description of works | Qty | Unit | To be filled by the Bidder | |
| | | | | Rate Quoted | Amount (PKR) |
| 1 | Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) ordinary soil | 750.00 | %0cft | | |
| 2 | Providing, laying, watering and ramming brick ballast 1½ to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects | 8.25 | %cft | | |
| 3 | Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:-(b) Ratio 1: 4: 8 | 8.25 | %cft | | |
| 4 | Pacca brick work other than building upto 10ft. (3 m) Ratio 1:4 | 75.00 | %cft | | |
| 5 | Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4 | 6.25 | %cft | | |
| 6 | Supply and Erection of Car Parking Shed consisting of 3 mm thick fiber glass sheet roof (3-layers) fixed / riveted on moulded curved frame of M.S box pipe 1-1/2"x1-1/2"16-SWG supported on trusses of MS angle iron 1-1/2"x1-1/2"x3/16" all around duly supported on M.S sheet 6"x6"x1/4" welded on GI pipe post (Medium Quality) of specified diameter embeded in P:C:C (1:2:4) i/c the cost of excavation,cutting straightening assembling, bending as per design, welding / grinding of joints and painting three coats complete in all respect as approved and directed by the Engineer Incharge.(i) 4" dia GI Pipe Supports | 169.00 | sft | | |
| 7 | cement plaster 1:4 ratio upto 20 ft height ½" thickness | 60.00 | %sft | | |
| 8 | Direct Rotary/Reverse Rotary drilling of bore for tubewells in all types of soil except shingle, gravel and rock:-a)from ground level to 250 ft. (75 m) below ground level:-i) 15" to 18" (375 to 450 mm) i/d | 225.00 | rft | | |
| 9 | Providing and installing P.V.C. Bail/End plug, in tubewell bore hole:-g) 12" i/d (300 mm) | 1.00 | each | | |
| 10 | Providing and installing, P.V.C. strainer B.S.S. Class 'B'in tubewell bore hole, including sockets and solvents etc complete 12" dia | 105.00 | rft | | |

Contractor

Executive Engineer
ECD-M; UAF

| | | | | | |
|---|--|--------|-----------------------|--|--|
| 11 | Providing and installing P.V.C. blind pipe, B.S.S. Class`B', in tubewell bore hole, including sockets and solvents and jointing with strainer, etc. complete.12" dia | 120.00 | rft | | |
| 12 | Shrouding with graded pea gravel 3/8" to 1/8" (10 to 3mm), around tubewell in bore hole | 220.78 | cft | | |
| 13 | Providing and installing M.S. blind pipe socketed/welded joint, M.S. reducer (where necessary), in tubewell bore hole, including jointing/welding with strainer,etc.complete Dia 6" i/d, 3/16" (150 mm i/d 5 mm) thick | 60.00 | rft | | |
| 14 | Providing, laying, cutting, jointing, testing and disinfecting High Density Polyethylene Pipe (HDPE-100) working presure pipe, Beta/ Dadex/ Popular/ IIL or equivalent including the cost of specials, in trenches, as approved & directed by the engineer incharge, complete in all respects.c) PN-10 (SDR-17)-10 160 mm | 30.00 | rft | | |
| 15 | Supply and erection of copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches, etc.(rate for cable only) b)PVC insulated, PVC sheathed 3 core 600/1000 volt cable vi)7/1.63 mm (7/0.064") | 60.00 | rft | | |
| 16 | Supply and erection of PVC pipe for wiring on surface including clamps inspection boxes, pull boxes,bends, tees, repairing surface, etc., complete with all specials v)40 mm i/d | 60.00 | rft | | |
| 17 | Making connection for new watersupply lines with the running main, including excavation of trench and refilling, complete, but excluding cost of pipe and specials, etc. Diameter of running main: | 1.00 | per connec tion | | |
| 18 | Providing and Fixing of KSB Vertical line shaft Turbine Pump, capacity of 1-1.25 Cusec discharge 3 phase 30 H.P Prime Mover (SEM/DE), Including Cost of MCU Type ASD-25, Mounting Clamps 6" column, Pump assembly Multi stages,90ft column pipe etc complete in working condition | 1.00 | each | | |
| Total: | | | | | |
| PST@_____% | | | | | |
| G. TOTAL: | | | | | |
| Mandatory to Write in Words: (Urdu/English) | | | | | |

Contractor

Executive Engineer
ECD-M; UAF

| DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2023 Sr. No. 04 | | | | | |
|--|--|--|------|----------------------------|--------------|
| Name of Work: | | Supply and erection of 11 KV AL/XLPE, 3/core armored cable for shifting of overhead HT line (OHL) into underground cable (UGC) at newly constructed convocation stage at D-ground, main campus, UAF. | | | |
| Sr. No | Item Details/ Description of works | Qty | Unit | To be filled by the Bidder | |
| | | | | Rate Quoted | Amount (PKR) |
| 1 | Excavation of trenches in all kinds of soil, except cutting rock, for watersupply pipelines upto 5 ft. (1.5 m) depth from ground level, including trimming, dressing sides, leveling the beds of trenches to correct grade and cutting pits for joints, etc. complete in all respects. 2'x5'x100'= 3500 Cft | 1000.00 | 'Cft | | |
| 2 | Supply, installation, testing, commissioning and termination of 8.7/15kV, AL/XLPE/SWA/PVC three Core (MV cables) of Pakistan cables/Newage or approved equivalent along with cable glands, in already installed cable trench / cable ladder / cable tray / duct bank. (Armoured) 70 mm sq | 90.00 | mtr | | |
| 3 | Supply, installation, testing, commissioning and termination of 8.7/15kV, AL/XLPE/SWA/PVC three Core (MV cables) of Pakistan cables/Newage or approved equivalent along with cable glands, in already installed cable trench / cable ladder / cable tray / duct bank. (Armoured) 120 mm sq | 11.00 | mtr | | |
| 4 | Supply and erection of PG connectors (T-155) | 6.00 | No | | |
| 5 | Providing and laying good quality/local sand cushion from approved source (compacted in layers not exceeding 6" thickness) by mechanized means including the cost of front end loader, viberatory roller and all lead and lifts, dressing, watering complete in all respect as approved and directed by the Engineer Incharge. 1'x1'x50" | 50.00 | Cft | | |
| 6 | Dry brick paving laid flate, sand grouted... 350'x0.75'x0.25' | 65.63 | %cft | | |
| 7 | Rehandling of earthwork: Lead upto a single throw of Kassi, phaorah or shovel 2'x5'x100'= 1000 Cft | 1000.00 | Cft | | |
| 8 | P/F DOUBLE ARMING BOLT 5/8" upto 16" (HEX. STEEL 5/8"X9"-2 1/4" THREAD + Round Warsher 1.75"DIA, BOLT SIZE 0.625" 2 Nos.) | 6.00 | No | | |
| 9 | P/F 11-KV X-Arm (ANGLE IRON) | 6.00 | No | | |
| 10 | P/F of MS braces (11 KV X-ARM STEP BRACE(SB-11) + Warsher 4No + Bolts @ No) | 12.00 | No | | |
| 11 | P/F of 11KV dick insulator | 12.00 | No | | |
| 12 | P/F of dead end (DOG/Rabbit) | 12.00 | No | | |

Contractor

Executive Engineer
ECD-M; UAF

| | | | | | |
|---|---|---------|---------------|--|--|
| Tender No. 17/2023 | | | Page 26 of 28 | | |
| 13 | P/F of stay for pole (STAY ROD WITH ELBOW AND THIMBLE) | 4.00 | No | | |
| 14 | P/F of eye nut | 12.00 | No | | |
| 15 | P/F 11KV pin for pin insulator (INSULATOR PIN FOR ANGLE IRON X-ARM) | 6.00 | No | | |
| 16 | P/F of pin insulator | 6.00 | No | | |
| 17 | Supply and erection of all aluminum stranded hard drawn bare conductor (Labour Only) For HT= 2(155x3)= 930 Rft For LT= 2(155x5)= 1550 Rft | 2520.00 | Rft | | |
| Total: | | | | | |
| PST@_____% | | | | | |
| G. TOTAL: | | | | | |
| Mandatory to Write in Words: (Urdu/English) | | | | | |

Contractor

Executive Engineer
ECD-M; UAF

| DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2023 Sr. No. 05 | | | | | |
|--|---|---|------|----------------------------|--------------|
| Name of Work: | | Provision of 200 KVA Transformer (step up/step down, 415V/11000V) for connection/transmission of 100KW Biogas production with electric bulk supply system and provision of New Electric connection at the Main Gate PBI, PARS UAF | | | |
| Sr. No | Item Details/ Description of works | Qty | Unit | To be filled by the Bidder | |
| | | | | Rate Quoted | Amount (PKR) |
| 1 | P/F of LT Structure (30'-8'') as per WAPDA Standerd Specificions , complete in all respects. Diffrence= Net Length - Std. Length Diffrencer = 36'- 30'-8'' = 5'-4'' = 64''= 64*25.2 mm= 1612.8/100 = 16.2 dm x @ Rs 36.5/dm = Rs. 589.4 | 1.00 | No | | |
| 2 | P/F DOUBLE STRUCTURE PLATFORM (Transformer H-Adda) complete in all respects | 1.00 | No | | |
| 3 | P/F 11-KV X-Arm (ANGLE IRON) For HT Structure =20 For 11KV D-Sets = 2 x 4= 8 | 6.00 | No | | |
| 4 | P/F of MS braces (11 KV X-ARM STEP BRACE(SB-11) + Warsher 4No + Bolts @ No) | 8.00 | No | | |
| 5 | 11 KV DROP OUT CUT OUT (SINGLE INSULATOR + FUSE HOLDER 11 KV DROP OUT CUT OUTSINGLE INSUL + FUSE- 20K) MP/Disposal: 1x3 Hostels: 2x3 Press: 1x3 | 3.00 | Set | | |
| 6 | S/F of J-Bolts for Transformers | 4.00 | No | | |
| 7 | S/F of Double Adda U-Bolts | 4.00 | No | | |
| 8 | Earthing rod with GI wire and clump etc complete in all respect (9.5 kg) | 4.00 | No | | |
| 9 | S/F of 11 KV Pins for Insulaters | 6.00 | No | | |
| 10 | S/F of 11 KV Pin Insulaters | 6.00 | No | | |
| 11 | S/F of PG-C37150 connection | 48.00 | No | | |
| 12 | S/E of LC-116 Connector | 10.00 | No | | |
| 13 | S/E of M.S.U clamp for shackle insulator | 100.00 | No | | |
| 14 | Supply and erection of shackle insulator, medium size | 100.00 | No | | |
| 15 | S/E of Aluminum Insulated conductor (WASP) | 1150.00 | Mtr | | |
| 16 | Supply and erection of all aluminum stranded hard drawn bare conductor, 7/3.09mm (Ant 50mm2) | 800.00 | Mtr | | |
| 17 | S/E of PVC insulated aluminum conductor cable (37/0.083'') 120mm 4/core | 300.00 | Rft | | |
| 18 | S/E of PVC insulated aluminum conductor cable (7/0.052'') 2/core | 486.00 | Rft | | |

Contractor

Executive Engineer
ECD-M; UAF

| | | | | | |
|---|--|---------------|-----|--|--|
| Tender No. 17/2023 | | Page 28 of 28 | | | |
| 19 | P/F wall mounted DB (Distribution Board) made with 16SWG Sheet (Recessded/Surface mounted Type), Powder coated Paint, i/c the cost of Lock, Indication lights,Thimble, Copper Comb, Wiring, Netural & Earth Bar, Door Earthing, Digital Voltmeter,Digital Ammeter,Volt Selector Switch,Ammeter selector switch,Current Transformers and Controles Complete in all respect as approved and directed by the Engineer Incharge (Breakers will be Paid Separately). 75~100A (1.5'x1.5'x1) | 2.25 | cft | | |
| 20 | Supplying ,Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the Engineer Incharge. Tripple Pole 300-630 Amp(50 KA) | 1.00 | No | | |
| 21 | Supply and erection of bus bars, for 500 volts 3 phase A.C. supply with four copper bars, including glazed porcelain bridges, on angle iron board, fixed with rag bolts and M.S. and sheet box 1.5 mm thick, etc. complete 500 Amp with 4 copper Strips | 1.00 | No | | |
| 22 | S/E of LED Flood light 200 watt (Agree made China) | 16.00 | No | | |
| 23 | Providing and fixing DB/Panel accessories of required rating and size i/c copper screws of approved brand Complete in all respect as approved and directed by the Engineer Incharge. (i) Digital Voltmeter | 3.00 | No | | |
| 24 | (ii) LED Phase Indicator | 6.00 | No | | |
| Total: | | | | | |
| PST@_____% | | | | | |
| G. TOTAL: | | | | | |
| Mandatory to Write in Words: (Urdu/English) | | | | | |

Contractor

Executive Engineer
ECD-M; UAF