



Tel.Off:041-9200507 PBAX: 041- 9200161~70 Ext. 2502, Fax No. 041-9200764 (VC Office)

UNIVERSITY OF AGRICULTURE, FAISALABAD

Engineering Construction Department (M)

(Office of the Executive Engineer)

TENDER NOTICE NO. 17/2022


Sealed tenders are invited from the firms/contractors Pre-qualified with the University of Agriculture, Faisalabad (UAF) for the following works of University of Agriculture, Faisalabad (UAF) and registered with Pakistan Engineering Council (PEC) in the relevant category of the works on the **Item Rate** (DNIT-Basis) or the **Percentage Rate** (MRS-2nd Bi Annual 2022 / **TS-Estimate**) circulated by the Finance Department, Government of the Punjab as per PPRA rules.

Tender Notice 17/2022		Last date for the submission of Tender Documents: 29-11-2022			02:30 p.m.
		Date of Opening: 29-11-2022			03:00 p.m.
Sr. #	Name of Work	Amount (Rs.)	Bid security @ 2% of Estimate d Price	Tende r Fee (Rs.)	Time Limit
01	Replacement of corridor floor and painting work of Chemistry Department, UAF.	2,596,450/-	51,929/-	500/-	One Month
02	Provision of Electric water cooler with fiber glass shed and R.O plant at Equestrian Stadium in Main Campus, UAF	1,613,150/-	32,263/-	500/-	One Month
03	A. External Electrical works of Biogas plant at Proka Dairy Farm UAF (Rs. 1,370,460/-) B. Replacement and up-gradation of external electrical LT-Line and electrical works of 11 Nos. of residential units of Proka Farms Proka, (Rs. 2,159,049/-)	3,529,509/-	70,590/-	500/-	One Month
04	Provision of road lining with chlorinated rubber paint at Main Campus, UAF	1,500,000/-	30,000/-	500/-	One Month
05	A. Uninterrupted power supply for Iqbal Hall Situated in “Two Hostel Complex “from uninterrupted power source of “Three Hostel Complex “in the event of Electrical failure/load shedding hours including back wall security & surveillance lights plan at PARS, UAF (Rs. 28,95,779/-) B. Up-gradation of power supply of Arnica Hall through LT Structure/Spun Poles with Boundary Security Lights Arrangement at “3-Hostel Complex” PARS, UAF Rs. 1,798,312/-	4,694,091/-	93,882/-	500/-	One Month
06	Providing and installation Tractor mounted Turbine one cusec discharge including cost of boring etc. at Sidhupura Farms, UAF	1,783,600/-	35,672/-	500/-	One Month
07	A. Provision of new passage from female complex to digital learning resource center (E-library building) at main Campus, UAF Rs. 2,822,550/- B. Installation of flood lights at the passage from Khadija Hall, E-Library UAF Rs. 189,875/-	3,012,425/-	60,249/-	500/-	One Month
08	Up-gradation of Electrical of Lab High School PARS, UAF	1,476,633/-	29,533/-	500/-	One Month
09	Providing and fixing of missing electrical wiring at (i) PBI Block (ii) Water supply (Colony-PBI) at PBI-PARS, UAF	1,380,516/-	27,610/-	500/-	One Month
10	Repair and maintenance work to Jamia Masjid at Main Campus, UAF	1,858,450/-	37,169/-	500/-	One Month

1. Tender Documents can be obtained on payment of prescribed tender fee (Rs.500) into the account No. 11-9/NBP (NDIA), Agri. University Branch through E-Challan Form issued by the Office of Treasure, UAF from the office of the Executive Engineer ECD-M UAF or free download from the UAF website <http://web.uaf.edu.pk/Main/Tenders> and at PPRA website.
2. Tender rate and amount should be filled in figure as well as in words and tender should be signed and stamped by the vender.
3. The bid must be dropped in the Tender Box available in office of Principal Officer, ECD-M UAF and not to be handed over to any person of the ECD-M, UAF if the bid is sent by in person or through post, the same instructions should be passed on the Representative/Courier/Postal Services etc.
4. The UAF will not be responsible for any cost and expense incurred by the bidder in connection with the preparation or delivery of bids. In case of official holiday on the day of submission, the next day will be treated as closing date.
5. Conditional tender or tender without bid security@ 2% of tender estimated cost in shape of CDR issued by a scheduled bank in favor of Executive Engineer (ECD-M), UAF will not be entertained.

(Engr. Muhammad Ikram)
Executive Engineer, (ECD-M)
University of Agriculture
Faisalabad

Tenderer/ Bidders/Consulting Firms are directed to comply the following checklist along with the sealed envelope of bidding documents while participating the tender as per schedule date and time.

SR. NO	BIDDER DOCUMENTS	MENTIONED PAGE NO. (To Filled By the Tenderer)
Compulsory Required Documents to Participate in Bidding for F.Y 2022-23:-		
1	<u>Written Application</u> * on Firm’s Letter Head Pad for the Work you are going to participate under this bidding document.	
2	License of Pakistan Engineering Council (Not-Required for Pre-Qualified Contractors in D and E Category and involved in repair works of ECD-M) A. Valid License Copy is mandatory from the PEC Registered contractors for the said PEC- Class as per prescribed guidelines <u>“Can be provided on request / published for Pre-Qualification of Contractors for related PEC Category for F.Y. 2022-23.”</u> B. Copy of the Prequalification Certificate/Notification with ECD, UAF for the current Financial Year Dully issued by the Executive Engineer (M) or (P)	
3	Copy of Registration Certificate, (Active NTN Certificate) with Federal Board of Revenue.	
4	Copy of Registration Certificate, (Active PNTN Certificate) with Punjab Revenue Authority Punjab	
		

*
Not required for the Downloaded Tendering Documents

Note: Bidders are directed to provide forth-said information with the tender to the Office of Executive Engineer, UAF to proceed further.

Contractor

Executive Engineer
ECD-M; UAF

Stereo I.B No. 386 (revised)
Stereo I.B No. 389 (revised)
Stereo I.B No. 28 (revised)
Stereo I.B No. 29 (revised)

Agreement No. _____

UNIVERSITY OF AGRICULTURE, FAISALABAD

(Item Rate / Percentage Age Rate Tender & Contract for Works)

1	Name of work:	<p>i. Replacement of corridor floor and painting work of Chemistry Department, UAF.</p> <p>ii. Provision of Electric water cooler with fiberglass shed and R.O plant at Equestrian Stadium in Main Campus, UAF.</p> <p>iii. A. External Electrical works of Biogas plant at Proka Dairy Farm UAF (Rs. 1,370,460/-) B. Replacement and up-gradation of external electrical LT-Line and electrical works of 11 Nos. of residential units of Proka Farms Proka, (Rs. 2,159,049/-)</p> <p>iv. Provision of road lining with chlorinated rubber paint at Main Campus, University of Agriculture Faisalabad.</p> <p>v. A. Uninterrupted power supply for Iqbal Hall Situated in “Two Hostel Complex “from uninterrupted power source of “Three Hostel Complex “in the event of Electrical failure/load shedding hours including back wall security & surveillance lights plan at PARS, UAF (Rs. 28,95,779/-) B. Up-gradation of power supply of Arnica Hall through LT Structure/Spun Poles with Boundary Security Lights Arrangement at “3-Hostel Complex” PARS, UAF. Rs. 1,798,312/-</p> <p>vi. Providing and installation Tractor mounted Turbine one cusec discharge including cost of boring etc. at Sidhupura Farms, UAF</p> <p>vii. A. Provision of new passage from female complex to digital learning resource center (E-library building) at main Campus, UAF Rs. 2,822,550/- B. Installation of flood lights at the passage from Khadija Hall, E-Library UAF Rs. 189,875/-.</p> <p>viii. Up-gradation of Electrical of Lab High School PARS, UAF.</p> <p>ix. Providing and fixing of missing electrical wiring at (i) PBI Block (ii) water supply (colony-PBI) at PBI-PARS, UAF.</p> <p>x. Repair and maintenance work to Jamia Masjid at Main Campus, UAF.</p>	
	Estimated cost :	<p>i. PKR: 2,596,450/-</p> <p>ii. PKR: 1,613,150/-</p> <p>iii. PKR: 3,529,509/-</p> <p>iv. PKR: 1,500,000/-</p> <p>v. PKR: 4,694,091/-</p> <p>vi. PKR: 1,783,600/-</p> <p>vii. PKR: 3,012,425/-</p> <p>viii. PKR: 1,476,633/-</p> <p>ix. PKR: 1,380,516/-</p> <p>x. PKR: 1,858,450/-</p>	
3	Time for completion :	<p>i. One Month</p> <p>ii. One Month</p> <p>iii. One Month</p> <p>iv. One Month</p> <p>v. One Month</p> <p>vi. One Month</p> <p>vii. One Month</p> <p>viii. One Month</p> <p>ix. One Month</p> <p>x. One Month</p>	<p>Note: - Time Extension (if any) should not be more than original completion time mentioned in the W.O. In case of any contradiction, this provision will prevail. However, this can be right off with the prior approval of the Competent Authority, UAF any time during the execution of the work under specific circumstances.</p>
4	Amount of Bid Security:	<p>i. PKR: 51,929/-</p> <p>ii. PKR: 32,263/-</p> <p>iii. PKR: 70,590/-</p> <p>iv. PKR: 30,000/-</p> <p>v. PKR: 93,882/-</p>	

Contractor

Executive Engineer
ECD-M; UAF

		vi. PKR: 35,672/- vii. PKR: 60,249/- viii. PKR: 29,533/- ix. PKR: 27,610/- x. PKR: 37,169/-
5	Issued to:	
6	Pre-tender conference:	N.A.
7	Dead Line for submission of Tender:	-----29-11-2022-----
8	Opening of Tender :	-----29-11-2022-----
9	Issued by:	Office Of Executive Engineer, University of Agriculture, Faisalabad.

Date: -----

Signature: -----

(OFFICE STAMP)

Note:

The officer / Tender Opening committee is competent to reject the tender, which does not bear the signature and stamp of the issuing officer in favor of the contractor/firm to whom the tender-documents was issued against prescribed fee (Non-Refundable) for the purpose/ work requested thereto. However, the tender documents can be downloaded Free of Cost from UAF or PPRA website. Tender documents in a sealed envelope along with prescribed Bid Security @ 2% in shape of CDR/DD in favour of Executive Engineer (ECD-M) /Treasure, UAF must reach to the **Office of Executive Engineer, University of Agriculture Faisalabad** up to schedule of closing.

Contractor

**Executive Engineer
ECD-M; UAF**

GENERAL DIRECTIONS
FOR
THE GUIDANCE OF THE TENDERER

1. These directions are provided to assist the tenderer in preparing and submitting his tender. The tender shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.
2. All necessary documents, such as copies of specifications (excluding standard specification books, **MRS, 2nd Bi-Annual 2022 District Faisalabad**), contract documents, including bill of quantities, estimated scheduled rates and any other documents required in connection with the preparation of tender or execution of works, signed by the engineer-in-charge will accompany the tender form and the cost of such annexed documents will be reflected in the cost of the tender form.
3. The tenderer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his tender.
4. No single tender shall include more than one work. A tenderer who wishes to tender for two or more works shall submit tender for each work, separately.
5. The memorandum of work tendered for, and the schedule of materials and equipment to be supplied by the engineer-in-charge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the engineer-in-charge before the tender form is issued. At this stage the tenderer should ensure that the tender form so issued is complete in all respects.
6. The tenderer shall note that the ultimate responsibility for the quality of work and its conformity with the specifications and drawings rests solely with the successful bidder whose tender is accepted.
7. The tenderer shall, at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the tender and entering into contract, and shall determine and satisfy him self by such means as he may consider necessary or desirable as to all matters pertaining to the tender. The tenderer shall also satisfy himself before submitting his tender as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and transportation facilities in the area. The tenderer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his tender. The engineer-in-charge shall not assume any responsibility regarding information gathered interpretation or deduction, which the tenderer may arrive at, from the date that may be furnished with the contract documents.
8. (a) The tenderer shall fill up the Bill of Quantities and indicate the percentage rate above or below the MRS of rates for the "MRS items" on which he is willing to undertake each item of work. No premium will be quoted by the contractor against non-MRS/item rates, for which the rate and amount has already been filled in by the engineer-in-charge in the bid schedule.

(b) In case tenders are called on item rate basis, the tenderer shall quote his own unit rate in the Bill of quantities on which he is willing to undertake each item of work.
9. i. The tender shall work out the amount against each item of work in the Bill of Quantities and will indicate the total amount of his tender (including the cost of Non-MRS items rates for which the rate and amount has already been filled in by the engineer-in-charge in the Bill of Quantities) on which he is willing to complete the works. The total amount worked out in the Bill of Quantities shall be entered by the tenderer in his tender as his tender price for the work. In case of discrepancy between amounts in figures and in words, the amount in words shall prevail.

Contractor

**Executive Engineer
ECD-M; UAF**

- ii. Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the tenderer will be extended in working out of the amount of the tender and the total amount of the bid schedule will be adjusted accordingly.
 - iii. If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule.
 - iv. If it is found that the tenderer has not entered any unit rate and amount against any of the pay items of the bid schedule, the engineer-in-charge shall fill in the blanks by noting the word "NIL" in such blanks at the time of opening of the tender. Such pay items shall be deemed to be covered by the rates of other items.
 - v. If the tenderer does not accept the adjusted/corrected amount of tender according to the above provision, his tender shall be rejected, and the earnest money forfeited.
10. The tender, which proposes any alteration in the works specified in the Bill of quantities or in the time allowed for carrying out the works or any other condition mentioned by the Engineer-in-charge, will be liable to rejection. The tenderer shall sign each and every page of the tender and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the tender duly signed by the tenderer. Any addition or alteration made after filing the forms shall duly attested by the tenderer. Non-compliance of this condition shall render the tender liable to rejection.
11. The tenderer shall fill in the tender documents, in ink. Errors, if any, shall be scored out, and corrections re-written legibly and attested by the tenderer. Any addition or alteration made after filling the form shall be duly attested by the tenderer. Non-compliance of this condition shall render the tender liable to rejection. Any tender with unattested correction shall be attested by the tenderer in the presence of other tenderers at the time of opening of the tender except that no correction shall be permissible in the rate or amount of the bid schedule or in the tendered price after the opening of the tender.
12. Additional Clause (s) for a particular work shall be typed on separate sheet(s) by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets. The tenderer shall not add or delete any additional clause(s) in the additional clauses sheet (s), provided by the Engineer-in-charge.
13. The quantities mentioned in the Bill of Quantities are estimated quantities, to be used for preparing tenders, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein, except as determined in accordance with the provisions of Clause 42 of the general conditions of contract.
14. No tender without earnest money shall be entertained, Earnest money, calculated @ 2% of the estimated cost of the work (rounded suitably), shall be in the form of 'deposit at call receipt'. The earnest money of the unsuccessful tenderers shall normally be returned by the Engineer-in-charge within a week of opening of the tenders and in any case not later than sixty (60) days following the date set for opening of tenders. In the event of the tender being accepted, or receipt for the earnest money forwarded therewith, shall thereupon be given to the contractor. The earnest money of the successful tenderer on execution of the contract covering work will be adjusted towards the amount of security deposit to be retained from the first amount (s) payable to the contractor under the contract.
15. The successful tenderer will be required to enter into a contract, furnish the performance security (where-ever required) and to commence the work within the time specified in the memorandum of work. Should the successful tenderer refuse or fail for any reason to enter into contract, or to furnish the performance security or to commence the work within the time specified in the memorandum of work, it should constitute a just cause for the annulment of the award and in the event of such annulment, the entire earnest money shall be forfeited to Government, as compensation for such default.

Contractor

**Executive Engineer
ECD-M; UAF**

16. (i) The tender shall be signed by the person (s) duly authorized to do so. In the event of the tender being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the tender and it must disclose that the firm is duly registered under the Partnership Act, 1932, or any other law in force.
- (ii) The tender submitted by a joint venture of two or more firms shall be accompanied by a document of formation of the joint venture, duly registered and authenticated by competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person (s) authorized to represent it and accept it obligate, the participation of several firms forming the joint venture and any other information of necessary to permit a full appraisal of its function.
- (iii) A tender submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.
- (iv) In all cases, the tender must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.
17. Each tenderer shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender and of the rates and prices stated in the bid schedule which rates and prices shall, except in so far as it is otherwise expressly provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.
18. The tenderer may modify or withdraw his tender after submission, provided that the modification or notice of withdrawal is received in writing by the engineer-in-charge prior to the prescribed deadline for submission of tenders. The tenderer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "MODIFICATION or WITHDRAWAL as appropriate. No tender may be modified subsequent to the deadline for submission of tender. Withdrawal of a tender during the interval between the deadline for submission of tenders and the expiration of the period of tender validity i.e. sixty (60) days as specified by the tenderer in the Form of Tender may result in the forfeiture of the tender security.
19. The tenderer shall submit the original Tender Documents complete in all respects and keep a copy of the tender for his own record. The original should be sealed in an inner and an outer envelope, duly marking the envelopes as "ORIGINAL". The inner and outer envelopes shall (a) be addressed to engineer-in-charge (b) and bear the following identification: Tender for (Name of Contract), (Reference Number of Tender), and the words "DO NOT OPEN BEFORE (Time and Date, set for opening)". The inner envelopes shall indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared to have been received late or is otherwise unacceptable. If the outer envelope is not sealed and marked and instructed above, the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the tender submitted. A tender opened prematurely because of improper identification will be rejected.
20. The tenderer shall indicate in the space provided in the tender his full and proper address at which notice may be legally served on him and to which all correspondence in connection with his tender and the contract is to be sent.
21. The presentation of a tender implies full acceptance on the part of the tenderer of these instructions and all other conditions set forth in the contract document.
22. Any tender received by the Executive Engineer (Engineer-in-charge) after the deadline for submission of tenders prescribed in the Notice Inviting Tenders will be returned unopened to the tenderer.
23. The Engineer-in-charge or his duly authorized officer (not below the rank of Assistant Engineer) will open tenders in the presence of intending tenderers or their

Contractor

**Executive Engineer
ECD-M; UAF**

authorized agents, who may be present at the time. The officer opening the tender will announce the names of the tenderer, tender rates and the presence of requisite tender security.

- 24. Promptly after the opening of Tenders, the Engineer-in-charge will undertake a detailed evaluation of tenders. The Engineer-in-charge will determine whether each tender is substantially responsive to the requirements of the tender documents and conforms to all the terms, conditions and specifications of the tender documents without material deviation or reservation. If a tender is not substantially responsive to the requirements of the tender documents, it will be rejected by the engineer-in-charge and may not subsequently be made responsive by the tenderer having corrected or withdrawn the non-confirming deviation or reservation.
- 25. Except for information to be read out by the Engineer-in-charge at the time of opening tenders in accordance with Para 23 above, no information relating to the examination, clarification, evaluation and comparison of tenders and recommendations concerning the award of contract shall not be disclosed to tenderers or other persons not officially concerned with such process. Any effort by the tenderer to influence the process of examination, clarification, evaluation and comparison of tenders, and in decisions concerning award of contact, may-result in the rejection of his tender.
- 26. To assist in the examination, evaluation and comparison of tenders, the Engineer-in-charge may ask tenderers individually for clarification of their tenders, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, but no change in the price or substance of the tender shall be sought, offered or permitted except as required to confirm the correction of arithmetical errors discovered by the Engineer-in-charge during the evaluation of the tender.

26(A) In case the total tendered amount is less than 5% of the approved estimated (DNIT) amount, the lowest bidder will have to deposit additional performance security from the Scheduled Bank ranging from 5% to 10% as under, within 15 days of issuance of notice or within expiry period of bid, whichever is earlier.

TOTAL TENDERED AMOUNT BELOW CORRESPONDING ESTIMATED COST.	ADDITIONAL PERFORMANCE SECURITY.
5%	5%
6%	6%
7%	7%
8%	8%
9%	9%
10%	10%

- 27. The Engineer-in-charge shall have the right of the rejecting all or any of the tenders without assigning any reason thereof. The Engineer-in-charge will not be bound to award the contract to the lowest or to any other tenderer.
- 28. The unit rates and prices entered in the bid schedule will be the rates at which the contractor will be paid (subject to the adjustment specified in clause 55 of the annexed conditions) and shall be deemed to include all costs of performing the work, including income tax, super tax and/or other charges, duties and taxes of the Government, autonomous, semi-autonomous and local bodies, profits and costs of accepting the general risk, liabilities and obligations set forth in or implied from the contract.
- 29. Prior to the expiration of the period of tender validity (60 days) prescribed in the Tender Form or any extension thereof that may have been granted by the tenderer, the Engineer-in-charge will notify the successful tenderer by cable and confirm in writing by registered letter that his tender has been accepted. This letter of acceptance shall name the sum which will be paid in consideration of the execution, completion and maintenance of the works as prescribed in the contract, (hereinafter called the contract price). The notification of award will constitute the

Contractor

Executive Engineer
ECD-M; UAF

formation of the contract.

- 30. At the time, the Engineer-in-charge notifies acceptance of the tender to the tenderer he will send the tenderer the Form of Agreement provided in the tender documents, incorporating all agreements between the parties. Within fifteen (15) days of receipt of the of Agreement, the successful tenderer shall furnish the performance security (10% of the Contract Price) and sign the contract in the presence of the Engineer-in-charge.
- 31. After the successful tenderer has signed the contract furnished adequate performance security the Engineer-in-charge will notify to the un-successful tenderers that they were unsuccessful.
- 32. The completion period will be reckoned from the date of delivering the award or the handing over of the site to the contractor, whichever is later.
- 33. A copy of the contract agreement may be obtained by the contractor at his own cost.

TENDER FOR WORK

To

The Executive Engineer,
Engineering Construction Department, (Maintenance)
University of Agriculture,
Faisalabad

Dear Sir,

I/We.....

(Name of the contractor)

The undersigned tenderer, having examined the conditions of contract, specification, drawing bid schedule and addenda Nos..... thereto, for the work of
.....
.....
.....

(Name of the work)

and the works associated therewith, and having examined the site of the above named works, or having caused the site to be visited OR our behalf by my/our competent and reliable agent, and having satisfied myself/ourselves as to all conditions under which the above named work must be performed, hereby offer to execute, complete and maintain the whole of the above mentioned work including its ancillary works associated therewith, in accordance with the said contract documents, including the addenda indicated above, at tender price of Rs. (Rupees).....

Or such other sums as may be ascertained in accordance with the said conditions of contract and the rates, and the prices set forth in the bid schedule.

- 2. As security for the due performance of the undertaking and obligations of this tender, I/We submit herewith a deposit at call receipt No..... dated..... In the amount of Rs. (Rupees) From theBranch ofBank drawn in your favour or may payable to you as earnest money, the full value of which will be absolutely forfeited to Government,, without prejudice to any other rights or remedies of the said Government, should I/We withdraw or modify' the tender within its validity period of sixty (60) days, following the date of receipt of tender.

Contractor

Executive Engineer
ECD-M; UAF

- 3 .I/We understand that if my/our tender is accepted, the foil value of the earnest money as attached with the tender shall be detained by *University* towards the amount of security deposit specified in clause 48 of the said conditions of contract and item (d) of the Memorandum of work.
4. Should this tender be accepted by you, I/We hereby undertake:-
- (a) To sign all the necessary documents for entering into a contract agreement in the form set out In the contract document within fifteen (15) days following your notification of such acceptance.
 - (b) To commence the work within the stipulated time named in item (f) of memorandum hereto annexed following the date of issuance of your order to proceed with or the handing over of the site, whichever is later and in the event of my/our failure to do so, the entire amount of earnest money deposited by me/us for which deposit at a call receipt is enclosed herewith, is to be absolutely forfeited to the University.. On the commencement of work, I/We hereby also agree to abide by and fulfill all the terms or provisions of the said conditions of the contract annexed hereto so far as applicable and in default thereof, to forfeit and pay to the University the sums of money mentioned in the said conditions.
 - (c) To complete and deliver the whole work comprised in the contract within the time stipulated in item No. (g) of the Memorandum hereto annexed, subject to such extension in the time limit as may be granted under the conditions of contract.
 - (d) the furnishing of performance security under item (h) of the memorandum annexed hereto, in the sum equal to 10 (ten) percent of the cost of the work in same form sum equal to 10 (ten) percent of the cost of the work in the same form and on the same condition as are prescribed by and to the satisfaction of the Engineer-in-charge.
5. I/We also agree that when materials and/or equipment for the work are provided by the t, the rates to be paid for them shall be as provided in Appendices annexed hereto.
6. I/We agree to abide by this tender for the period of sixty (60) days following the date set for receiving of tenders and it shall remain binding upon me/us and may be accepted by you at any time before the expiration of that period.
7. Unless and until a formal agreement is prepared and executed, this tender, together with your written acceptance thereof, shall constitute a binding contract between us, and shall be deemed for all purposes to be the contract agreement.
8. I/We understand that you are not bound to accept the lowest or any tender you may receive, and that you will not defray any expenses incurred by me/us in tendering.

Thanking you,

Yours faithfully,
(Signature of Tenderer)

NAME.....

*

Address

Dated thisDay of 2022

I hereby accept the above tender on behalf of the Tender Committee UAF / Government.

Contractor

**Executive Engineer
ECD-M; UAF**

(Signature of Executive Engineer)

*

In case the above address is changed, the contractor will immediately notify in writing to the *Executive*

Engineer, his new address.

MEMORANDUM OF WORK

a)	General Description:	<div><div>i. Replacement of corridor floor and painting work of Chemistry Department, UAF.</div><div>ii. Provision of Electric water cooler with fiber glass shed and R.O plant at Equestrian Stadium in Main Campus, UAF.</div><div>iii. A. External Electrical works of Biogas plant at Proka Dairy Farm UAF (Rs. 1,370,460/-) B. Replacement and up-gradation of external electrical LT-Line and electrical works of 11 Nos. of residential units of Proka Farms Proka, (Rs. 2,159,049/-)</div><div>iv. Provision of road lining with chlorinated rubber paint at Main Campus, University of Agriculture Faisalabad.</div><div>v. A. Uninterrupted power supply for Iqbal Hall Situated in “Two Hostel Complex “from uninterrupted power source of “Three Hostel Complex “in the event of Electrical failure/load shedding hours including back wall security & surveillance lights plan at PARS, UAF (Rs. 28,95,779/-) B. Up-gradation of power supply of Arnica Hall through LT Structure/Spun Poles with Boundary Security Lights Arrangement at “3-Hostel Complex” PARS, UAF. Rs. 1,798,312/-</div><div>vi. Providing and installation Tractor mounted Turbine one cusec discharge including cost of boring etc. at Sidhupura Farms, UAF</div><div>vii. A. Provision of new passage from female complex to digital learning resource center (E-library building) at main Campus, UAF Rs. 2,822,550/- B. Installation of flood lights at the passage from Khadija Hall, E-Library UAF Rs. 189,875/-.</div><div>viii. Up-gradation of Electrical of Lab High School PARS, UAF.</div><div>ix. Providing and fixing of missing electrical wiring at (i) PBI Block (ii) water supply (colony-PBI) at PBI-PARS, UAF.</div><div>x. Repair and maintenance work to Jamia Masjid at Main Campus, UAF.</div></div>
	Estimated Cost:	<div><div>i. PKR: 2,596,450/-</div><div>ii. PKR: 1,613,150/-</div><div>iii. PKR: 3,529,509/-</div><div>iv. PKR: 1,500,000/-</div><div>v. PKR: 4,694,091/-</div><div>vi. PKR: 1,783,600/-</div><div>vii. PKR: 3,012,425/-</div></div>

Contractor

Executive Engineer
ECD-M; UAF

		viii. PKR: 1,476,633/- ix. PKR: 1,380,516/- x. PKR: 1,858,450/-
i.	Amount of earnest money to accompany the tender (to be furnished by the tenderer in the shape of “deposit at call” from a scheduled Bank of Pakistan)	i. PKR: 51,929/- ii. PKR: 32,263/- iii. PKR: 70,590/- iv. PKR: 30,000/- v. PKR: 93,882/- vi. PKR: 35,672/- vii. PKR: 60,249/- viii. PKR: 29,533/- ix. PKR: 27,610/- x. PKR: 37,169/-
ii.	Percentage of security deposit to be retained from the bills.	Ten (10) percent Five (5) percent
	i) On the amount of work done up to Rs.5.0 million ii) On the amount of work done beyond Rs.5.0 million.	
iii.	Minimum amount of interim running bills	Rupees five million (Rs.----- only
iv.	Mobilization period	Fifteen (-) calendar days
v.	Time allowed for completing the work after the expiry of mobilization period	-----NA-----calendar months
vi.	Amount of performance security in the form of Bank Guarantee (see contract conditions clause 7 and General direction 26 (a)	Five (05) percent of the accepted tender price in the case of tenders with cost of exceeding Rs.50.00 million and as per general condition 26(a) for all tenders.
vii.	Period of maintenance (after the date of issuance of certificate of completion)	Twelve (06) calendar months.

Contractor

Executive Engineer
ECD-M; UAF

BID SCHEDULE

1. Schedule of item (MRS & Input Rates)

Name of work: _____
(To be filled in by the tenderer)

Sr. No.	<u>Items in schedule of rates</u>		Description	Estimated quantity	Unit of Rates	<u>Schedule of rates</u>		Amount (Rs....
	Page No.	Serial No.				Labour	Composite	
1	2	3	4	5	6	7	8	9

Mandatory to Write in Words: (Urdu/English)

Contractor

Executive Engineer

ECD-M; UAF

BID SCHEDULE

1. Schedule of item (N.S. Items)

Name of work _____

(To be filled in by the tenderer)

Sr. No	Pay item No. of reference to special specification supplied	Description of item	Estimated quantity	Unit of Rates	Unit rate To be filled in the contractors where not already filled by the Executive Engineer		Amount (To be filled in by the contractor when not already filled in by the project director for items against which the unit rate have already been filled in by him)
					In figure	In Words	
1	2	3	4	5	6	7	8

Mandatory to Write in Words: (Urdu/English)

Total cost of item rates Rs. _____

Contractor

Executive Engineer

ECD-M; UAF

BID SCHEDULE

Name of Work _____

(To be filled in by the tenderer)

Total tendered amount of the work:
(To be filled in by the tenderer)

1. Total Cost.

Rs. _____

2. Total Cost of Item Rates

Rs. _____

Grand Total Rs. _____

Rupees _____

Mandatory to Write in Words: (Urdu/English)

Contractor

Executive Engineer

ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) <i>Tender No. 17/2022 Sr. No. 01</i>					
Name of Work:		Replacement of corridor floor and painting work of Chemistry Department, UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Dismantling cement concrete 1:2:4 plain	722.84	%cft		
2	Dismantling cement concrete 1:4:8 plain	722.84	%cft		
3	Providing, laying, watering and ramming brick ballast 1½ to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects	722.84	%cft		
4	Removing cement or lime plaster	2817.42	%sft		
5	Mosaic dado or skirting with one part of cement and marble powder in the ratio of 3:1 and two parts of marble chips, laid over ½"(13 mm) thick cement plaster 1:3, including rubbing and polishing, complete with finishing (a) using grey cement ii) ½"(13 mm) thick	2817.42	%sft		
6	Distempering 2 coats on old surface	24772.66	%sft		
7	Scaraping old distemper or paint on wall	9909.06	%sft		
8	painting door and window any typ 2 coats on old surface	7015.57	%sft		
9	painting saches fanlight wire guazed or glazed door and window 2 coats on old surfce	1430.55	%sft		
10	Cement pointing struck joints, on walls, upto 20' (6.00 m) hieght:-a)ratio 1:2	1327.20	%sft		
11	Providing and fixing marble strip of any shade for dividing the mosaic flooring into panels Size 1½" x 3/8" (40 x 10 mm	2968.05	rft		
12	Providing and laying topping of cement concrete 1:2:4,including surface finishing and dividing in panels:-(c) 1½"(40 mm) thick	429.00	%sft		
13	1½"(40 mm) thick mosaic flooring, consisting of ½ "(13mm) mosaic topping of one part of cement and marble powder in the ratio of 3:1 and two parts of marble chips,laid over 1"(25 mm) thick floor of 1:2:4 cement concrete,including rubbing and polishing complete with finishing (a) using grey cement	4517.75	%sft		

Contractor

Executive Engineer
ECD-M; UAF

Tender No. 17/2022		Page 16 of 41			
14	Providing, fixing, testing and commissioning of µPVC (Unplasticized Polyvinyl Chloride) sewerage pipe make of Dadex/ Popular/ Beta or equivalent, plain/ socket ended conforming to code EN 1401 of specified SDR (Standard Dimension Ratio) including the cost of specials and Solvents complete in all respect as approved and directed by the Engineer Incharge a)Type (SDR 34/SN-8) i) 6" dia 150mm	146.00	rft		
15	Constructing gully grating chamber, 12"x12", (300x300mm) complete in all respects:B)concrete Gully trap5,031.35-288.65=4742.7	10.00	each		
16	Removing Malba up to 10 KM	1614.73	%cft		
TOTAL:					
PST@_____%					
G. TOTAL:					
Mandatory to Write in Words: (Urdu/English)					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2022 Sr. No. 02					
Name of Work:		Provision of Electric water cooler with fiber glass shed and R.O plant at Equestrian Stadium in Main Campus, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
Electric Water Cooler					
1	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) ordinary soil	33.75	%0cft		
2	Providing, laying, watering and ramming brick ballast 1½ to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects	72.00	%cft		
3	Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:-(b) Ratio 1: 4: 8	26.36	%cft		
4	Pacca brick work other than building upto 10ft. (3 m) Ratio 1:4	191.39	%cft		
5	Providing and laying damp proof course of cement concrete 1:2: 4(using cement, sand and shingle), including bitumen coating 1½" thick (40 mm)	6.75	%sft		
6	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	29.16	%cft		
7	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40	107.80	%kg		
8	Reinforced cement concrete in roof slab, beams columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast 3) This item shall not be applicable in situ, complete in all respect c) 3c type 1:2:4	27.72	p.cft		
9	Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position	116.53	%kg		
10	Supply and Erection of Car Parking Shed consisting of 3 mm thick fiber glass sheet roof (3-layers) fixed / riveted on moulded curved frame of M.S box pipe 1-1/2"x1-1/2"16-SWG supported on trusses of MS angle iron 1-1/2"x1-1/2"x3/16" all around duly supported on M.S sheet 6"x6"x1/4" welded on GI pipe post (Medium Quality) of specified diameter embedded in P:C:C (1:2:4) i/c the cost of excavation,cutting straightening assembling, bending as per design, welding / grinding of joints and painting three coats complete in all respect as approved and directed by the Engineer Incharge.(i) 4" dia GI Pipe Supports(deduction of 4"dia pipe amoun 4x10x984	225.00	sft		

11	cement plaster 1:4 ratio upto 20 ft height ½" thickness	121.00	%sft		
12	Preparing surface and painting guard bars, gates of iron bars, gratings, railing (including standards, braces, etc.) and in similar open work 3 coats on new surface	69.15	%sft		
13	Providing and laying superb quality Porcelain glazed tiles flooring of MASTER brand of specified size in approved design,Color and Shade with adhesive/ bond over ¾" thick (1:3) cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respect as approved and directed by the Engineer Incharge.a)Full body Glazed tiles (i) 400mmx 400 mm	168.75	p.sft		
14	Providing and laying superb quality Ceramic tiles dado of Master brand of specified size, Glossy/ Matt/ Texture skirting/ dado of approved Color and Shade with adhesive bond over ½" thick (1:2) cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects as approved and directed by the Engineer In chargei)12"x18"/12"x24"/10"x24" /8"x24"/12"x36"	268.92	p.sft		
15	Earthwork excavation in open cutting for sewers and manholes as shown in drawings including shuttering and timbering, dressing to correct section and dimensions according to templates and levels, and removing surface water, in all types of soil except shingle, gravel and rock:-i)0 ft. to 7.0 ft. (0 to 2.10 m) depth(7446.05-368.20	183.38	%0cft		
16	Excavation of trenches in all kinds of soil, except cutting rock, for watersupply pipelines upto 5 ft. (1.5 m) depth from ground level, including trimming, dressing sidesleveling the beds of trenches to correct grade and cutting pits for joints, etc. complete in all respects	180.00	%cft		
17	Rehandling of earthwork:a)Lead upto a single throw of Kassi, phaorah or shovel	122.25	%0cft		
18	Providing, fixing, testing and commissioning of µ-PVC (Unplasticized polyvinyl Chloride) Nikasi/waste pipe make of dadex/ Popular/ Beta/ BBJ plain/ socket ended conforming to code EN-1401 of specified SDR (Standard Dimension Ratio) including the cost of specials and Solvents complete in all respect as approved and directed by the Engineer Incharge.Type (SDR 32.5/SN-8)v)4"(110 mm)	30.00	rft		
19	Constructing gully grating chamber, 12"x12", (300x300mm) complete in all respects:B)concrete Gully trap(4086.80-223.90=3862.9	1.00	each		
20	Providing and hoisting vertical/horizontal type storage tank of required capacity made of rotationally molded from (HDPE), doubleply polyethelene of approved manufacturer i/c cost of making connection for inlet/ outlet pipe, float valve i/call cost of specials & labour complete in all respect as approved and directed by the Engineer Incharge.	625.00	per gallon		
21	Providing, laying, cutting, jointing, testing and disinfecting G.I. pipeline in trenches, with socket joints, using G.I.pipes of B.S.S. 1387-1967 complete in all respects, with specials and valves.ii) Medium Quality C)¾" i/d (20 mm) 3.25mm thick	150.00	rft		

Contractor

Executive Engineer
ECD-M; UAF

22	Providing, laying, testingand commissioning of POLYPROPYLENE RANDOM COPOLYMER (PPRC) water supply pipe made of (Dadex/Popular/Beta/BBJ) with specified pressure rating PN (PRESSURE NOMINAL) and conforming to DIN 8077-8078 code i/c cost of solvent,specials,making jharries complete in all respect as approved and directed by Engineer Incharge.(Internal/External Diameters mentioned b)PN-20 pipe (iii)(1") 32 mm	199.00	p.rft		
23	P/Fixing of Handle Cock ¾" dia	2.00	each		
24	P/Fixing PPRC L-bow 32mmx½" dadex made as approved site Engineer	3.00	each		
25	P/Fixing of C.P Nipple 1"x½"	3.00	each		
26	Providing and fixing, waste pipe of PVC ii) 4 cm (1½")	1.00	each		
27	Providing, fixing, testing and commissioning of μ-PVC (Unplasticized poly vinyl Chloride) Nikasi/ waste pipe Fittings make of dadex/Popular/Beta/BBJ conforming to code EN-140 1ncluding the cost of Solvents complete in all respect as approved and directed by the EngineerIn charge(a) P-Trap(i) 4" dia	1.00	each		
28	P/Fixing Floor Trape Jali 6"x6" double cover as approved site Engineer)	1.00	each		
29	P/F of cooling unit including cost of 1.5 ton capacity compressor Haier Made, cooling coil and frame as desinged by the department complete set	1.00	each		
30	Providing and fixing brass ball float valve i)1.5 cm (½") dia	1.00	each		
31	Supply and erection of iron/aluminum clad, 500 volts main switches with kitkat fuses, on angle iron board with 3 mm (1/8") thick M.S. sheet covering, including bonding to earth with necessary flexible pipe and thimbles, etc a) double pole: ii) 30/35 Amp.	1.00	each		
32	Supply and erection of copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches,etc.(rate for cable only):- a)PVC insulated, PVC sheathed twin core, 250/440 volts v) 7/1.12 mm (7/0.044")	1.00	rft		
33	Providing and fixing Bib Cock 1/2" dia powder coated faisal made as approved site Engineer)	3.00	each		
34	Providing and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tees top cocks, lever type BasinMixer, doubleBibCock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge (vi) Waste Coupling	1.00	each		
35	Boring for tubewell in all types of soil except shingle and rock, from ground level to 100 ft. (30 m) depth, including sinking and withdrawing of casing pipe, complete:-4" dia	100.00	rft		
36	Providing and installing, P.V.C. strainer B.S.S. Class 'D'in tubewell bore hole, including sockets and solvents,etc.complete 2" dia	20.00	rft		
37	Providing and installing P.V.C. blind pipe, B.S.S. Class`B', in tubewell bore hole, including sockets and solvents and jointing with strainer, etc. complete.4" dia	60.00	rft		

38	Providing and installing P.V.C. blind pipe, B.S.S. Class`D', in tubewell bore hole, including sockets and solvents and jointing with strainer, etc. complete.2" dia	20.00	rft		
39	Providing, laying, testing and commissioning μ- PVC(Unplasticized Polyvinyl Chloride) Schedule pipe of nominal diameter, made(Dadex/ Popular/ Beta/ BBJ) for water supply i/c the cost of solvent and specials complete as approved and directed by the Engineer Incharge b)Schedule 80 (iv)1-1/4"	60.00	rft		
40	Providing, laying, testing and commissioning μPVC (Unplasticized Polyvinyl Chloride) Schedule pipe of nominal diameter, Dadex /Popular /Beta or equivalent, i/c the cost of solvent and specials complete as approved and directed by the Engineer Incharge a)Schedule 40 (iii) 1"	95.00	rft		
41	Supply and erection of single core PVC insulated copper conductor cables, in prelaid PVC pipe/M.S. conduit/G.I pipe/wooden strip batten /wooden casing capping/G.I.wire/trenches (rate for cables only iii) 7/0.74 mm (7/0.029")	100.00	rft		
42	Providing and installation of Single Phase 2H.P F2c Faisal Made Pump ¾" dilvery including M.S cover complete in all respect	1.00	each		
43	Supply and erection of PVC pipe for wiring on surface including clamps inspection boxes, pull boxes,bends, tees, repairing surface, etc., complete with all specials iii) 25 mm i/d	100.00	rft		
Total. A					
RO PLANT					
1	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) ordinary soil	17.44	%0cft		
2	Providing, laying, watering and ramming brick ballast 1½ to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects	47.51	%cft		
3	Pacca brick work other than building upto 10ft. (3 m) Ratio 1:4	34.88	%cft		
4	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	12.00	%cft		
5	cement plaster ½" thick 1:4 c/s mortor	34.00	%csft		
6	Supply and Erection of Car Parking Shed consisting of 3 mm thick fiber glass sheet roof (3-layers) fixed / riveted on moulded curved frame of M.S box pipe 1-1/2"x1-1/2"16-SWG supported on trusses of MS angle iron 1-1/2"x1-1/2"x3/16" all around duly supported on M.S sheet 6"x6"x1/4" welded on GI pipe post (Medium Quality) of specified diameter embeded in P:C:C (1:2:4) i/c the cost of excavation,cutting straightening assembling, bending as per design, welding / grinding of joints and painting three coats complete in all respect as approved and directed by the Engineer Incharge.(i) 4" dia GI Pipe Supports	120.00	sft		

Tender No. 17/2022		Page 21 of 41			
7	Providing and Installation of R.O plant 500 liter/hour, Reverse Osmosis system Capsity 500 liter per hour 25°c Automatic operation, PH,6.03_+0.05 ETC, copy of Sepecifation attached	1.00	each		
Total. B					
TOTAL: A+B					
PST@_____%					
G. TOTAL:					
Mandatory to Write in Words: (Urdu/English)					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2022 Sr. No. 03					
Name of Work:		A. External Electrical works of Biogas plant at Proka Dairy Farm UAF (Rs. 1,370,460/-) B. Replacement and up-gradation of external electrical LT-Line and electrical works of 11 Nos. of residential units of Proka Farms Proka, (Rs. 2,159,049/-)			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
A. External Electrical works of Biogas plant at Proka Dairy Farm UAF (Rs. 1,370,460/-)					
1	P/F of LT Structure (30'-8'') as per WAPDA Standard Specifications , complete in all respects. Diffrence= Net Length - Std. Length Difrenencer = 36'- 30'-8'' = 5'-4'' = 64''= 64*25.2 mm= 1612.8/100 = 16.2 dm x @ Rs 36.5/dm = Rs. 589.4	4.00	No		
2	S/E of M.S.U clamp for shackle insulator	32.00	No		
3	Supply and erection of shackle insulator, medium size. 9x 3 + 5=32	32.00	No		
4	P/F of stay for pole complete in all respect 2+2+2= 6	4.00	No		
5	Supply and erection of all aluminum stranded hard drawn bare conductor, 7/4.39mm (WASP 100mm2) MF: w.r.t . Wt/KM of Ant => 290 KM/145KM = 2 MF: w.r.t Current Carring Capacity of Ant=> 295 A/189A = 1.56	725.00	Mtr		
6	Supply and erection of all aluminum stranded hard drawn bare conductor, 7/3.09mm (Ant 50mm2)	350.00	Mtr		
7	Earthing rod with GI wire and clump etc complete in all respect (9.5 kg)	4.00	No		
8	Supply and erection of street light pole bracket 30 mm (1¼'') G.I. pipe 2 metre long, complete with 2 No. pole clamp.	4.00	No		
9	S/E of LED Flood light 100 watt Philips made (IP-65. BVP 150)	5.00	No		
10	Supply and erection of copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches, etc. PVC insulated, PVC sheathed twin core, 250/440 volts. (7/0.029'') 2/core (15'x5)=75'	75.00	rft		
11	(ii) (7/0.044) 2/core For Circuit supply to street light	50.00	rft		
12	Providing and fixing M.S. iron box for housing main switches,made of 1.5 mm (1/16'') thick M.S. sheet, with locking arrangement, including painting (0.75'x0.75'x0.5') size	1.00	No		

Contractor

Executive Engineer
ECD-M; UAF

Tender No. 17/2022		Page 23 of 41			
13	Suppling,Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMANY/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screws,necessary wire complete in all respect as approved and directed by the Engineer Incharge. Double Pole 6-40 Amp (6 KA)	1.00	No		
14	Providing and fixing DB/Panel accessories of required rating and size i/c copper screws of approved brand Complete in all respect as approved and directed by the Engineer Incharge. LED Phase Indicator	1.00	No		
15	S/E of LC-116 Connector	18.00	No		
16	S/E of P.G Connector	20.00	No		
17	Supply and erection of copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches, etc. PVC insulated, PVC sheathed Four core, 250/440 volts. (7/0.052") 10mm Sq, 4/core For Motor connection 5 HP x 2 x 100 Rft = 200 Rft 7 HP x 1 x 100 Rft = 150 Rft	350.00	rft		
18	S/E of P.G Connector	20.00	No		
19	Supply and erection of copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches, etc. PVC insulated, PVC sheathed Four core, 250/440 volts. (7/0.052") 10mm Sq, 4/core For Motor connection 5 HP x 2 x 100 Rft = 200 Rft 7 HP x 1 x 100 Rft x 2 = 200 Rft	400.00	rft		
20	Motor Control Unit- MCU Compact DB of Size 2.5 ' x 3' depth 12" in 16 SWG Iron Sheet IP-Protected with Curved Top Arragment and front extended Shade, powder coated sheets proper locks and hinges arrrgments double door as per instruction of engineer incharge <u>For 5HP- Motors 02 No</u> {Breaker + MC + Phase Failour + Indication + Push Button} 2 No <u>FOR 7 HP ~ 20 HP Motor 01 No:</u> One Star/Delta Arrangement {Breaker x 1, MCx 3 No, Phase Filour 1 No, Indication Lights 4 No, and Internal wiring etc. complete in all respects}	1.00	rft		
Total.(Work needed to be execute) Rs.					
Deduction/Auction of old Material					

Contractor

Executive Engineer
ECD-M; UAF

21	Old Scrap Structures 3 No x 60 Kg = 180 Kg etc.	180.00	Kg		
22	Copper Scrap	1200.00	kg		
Total Deduction Rs.					
Total after Adjustment of Old Material form The total executed work. Rs.					
PST @%_____					
G. Total.					

B. Replacement and up-gradation of external electrical LT-Line and electrical works of 11 Nos. of residential units of Proka Farms Proka, (Rs. 2,159,049/-)

Part-A (Up-gradation of External Electrification)					
1	P/F of LT Structure (30'-8") as per WAPDA Standar Specificions , complete in all respects. Diffrence= Net Length - Std. Length Difrrencer = 36'- 30'-8" = 5'-4" = 64"= 64*25.2 mm= 1612.8/100 = 16.2 dm x @ Rs 36.5/dm = Rs. 589.4	4.00	No		
2	P/F of stay for pole complete in all respect	2.00	No		
3	S/E of M.S.U clamp for shackle insulator	20.00	No		
4	Supply and erection of shackle insulator, medium size	20.00	No		
5	Supply and erection of all aluminum stranded hard drawn bare conductor, 7/4.39mm (WASP 100mm2) MF: w.r.t . Wt/KM of Ant => 290 KM/145KM = 2 MF: w.r.t Current Carring Capacity of Ant=> 295 A/189A = 1.56	500.00	Mtr		
6	Supply and erection of all aluminum stranded hard drawn bare conductor, 7/3.09mm (Ant 50mm2)	350.00	Mtr		
7	Earthing rod with GI wire and clump etc complete in all respect (9.5 kg)	4.00	No		
8	Supply and erection of street light pole bracket 30 mm (1¼") G.I. pipe 2 metre long, complete with 2 No. pole clamp.	5.00	No		

9	S/E of LED Flood light 100 watt Philips made (IP-65. BVP 150)	5.00	No		
10	Supply and erection of copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches, etc. PVC insulated, PVC sheathed twin core, 250/440 volts. (7/0.029") 2/core	75.00	rft		
11	(ii) (7/0.044) 2/core For Circuit supply to street light	50.00	rft		
12	Providing and fixing M.S. iron box for housing main switches,made of 1.5 mm (1/16") thick M.S. sheet, with locking arrangement, including painting(0.75'x0.75'x0.5') size	1.00	No		
13	Suppling,Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMANY/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screws,necessary wire complete in all respect as approved and directed by the Engineer Incharge. Double Pole 6-40 Amp (6 KA)	1.00	No		
14	Providing and fixing DB/Panel accessories of required rating and size i/c copper screws of approved brand Complete in all respect as approved and directed by the Engineer Incharge. LED Phase Indicator	1.00	No		
15	S/E of LC-116 Connector	10.00	No		
16	S/E of P.G Connector	9.00	No		
Total Part-A					
Part-B (Residential wiring 11 Nos. of residences)					
17	Supply and erection of PVC pipe for wiring recessed in walls including inspection boxes, pull boxes, hooks, cutting jharries and repairing surface, etc., complete with all specials. (3" dia) 200'x10=2000	2000.00	rft		
18	Supply and erection of single core PVC insulated copper conductor cables, in prelaid PVC pipe/M.S. conduit/G.I pipe/wooden strip batten/wooden casing an capping/G.I. wire/trenches (i) (3/0.029) s/core 900'x10= 9000' + 1200 (For office resident)	10200.00	rft		
19	(ii) (7/0.029) s/core 300'x10= 3000' + 600 (For office resident)	3600.00	rft		
20	(iii)(7/0.044) s/core 80'x10= 800' + 500 (For office resident)	1300.00	rft		

21	S/E of 10mm SQ 2/core Aluminium cable (7/0.0052") From pole to House for Services	800.00	rft		
22	Supply and erection of house service pipe 50 mm (2") dia G.I. pipe Henley or pole type for bare copper wire overhead line, including shackle insulator, straining devices and other accessories etc.	110.00	No		
23	Suppling,Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screws,necessary wire complete in all respect as approved and directed by the Engineer Incharge. Double Pole 6-40 Amp (6 KA) For each House as main switch	10.00	No		
24	Providing and fixing M.S. iron box for housing main switches,made of 1.5 mm (1/16") thick M.S. sheet, with locking arrangement, including painting (0.75'x0.75'x0.5') size	10.00	No		
25	S/E of Button Holder Bakelite 10 x 10= 100 +20	120.00	No		
26	S/E of LED Bulb 20 watt Philips 10x10=100 + 20	120.00	No		
27	Supply and erection of switches 10/15 Amp. recessed type 230x10=300	300.00	No		
28	Supply and erection of 3 pin. 5 Amp wall socket. 2x10=20	20.00	No		
29	S/E of wooden Board with Bakelite sheet (i) (7"x4") (5x10)= 50	50.00	No		
30	(ii) (8"x10") (3x10)= 30	30.00	No		
31	Supply and erection of 3 pin switch and plug combined, recessed type. (i) 5 Amp 2x10=20	20.00	No		
32	(ii) 10/15 Amp 2x10=20	20.00	No		
33	Supply and erection of girder clamp hook, 16 mm (5/8") with M.S. plate 25x6 mm (1"x¼"), with bolts and nuts for hanging&ceiling fans. 3x10=30	30.00	No		
34	S/E of Ceiling Fan 56" size (Energy Efficient Model) 3x10=30 + 6	36.00	No		
35	Supply and erection of ceiling rose, bakelite. 3x10=30 + 12	42.00	No		

Contractor

Executive Engineer
ECD-M; UAF

36	S/E of Fan dimmer 3x10=30	30.00	No		
37	S/E of PVC Duct (16"x38") size (If required in officer resident)	200.00	rft		
38	P/F PVC concealed Switch kit Box i/c the cost of screws complete as approved and directed by the Engineer Incharge (i) Small	19.00	No		
39	(ii) Large	8.00	No		
40	P/F PVC double layer Switch kit Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge (i) Three pin Light Plug 10/13 Amp	6.00	No		
41	(ii) Fan Dimmer	5.00	No		
42	(iii) Three Pin Power Plug 15-32 Amp	4.00	No		
43	(i) 04 Gange	4.00	No		
44	(ii) 06 Gange	8.00	No		
45	Providing and fixing Copper winded Exhaust fan with louver and shutter made of Pak/Younas/G.F.C. i/c the cost of necessary cable and hardware for connection from ceiling rose complete as approved and directed by Engineer Incharge. Plastic body 12 " dia	2.00			
46	P/F wall mounted DB (Distribution Board) made with 16SWG Sheet (Recessded/Surface mounted Type), Powder coated Paint, i/c the cost of Lock, Indication lights,Thimble, Copper Comb, Wiring, Netural & Earth Bar, Door Earthing, Digital Voltmeter,Digital Ammeter,Volt Selector Switch,Ammeter selector switch,Current Transformers and Controles Complete in all respect as approved and directed by the Engineer Incharge (a) 6" deep 20~60A (1.25'x1.5'x0.5')= 0.937 Deduction:- Selector Switch, Current Transformer coil, digital Ammeter and Control etc Complete= Rs. 9747	0.94	cft		
47	Supplying ,Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the Engineer Incharge. Tripple Pole 15-100 Amp	1.00	No		

Contractor

Executive Engineer
ECD-M; UAF

Tender No. 17/2022		Page 28 of 41			
48	Suppling,Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMANY/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screwes,necessary wire complete in all respect as approved and directed by the Engineer Incharge. Single Pole 6-40 Amp	12.00	No		
Total Part-B					
TOTAL (Part-A+ Part-B)					
Deduction/Auction of old Material					
49	Old Scrap Structures 4 No x 60 Kg = 240 Kg etc.	240.00	Kg		
50	Copper Scrap (1875 Rft)	75.00	kg		
Total Deduction Rs.					
Total after Adjustment of Old Material form The total executed work of (PART-A+PART-B). Rs.					
PST @%_____					
G. TOTAL:					
Mandatory to Write in Words: (Urdu/English)					

Contractor

Executive Engineer
ECD-M; UAF

Tender No. 17/2022

Page 29 of 41

<div> <div>DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2022 Sr. No. 04</div> </div>					
<div> <div>Name of Work:</div> <div>Provision of road lining with chlorinated rubber paint at Main Campus, UAF</div> </div>					
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Painting traffic lane 5" (125 mm) wide with reflective clorinated rubber (CR) paint including glass beads complete in all respect (8" width lane)	69077.00	P.rft		
2	Painting traffic lane 5" (125 mm) wide with reflective clorinated rubber (CR) paint including glass beads complete in all respect (8" width lane)	16156.00	P.rft		
TOTAL:					
PST@_____%					
G. TOTAL:					
<div> <div>Mandatory to Write in Words: (Urdu/English)</div> </div>					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2022 Sr. No. 05					
Name of Work:		A. Uninterrupted power supply for Iqbal Hall Situated in “Two Hostel Complex “from uninterrupted power source of “Three Hostel Complex “in the event of Electrical failure/load shedding hours including back wall security & surveillance lights plan at PARS, UAF (Rs. 28,95,779/-) B. Up-gradation of power supply of Arnica Hall through LT Structure/Spun Poles with Boundary Security Lights Arrangement at “3-Hostel Complex” PARS, UAF Rs. 1,798,312/-			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
A. Uninterrupted power supply for Iqbal Hall Situated in “Two Hostel Complex “from uninterrupted power source of “Three Hostel Complex “in the event of Electrical failure/load shedding hours including back wall security & surveillance lights plan at PARS, UAF (Rs. 28,95,779/-)					
1	S/E of LT Structure 30'-8" size (WAPDA Specification)	9	No		
2	P/F of LT PC pole (Spun pole WAPDA specification)	11	No		
3	P/F of stay for pole complete in all respect	8	No		
4	S/F of M.S.U clamp for shackle insulator	120	No		
5	Supply and erection of shackle insulator, medium size.	120	No		
6	Supply and erection of all aluminum stranded hard drawn bare conductor, of size 7/3.099 mm (7/0.122"). (i) (7/0.122") (Two Spans for Lights and Neutral) {(388+374+1301+291+71+74)* 5% Sag}/3.28 = 800 Mtr	1600	Mtr		
7	(ii) WSP Insulated (3 Spans for Each Phase for Iqbal Hall Only)	2400	Mtr		
8	Earthing rod with GI wire and clamps etc complete in all respect	9	No		
9	S/E of LC-116 Connector	60	No		
10	S/E of P.G Connector	37	No		
11	Excavation of trenches in all kinds of soil, except cutting rock, for watersupply pipelines upto 5 ft. (1.5 m) depth from ground level, including trimming, dressing sides, leveling the beds of trenches to correct grade and cutting pits for joints, etc. complete in all respects (2'x5'x100')= 1000cft	1000	"/,cft		
12	Rehandling of earthwork Lead upto a single throw of Kassi, phaorah or shove	1000	"/,cft		

13	S/E of PVC insulated aluminum cable (7/052") 2/core (12*15 + 13*15 + 2*25*2)	445	rft		
14	Supplying ,Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the Engineer Incharge.Trippl Pole 15-63 Amp(7.5 KA)	2	No		
15	Supply and erection of street light pole bracket 30 mm (1¼") G.I. pipe 2 metre long, complete with 2 No. pole clamp.	11	No		
16	Supply and erection of pole mounted street light, holders, shade and glass, etc., for fitting 125/250 watts mercury vapour lamp (excluding cost of lamps): Philips design	11	No		
17	S/E of LED Bulb 30 watt Philips made	11	No		
18	S/E of LED Flood light 200 watt China (Agree brand)	12	No		
Total. A					
B. Up-gradation of power supply of Arnica Hall through LT Structure/Spun Poles with Boundary Security Lights Arrangement at “3-Hostel Complex” PARS, UAF Rs. 1,798,312/-					
1	S/E of LT Structure 30'-8" size (WAPDA Specification)	5.00	No		
2	P/F of LT PC pole (Spun pole WAPDA specification)	7.00	No		
3	P/F of stay for pole complete in all respect	6.00	No		
4	S/F of M.S.U clamp for shackle insulator	70.00	No		
5	Supply and erection of shackle insulator, medium size.	70.00	No		
6	Supply and erection of all aluminum stranded hard drawn bare conductor, of size 7/3.099 mm (7/0.122"). (i) (7/0122") {(260+374+ 656 =374 Rft)+ 5% Sag}/3.28 =412 MTR	412.00	Mtr		
7	(ii) WASP Insulated	1648.00	Mtr		
8	Earthing rod with GI wire and clamps etc complete in all respect	5.00	No		
9	S/E of LC-116 Connector	30.00	No		

Tender No. 17/2022			Page 32 of 41		
10	S/E of P.G Connector	18.00	No		
11	Excavation of trenches in all kinds of soil, except cutting rock, for watersupply pipelines upto 5 ft. (1.5 m) depth from ground level, including trimming, dressing sides, leveling the beds of trenches to correct grade and cutting pits for joints, etc. complete in all respects 2'x5'x(50'+100'+100'+100'+100'+100'+100'+50')= 4900cft	7000.00	"/,cft		
12	Rehandling of earthwork Lead upto a single throw of Kassi, phaorah or shove	7000.00	"/,cft		
13	S/E of PVC insulated aluminum cable (7/052") 2/core (25*2 + 15*12 = 230 Rft)	230.00	rft		
14	Supplying ,Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the Engineer Incharge.Trippl Pole 15-63 Amp(7.5 KA)	1.00	No		
15	Supply and erection of street light pole bracket 30 mm (1¼") G.I. pipe 2 metre long, complete with 2 No. pole clamp.	7.00	No		
16	Supply and erection of pole mounted street light, holders, shade and glass, etc., for fitting 125/250 watts mercury vapour lamp (excluding cost of lamps): Philips design	7.00	No		
17	S/E of LED Bulb 30 watt Philips made	7.00	No		
18	S/E of LED Flood light 200 watt China (Agree brand)	10.00	No		
Total. B					
TOTAL:A+B					
PST@_____%					
G. TOTAL:					
Mandatory to Write in Words: (Urdu/English)					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2022 Sr. No. 06					
Name of Work:		Providing and installation Tractor mounted Turbine one cusec discharge including cost of boring etc. at Sidhupura Farms, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) ordinary soil	885.00	%0cft		
2	Providing, laying, watering and ramming brick ballast 1½ to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects	19.39	%cft		
3	Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:-(b) Ratio 1: 4: 8	38.78	%cft		
4	Pacca brick work other than building upto 10ft. (3 m) Ratio 1:4	220.31	%cft		
5	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	23.55	%cft		
6	Supply and Erection of Car Parking Shed consisting of 3 mm thick fiber glass sheet roof (3-layers) fixed / riveted on moulded curved frame of M.S box pipe 1-1/2"x1-1/2"16-SWG supported on trusses of MS angle iron 1-1/2"x1-1/2"x3/16" all around duly supported on M.S sheet 6"x6"x1/4" welded on GI pipe post (Medium Quality) of specified diameter embeded in P:C:C (1:2:4) i/c the cost of excavation,cutting straightening assembling, bending as per design, welding / grinding of joints and painting three coats complete in all respect as approved and directed by the Engineer Incharge.(i) 4" dia GI Pipe	169.00	sft		
7	cement plaster 1:4 ratio upto 20 ft height ½" thickness	60.00	%sft		
8	Applying floating coat of cement 1/32" (0.8 mm) thick.	76.50	%sft		
9	Cement plaster 1:3 upto 20' (6.00 m) height b)½" (13 mm) thick	137.25	%sft		
10	Cement plaster 1:3 upto 20' (6.00 m) height c)¾" (20 mm) thick	54.00	%sft		
11	Direct Rotary/Reverse Rotary drilling of bore for tubewells in all types of soil except shingle, gravel and rock:-a)from ground level to 250 ft. (75 m) below ground level:-i) 15" to 18" (375 to 450 mm) i/d	190.00	rft		
12	Providing and installing P.V.C. Bail/End plug, in tubewell bore hole:-g) 12" i/d (300 mm)	1.00	each		

Contractor

Executive Engineer
ECD-M; UAF

Tender No. 17/2022			Page 34 of 41		
13	Providing and installing, P.V.C. strainer B.S.S. Class 'B' in tubewell bore hole, including sockets and solvents, etc. complete 12" dia	60.00	rft		
14	Providing and installing P.V.C. blind pipe, B.S.S. Class 'B', in tubewell bore hole, including sockets and solvents and jointing with strainer, etc. complete. 12" dia	120.00	rft		
15	Shrouding with graded pea gravel 3/8" to 1/8" (10 to 3mm), around tubewell in bore hole	186.44	cft		
16	Providing and installing M.S. blind pipe socketed/welded joint, M.S. reducer (where necessary), in tubewell bore hole, including jointing/welding with strainer, etc. complete Dia 6" i/d, 3/16" (150 mm i/d 5 mm) thick	40.00	rft		
17	Providing and Fixing of KSB Tractor Mounted Zaree Turbine pump with capacity 1-1.25 cusec, 4 stages mixed flow type impeller, 6" Mounting Clamp, Mechanical and Electrical installation within the pump house without civil work etc. complete in working condition	1.00	each		
TOTAL:					
PST@ _____%					
G. TOTAL:					
Mandatory to Write in Words: (Urdu/English)					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2022 Sr. No. 07					
Name of Work:		A. Provision of new passage form female complex to digital learning resource center (E-library building) at main Campus, UAF Rs. 2,822,550/-			
		B. Installation of flood lights at the passage from Khadija Hall, E-Library UAF Rs. 189,875/-			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
A. Provision of new passage form female complex to digital learning resource center (E-library building) at main Campus, UAF Rs. 2,822,550/-					
1	Dismantling cement concrete 1:2:4 plain	20.30	%cft		
2	Dismantling cement concrete 1:4:8 plain	5.78	%cft		
3	Dismantling cement concrete with brick aggregate	150.00	%cft		
4	Dismantling brick or flagged flooring without concrete foundation	300.00	%sft		
5	Dismantling brick work in lime or cement mortar.	18.00	%cft		
6	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) ordinary soil	2077.32	%0cft		
7	Providing, laying, watering and ramming brick ballast 1½ to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects	434.83	%cft		
8	Pacca brick work in foundation and plinth in 1:6 cement sand mortor	2012.99	%cft		
9	Providing and laying damp proof course of cement concrete 1:2: 4(using cement, sand and shingle), including bitumen coating 1½" thick (40 mm)	113.43	%sft		
10	Filling, watering and ramming earth under floors with new earth excavated from outsidelead upto one chain (30 m).+for every ½ mile (800 m) additional lead or part thereof, beyond 5 miles (8 Km).	5554.50	%0cft		
11	Compaction of earthwork (soft, ordinary or hard soil a)Mixing, moistening earth to optimum moisture content in layers for compaction, etc. complete	5554.50	%0cft		
12	Pacca Brick work other then building in ground floor level 1:6 c/s mortor	594.09	%cft		
13	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	46.68	%cft		
14	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40	146.88	%kg		

Contractor

Executive Engineer
ECD-M; UAF

15	Reinforced cement concrete in roof slab, beams columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast 3) This item shall not be applicable in situ, complete in all respect c) 3c type 1:2:4	56.39	p.cft		
16	Providing and laying sub-base course of stone product of approved quality and grade, including placing, mixing, spreading and compaction of sub-base material to required depth, camber, grade to achieve 100% maximum modified AASHO dry density, including carriage of all material to site of work except gravel and. aggregate	707.25	%cft		
17	Providing and laying Tuff pavers, having 7000 PSI, crushing strength of approved manufacturer, over 2" to 3"sand cushion i/c grouting with sand in joints i/c finishing to require slope.complete in all respect. (50% Grey / 50% Coloured b) 60-mm thick	1414.50	sft		
18	Providing and fixing partition, including frame work b)Sheets on both sides of frame work:-i) Hard board	1800.00	%sft		
19	Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:6+ii)second floor	42.00	%cft		
20	Cement pointing struck joints, on walls, upto 20' (6.00 m) hieght:-a)ratio 1:2	705.81	%sft		
21	cement plaster 1:4 ratio upto 20 ft height ½" thickness	1705.32	%sft		
22	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	705.81	%sft		
23	color wash old surface 2 coats	1411.62	%sft		
24	Providing and fixing anti climb high security galvanized razor cut wire having double sharp four U-shaped pointed 0.5 mm thick (22mmx15 mm barbs) spaced @ 33 mm c/c cladde over 2.5 mm dia high tensile Core wire making coil fencing of specified diameter @ 4" c/c fixed on 2'-3" high M/S angle iron post 1½"x1½"x3/16"embeded in base of PCC (1:2:4) (4"x4"x9") @ 4' apart i/c the cost of 2 No. bars 3/8" dia welded horizantally with angle iron posts , binding wire, painting of posts, etc. complete in all respects as pproved and directed by the Engineer incharge (i) 24 " diameter	100.83	rft		
25	Providing and applying wall putty of 2mm thickness over plastered surface (new surface)top repare the surface even and smooth complete in all respect.	254.00	%sft		
26	Distempering 3 coats on new surface+ Priming coat of chalk under distemper	254.00	%sft		
27	Providing and fixing mild steel chowkat of doors, windows,C.window, etc.including holdfast,making and threading holes a)M.S. angle iron 1½"x 1½"x ¼" (40x40x6 mm) welded with M.S. flat 2"x ¼" (50 mm x 6 mm	68.00	sft		

Contractor

Executive Engineer
ECD-M; UAF

Tender No. 17/2022			Page 37 of 41		
28	Making and fixing steel grated doors, complete with locking arrangement, angle iron frame 2"x2"x3/8" (50x50x10 mm) and ¾" (20 mm) square bars 4" (100 mm) centre to centre.	68.00	sft		
29	Providing and laying dry brick pavement/soling in streets or roads, etc. sand grouted, laid in proper camber, including preparation, watering, compaction of bed to proper camber and sand cushion	742.22	%cft		
30	Providing and laying R.C.C. pipe sewers, moulded with cement concrete 1:1½:3 conforming to ASTM Specification C-76-20, Class II. Wall B, including carriage of pipe from factory to site of work, lowering in trenches to correct alignment and grade, jointing with rubber ring, cutting pipes where necessary, testing, etc complete iii) 460 mm (18") i/d	40.00	rft		
Total. A					
B. Installation of flood lights at the passage from Khadija Hall, E-Library UAF Rs. 189,875/-					
1	Supply and erection of PVC pipe for wiring recessed in walls, including inspection boxes, pull boxes, hooks, cutting harries, and repairing surface, etc., complete with all specials. (1"-dia)	300.00	rft		
2	Supply and erection of copper conductor cables for serviceconnection, in prelaid pipe/G.I. wire/trenches, etc. (rate for cable only) PVC insulated, PVC sheathed twin core, 250/440 volts. (i) (7/0.044") 2/core	500.00	rft		
3	S/E of LED Flood lights 200 watt (Agree brand) complete in all respect	6.00	rft		
4	Providing and fixing M.S. iron box for housing main switches, made of 1.5 mm (1/16") thick M.S. sheet, with locking arrangement, including painting:- (12"x12"x6")	1.00	No		
5	Suppling,Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screws,necessary wire complete in all respect as approved and directed by the Engineer Incharge. Double Pole 6-40 Amp (6 KA)	1.00	No		
Total. B					
TOTAL: A+B					
PST@_____%					
G. TOTAL:					
Mandatory to Write in Words: (Urdu/English)					

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2022 Sr. No. 08					
Name of Work:		Up-gradation of Electrical System of Lab High School PARS, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Excavation of trenches in all kinds of soil, except cutting rock, for watersupply pipelines upto 5 ft. (1.5 m) depth from ground level, including trimming, dressing sides, leveling the beds of trenches to correct grade and cutting pits for joints, etc. complete in all respects 2'x5'x(150'+100'+60'+70'+60'+50')= 4900cft	4900.00	"/,cft		
2	Supply and erection of copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches, etc. PVC insulated, PVC sheathed 4 Core, 600/1000 volt armoured cable (i) (19/0.083")	150.00	rft		
	(ii) (19/0.064") 4/core Non-Armored (100'+60'+10')+ (70'+60'+10')+ (50')= 360'	360.00	rft		
3	Dry brick paving laid flat, sand grouted, including preparation of bed by watering, ramming and bringing the same to proper camber, by ½"(13 mm) thick mud plaster.	375.00	%sft		
4	Rehandling of earthwork Lead upto a single throw of Kassi, phaorah or shove	4900.00	"/,cft		
5	S/E of copper thimble UPTO 70 mm size (4+4+4+4+4+4+4= 28	28.00	No		
6	Supply and erection of bus bars, for 500 volts 3 phase A.C. supply with four copper bars, including glazed porcelain bridges, on angle iron board, fixed with rag bolts and M.S sheet box 1.5 mm thick, etc. complete v) 500 Amp with 4 copper size 2"x1/4" (50x 6 mm)	1.00	No		
7	S/E of ceilng Fan (Royal Energy Saver Ceiling Fan) 56" size Or Any manufacture with Equivlant NECCA or PECCA approved (Energy Efficient Model) as approved by the Engineer Incharge 9th class= 2 One Class= 2 5th Class= 2 S.S= 1 Total= 7	7.00	No		
8	Supply and erection of roof suspension hook of M.S plate 75x40x12.7mm (3"x1½"x½") with 16 mm (5/8") hook complete with bolts, nuts and fixing with cement concrete 1:3:6 including hole/ drill work (hook length with approved length appropriate length upto roof top	30.00	No		
9	S/E of LED Flood lights 200 watts LED light china 165/I P66 1800~2000 Lumns (china made	10.00	No		

Contractor

Executive Engineer
ECD-M; UAF

Tender No. 17/2022		Page 39 of 41			
10	Supplying ,Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip) in prelaiddBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the Engineer Incharge. Tripple Pole 15-100 Amp (10 KA,15KA)	6.00	No		
11	Supply and erection of single core PVC insulated copper conductor cables, in prelaidd PVC pipe/M.S. conduit/G.I pipe/wooden strip batten/wooden casing an capping/G.I.wire/trenches 250/440 volts, PVC insulated (3/0.029") (if needed to performk internal work.)	1050.00	No		
TOTAL:					
PST@_____%					
G. TOTAL:					
Mandatory to Write in Words: (Urdu/English)					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2022 Sr. No. 09					
Name of Work:		Providing and fixing of missing electrical wiring at (i) PBI Block (ii) Water supply (Colony-PBI) at PBI-PARS, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
(i) PBI- BLOCK					
1	Supply and erection of single core PVC insulated copper conductor cables, in prelaidd PVC pipe/M.S. conduit/G.I pipe/wooden strip batten/wooden casing an capping/G.I. wire/trenches (i) (7/0.064) s/core Left side: 5(5') x7+ 5(35')+ 5 (18')+ 15 (45') 5(75')+ 10(40')+ 25(64'+40')= 4690rft Right side: 10(40'+65'+40)= 1450rft	6140.00	rft		
2	Supplying ,Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip) in prelaidd DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the Engineer Incharge. 15-100 Amp(25 KA)	2.00	No		
3	S/E of copper thimble 35 mm size	70.00	No		
4	S/E of PVC Tape Role	20.00	No		
Total. (i)					
(ii) WATER SUPPLY (COLONY- PBI)					
1	Supply and erection of single core PVC insulated, PVC sheathed copper conductor, 660/1100 volts grade cable, in prelaidd G.I. pipe/M.S. conduits/PVC pipe/G.I. wire/trenches, etc 4(70') = 280rft	280.00	rft		
2	S/E of copper thimble 70 mm size	4.00	No		
3	S/E of PVC Tape Role	5.00	No		
Total. (ii)					
TOTAL: (i) + (ii)					
PST@_____%					
G. TOTAL:					
Mandatory to Write in Words: (Urdu/English)					

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 17/2022 Sr. No. 10					
Name of Work:		Repair and maintenance work to Jamia Masjid at Main Campus, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Glazing with panes (24 oz. to 26 oz.), using putty and deodar wooden fillets	228.82	sft		
2	Providing and applying wall putty of 2mm thickness over plastered surface (new surface)top repair the surface even and smooth complete in all respect.	6468.00	%sft		
3	Distempering :-2 COATS on old surface	42234.00	%sft		
4	Scaraping old distemper or paint on wall	16893.60	%sft		
5	painting door and window any typ 2 coats on old surface	2524.50	%sft		
6	painting saches fanlight wire guazed or glazed door and window 2 coats on old surface	14913.84	%sft		
7	Plain galvanized iron sheet flashing, 22 gauge.	500.00	sft		
8	Removing cement or lime plaster	1655.00	%sft		
9	Applying floating coat of cement 1/32" (0.8 mm) thick.	1655.00	%sft		
10	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	1655.00	%sft		
11	Providing and applying weather shield paint of approved quality on external surface of building including preparation of surface, application of primer complete in all respect:2 coats on old surface + add Extra labour for white washing, colour washing, priming coat and distempering, etc. from 20' (6.00 m) height and above (each coat 37.65x2=75.30	13508.01	%sft		
12	Providing and fixing chowkat for doors, windows and C.windows, including holdfast, etc.b)Deodar wood	33.25	p.sft		
13	Grouting 4½"(113 mm) dry brick work with cement mortar ratio 1: 5	2160.00	%sft		
TOTAL:					
PST@_____%					
G. TOTAL:					
Mandatory to Write in Words: (Urdu/English)					