



Tel.Off:041-9200507 PBAX: 041- 9200161~70 Ext. 2502, Fax No. 041-9200764 (VC Office)

UNIVERSITY OF AGRICULTURE, FAISALABAD

Engineering Construction Department (M)

(Office of the Executive Engineer)

TENDER NOTICE NO. 19/2022

Sealed tenders are invited from the firms/contractors Pre-qualified with the University of Agriculture, Faisalabad (UAF) for the following works of University of Agriculture, Faisalabad (UAF) and registered with Pakistan Engineering Council (PEC) in the relevant category of the works on the **Item Rate** (DNIT-Basis) or the **Percentage Rate (MRS-2nd Bi Annual 2022 / TS-Estimate)** circulated by the Finance Department, Government of the Punjab as per PPRA rules.

Tender Notice 19/2022		Last date for the submission of Tender Documents: 28-11-2022		02:30 p.m.	
		Date of Opening: 28-11-2022		03:00 p.m.	
Sr.#	Name of Work	Amount (Rs.)	Bid security @ 2% of Estimated Price	Tender Fee (Rs.)	Time Limit
01	Providing and fixing of barbed wire fencing for fate and Climax Lab in Agronomy Department, UAF.	788,600/-	15,772/-	500/-	One Month
02	Providing and fixing of fiber glass shed for product harvest Lab near the Generator outside of CAS building UAF.	1,036,200/-	20,724/-	500/-	One Month
03	Replacement of main water supply line feeding to American Colony and Firdous Hall, UAF.	465,200/-	9,304/-	500/-	One Month
04	Repair/Replacement of 200 KVA Transformer at Tariq Hall Main Campus, UAF.	253,989/-	5,080/-	500/-	One week
05	Restoration of electric supply of Directorate of P&D Quality Enhancement cell, Museum, etc by up-gradation of burnt LT main branch distribution panel installed in back corridor of Old Campus Building UAF.	200,000/-	4000/-	500/-	One week
06	Repair of House No. 16 Firdous Hall, UAF.	250,400/-	5,008/-	500/-	One Month

1. Tender Documents can be obtained on payment of prescribed tender fee (Rs.500) into the account No. 11-9/NBP (NDIA), Agri. University Branch through E-Challan Form issued by the Office of Treasure, UAF from the office of the Executive Engineer ECD-M UAF or free download from the UAF website <http://web.uaf.edu.pk/Main/Tenders> and at PPRA website.
2. Tender rate and amount should be filled in figure as well as in words and tender should be signed and stamped by the vender.
3. The bid must be dropped in the Tender Box available in office of Principal Officer, ECD-M UAF and not to be handed over to any person of the ECD-M, UAF if the bid is sent by in person or through post, the same instructions should be passed on the Representative/Courier/Postal Services etc.
4. The UAF will not be responsible for any cost and expense incurred by the bidder in connection with the preparation or delivery of bids. In case of official holiday on the day of submission, the next day will be treated as closing date.
5. Conditional tender or tender without bid security@ 2% of tender estimated cost in shape of CDR issued by a scheduled bank in favor of Executive Engineer (ECD-M), UAF will not be entertained.

(Engr. Muhammad Ikram)

Executive Engineer, (ECD-M)

University of Agriculture

Faisalabad

Tenderer/ Bidders/Consulting Firms are directed to comply the following checklist along with the sealed envelope of bidding documents while participating the tender as per schedule date and time.

SR. NO	BIDDER DOCUMENTS	MENTIONED PAGE NO. (To Filled By the Tenderer)
Compulsory Required Documents to Participate in Bidding for F.Y 2022-23:-		
1	<u>Written Application</u> * on Firm’s Letter Head Pad for the Work you are going to participate under this bidding document.	
2	License of Pakistan Engineering Council (Not-Required for Pre-Qualified Contractors in D and E Category and involved in repair works of ECD-M) A. Valid License Copy is mandatory from the PEC Registered contractors for the said PEC- Class as per prescribed guidelines <u>“Can be provided on request / published for Pre-Qualification of Contractors for related PEC Category for F.Y. 2022-23.”</u> B. Copy of the Prequalification Certificate/Notification with ECD, UAF for the current Financial Year Dully issued by the Executive Engineer (M) or (P)	
3	Copy of Registration Certificate, (Active NTN Certificate) with Federal Board of Revenue.	
4	Copy of Registration Certificate, (Active PNTN Certificate) with Punjab Revenue Authority Punjab	
		

*
Not required for the Downloaded Tendering Documents

Note: Bidders are directed to provide forth-said information with the tender to the Office of Executive Engineer, UAF to proceed further.

Stereo I.B No. 386 (revised)
Stereo I.B No. 389 (revised)
Stereo I.B No. 28 (revised)
Stereo I.B No. 29 (revised)

Agreement No._____

UNIVERSITY OF AGRICULTURE, FAISALABAD

(Item Rate / Percentage Age Rate Tender & Contract for Works)

1	Name of work:	i. Providing and fixing of barbed wire fencing for fate and Climax Lab in Agronomy Department, UAF. (2nd Bi Annual 2022). ii. Providing and fixing of fiber glass shed for product harvest Lab near the Generator outside of CAS building UAF. (2nd Bi Annual 2022). iii. Replacement of main water supply line feeding to American Colony and Firdous Hall, UAF. (2nd Bi Annual 2022). iv. Repair/Replacement of 200 KVA Transformer at Tariq Hall Main Campus, UAF. (2nd Bi Annual 2022). v. Restoration of electric supply of Directorate of P&D Quality Enhancement cell, Museum, etc by up-gradation of burnt LT main branch distribution panel installed in back corridor of Old Campus Building UAF. (2nd Bi Annual 2022). vi. Repair of House No. 16 Firdous Hall, UAF. (2nd Bi Annual 2022).
---	---------------	---

Contractor

Executive Engineer
ECD-M; UAF

	Estimated cost :	1. PKR: 788,600/- 2. PKR: 1,036,200/- 3. PKR: 465,200/- 4. PKR: 253,989/- 5. PKR: 200,000/- 6. PKR: 250,400/-
3	Time for completion :	i. One Month ii. One Month iii. One Month iv. One Week v. One Week vi. One Month Note: - Time Extension (if any) should not be more than original completion time mentioned in the W.O. In case of any contradiction, this provision will prevail. However, this can be right off with the prior approval of the Competent Authority, UAF any time during the execution of the work under specific circumstances.
4	Amount of Bid Security:	i. PKR: 15,772/- ii. PKR: 20,724/- iii. PKR: 9,304/- iv. PKR: 5,080/- v. PKR: 4,000/- vi. PKR: 5,008/-
5	Issued to:	
6	Pre-tender conference:	N.A.
7	Dead Line for submission of Tender:	-----28-11-2022-----
8	Opening of Tender :	-----28-11-2022-----
9	Issued by:	Office Of Executive Engineer, University of Agriculture, Faisalabad.

Date: -----

Signature: -----

(OFFICE STAMP)

Note:

The officer / Tender Opening committee is competent to reject the tender, which does not bear the signature and stamp of the issuing officer in favor of the contractor/firm to whom the tender-documents was issued against prescribed fee (Non-Refundable) for the purpose/ work requested thereto. However, the tender documents can be downloaded Free of Cost from UAF or PPRA website. Tender documents in a sealed envelope along with prescribed Bid Security @ 2% in shape of CDR/DD in favour of Executive Engineer (ECD-M) /Treasure, UAF must reach to the **Office of Executive Engineer, University of Agriculture Faisalabad** up to schedule of closing.

Contractor

Executive Engineer
ECD-M; UAF

GENERAL DIRECTIONS
FOR
THE GUIDANCE OF THE TENDERER

1. These directions are provided to assist the tenderer in preparing and submitting his tender. The tender shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.
2. All necessary documents, such as copies of specifications (excluding standard specification books, MRS, 2nd Bi-Annual 2022 District Faisalabad), contract documents, including bill of quantities, estimated scheduled rates and any other documents required in connection with the preparation of tender or execution of works, signed by the engineer-in-charge will accompany the tender form and the cost of such annexed documents will be reflected in the cost of the tender form.
3. The tenderer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his tender.
4. No single tender shall include more than one work. A tenderer who wishes to tender for two or more works shall submit tender for each work, separately.
5. The memorandum of work tendered for, and the schedule of materials and equipment to be supplied by the engineer-in-charge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the engineer-in-charge before the tender form is issued. At this stage the tenderer should ensure that the tender form so issued is complete in all respects.
6. The tenderer shall note that the ultimate responsibility for the quality of work and its conformity with the specifications and drawings rests solely with the successful bidder whose tender is accepted.
7. The tenderer shall, at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the tender and entering into contract, and shall determine and satisfy him self by such means as he may consider necessary or desirable as to all matters pertaining to the tender. The tenderer shall also satisfy himself before submitting his tender as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and transportation facilities in the area. The tenderer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his tender. The engineer-in-charge shall not assume any responsibility regarding information gathered interpretation or deduction, which the tenderer may arrive at, from the date that may be furnished with the contract documents.
8. (a) The tenderer shall fill up the Bill of Quantities and indicate the percentage rate above or below the MRS of rates for the "MRS items" on which he is willing to undertake each item of work. No premium will be quoted by the contractor against non-MRS/item rates, for which the rate and amount has already been filled in by the engineer-in-charge in the bid schedule.

(b) In case tenders are called on item rate basis, the tenderer shall quote his own unit rate in the Bill of quantities on which he is willing to undertake each item of work.
9. i. The tender shall work out the amount against each item of work in the Bill of Quantities and will indicate the total amount of his tender (including the cost of Non-MRS items rates for which the rate and amount has already been filled in by the engineer-in-charge in the Bill of Quantities) on which he is willing to complete the works. The total amount worked out in the Bill of Quantities shall be entered by the tenderer in his tender as his tender price for the work. In case of discrepancy between amounts in figures and in words, the amount in words shall prevail.

Contractor

Executive Engineer
ECD-M; UAF

- ii. Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the tenderer will be extended in working out of the amount of the tender and the total amount of the bid schedule will be adjusted accordingly.
 - iii. If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule.
 - iv. If it is found that the tenderer has not entered any unit rate and amount against any of the pay items of the bid schedule, the engineer-in-charge shall fill in the blanks by noting the word "NIL" in such blanks at the time of opening of the tender. Such pay items shall be deemed to be covered by the rates of other items.
 - v. If the tenderer does not accept the adjusted/corrected amount of tender according to the above provision, his tender shall be rejected, and the earnest money forfeited.
10. The tender, which proposes any alteration in the works specified in the Bill of quantities or in the time allowed for carrying out the works or any other condition mentioned by the Engineer-in-charge, will be liable to rejection. The tenderer shall sign each and every page of the tender and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the tender duly signed by the tenderer. Any addition or alteration made after filing the forms shall duly attested by the tenderer. Non-compliance of this condition shall render the tender liable to rejection.
11. The tenderer shall fill in the tender documents, in ink. Errors, if any, shall be scored out, and corrections re-written legibly and attested by the tenderer. Any addition or alteration made after filling the form shall be duly attested by the tenderer. Non-compliance of this condition shall render the tender liable to rejection. Any tender with unattested correction shall be attested by the tenderer in the presence of other tenderers at the time of opening of the tender except that no correction shall be permissible in the rate or amount of the bid schedule or in the tendered price after the opening of the tender.
12. Additional Clause (s) for a particular work shall be typed on separate sheet(s) by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets. The tenderer shall not add or delete any additional clause(s) in the additional clauses sheet (s), provided by the Engineer-in-charge.
13. The quantities mentioned in the Bill of Quantities are estimated quantities, to be used for preparing tenders, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein, except as determined in accordance with the provisions of Clause 42 of the general conditions of contract.
14. No tender without earnest money shall be entertained, Earnest money, calculated @ 2% of the estimated cost of the work (rounded suitably), shall be in the form of 'deposit at call receipt'. The earnest money of the unsuccessful tenderers shall normally be returned by the Engineer-in-charge within a week of opening of the tenders and in any case not later than sixty (60) days following the date set for opening of tenders. In the event of the tender being accepted, or receipt for the earnest money forwarded therewith, shall thereupon be given to the contractor. The earnest money of the successful tenderer on execution of the contract covering work will be adjusted towards the amount of security deposit to be retained from the first amount (s) payable to the contractor under the contract.
15. The successful tenderer will be required to enter into a contract, furnish the performance security (where-ever required) and to commence the work within the time specified in the memorandum of work. Should the successful tenderer refuse or fail for any reason to enter into contract, or to furnish the performance security or to commence the work within the time specified in the memorandum of work, it should constitute a just cause for the annulment of the award and in the event of such annulment, the entire earnest money shall be forfeited to Government, as compensation for such default.

Contractor

**Executive Engineer
ECD-M; UAF**

16. (i) The tender shall be signed by the person (s) duly authorized to do so. In the event of the tender being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the tender and it must disclose that the firm is duly registered under the Partnership Act, 1932, or any other law in force.
- (ii) The tender submitted by a joint venture of two or more firms shall be accompanied by a document of formation of the joint venture, duly registered and authenticated by competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person (s) authorized to represent it and accept it obligate, the participation of several firms forming the joint venture and any other information of necessary to permit a full appraisal of its function.
- (iii) A tender submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.
- (iv) In all cases, the tender must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.
17. Each tenderer shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender and of the rates and prices stated in the bid schedule which rates and prices shall, except in so far as it is otherwise expressly provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.
18. The tenderer may modify or withdraw his tender after submission, provided that the modification or notice of withdrawal is received in writing by the engineer-in-charge prior to the prescribed deadline for submission of tenders. The tenderer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "MODIFICATION or WITHDRAWAL as appropriate. No tender may be modified subsequent to the deadline for submission of tender. Withdrawal of a tender during the interval between the deadline for submission of tenders and the expiration of the period of tender validity i.e. sixty (60) days as specified by the tenderer in the Form of Tender may result in the forfeiture of the tender security.
19. The tenderer shall submit the original Tender Documents complete in all respects and keep a copy of the tender for his own record. The original should be sealed in an inner and an outer envelope, duly marking the envelopes as "ORIGINAL". The inner and outer envelopes shall (a) be addressed to engineer-in-charge (b) and bear the following identification: Tender for (Name of Contract), (Reference Number of Tender), and the words "DO NOT OPEN BEFORE (Time and Date, set for opening)". The inner envelopes shall indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared to have been received late or is otherwise unacceptable. If the outer envelope is not sealed and marked and instructed above, the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the tender submitted. A tender opened prematurely because of improper identification will be rejected.
20. The tenderer shall indicate in the space provided in the tender his full and proper address at which notice may be legally served on him and to which all correspondence in connection with his tender and the contract is to be sent.
21. The presentation of a tender implies full acceptance on the part of the tenderer of these instructions and all other conditions set forth in the contract document.
22. Any tender received by the Executive Engineer (Engineer-in-charge) after the deadline for submission of tenders prescribed in the Notice Inviting Tenders will be returned unopened to the tenderer.
23. The Engineer-in-charge or his duly authorized officer (not below the rank of Assistant Engineer) will open tenders in the presence of intending tenderers or their

Contractor

**Executive Engineer
ECD-M; UAF**

authorized agents, who may be present at the time. The officer opening the tender will announce the names of the tenderer, tender rates and the presence of requisite tender security.

- 24. Promptly after the opening of Tenders, the Engineer-in-charge will undertake a detailed evaluation of tenders. The Engineer-in-charge will determine whether each tender is substantially responsive to the requirements of the tender documents and conforms to all the terms, conditions and specifications of the tender documents without material deviation or reservation. If a tender is not substantially responsive to the requirements of the tender documents, it will be rejected by the engineer-in-charge and may not subsequently be made responsive by the tenderer having corrected or withdrawn the non-confirming deviation or reservation.
- 25. Except for information to be read out by the Engineer-in-charge at the time of opening tenders in accordance with Para 23 above, no information relating to the examination, clarification, evaluation and comparison of tenders and recommendations concerning the award of contract shall not be disclosed to tenderers or other persons not officially concerned with such process. Any effort by the tenderer to influence the process of examination, clarification, evaluation and comparison of tenders, and in decisions concerning award of contact, may-result in the rejection of his tender.
- 26. To assist in the examination, evaluation and comparison of tenders, the Engineer-in-charge may ask tenderers individually for clarification of their tenders, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, but no change in the price or substance of the tender shall be sought, offered or permitted except as required to confirm the correction of arithmetical errors discovered by the Engineer-in-charge during the evaluation of the tender.

26(A) In case the total tendered amount is less than 5% of the approved estimated (DNIT) amount, the lowest bidder will have to deposit additional performance security from the Scheduled Bank ranging from 5% to 10% as under, within 15 days of issuance of notice or within expiry period of bid, whichever is earlier.

TOTAL TENDERED AMOUNT BELOW CORRESPONDING ESTIMATED COST.	ADDITIONAL PERFORMANCE SECURITY.
5%	5%
6%	6%
7%	7%
8%	8%
9%	9%
10%	10%

- 27. The Engineer-in-charge shall have the right of the rejecting all or any of the tenders without assigning any reason thereof. The Engineer-in-charge will not be bound to award the contract to the lowest or to any other tenderer.
- 28. The unit rates and prices entered in the bid schedule will be the rates at which the contractor will be paid (subject to the adjustment specified in clause 55 of the annexed conditions) and shall be deemed to include all costs of performing the work, including income tax, super tax and/or other charges, duties and taxes of the Government, autonomous, semi-autonomous and local bodies, profits and costs of accepting the general risk, liabilities and obligations set forth in or implied from the contract.
- 29. Prior to the expiration of the period of tender validity (60 days) prescribed in the Tender Form or any extension thereof that may have been granted by the tenderer, the Engineer-in-charge will notify the successful tenderer by cable and confirm in writing by registered letter that his tender has been accepted. This letter of acceptance shall name the sum which will be paid in consideration of the execution, completion and maintenance of the works as prescribed in the contract, (hereinafter called the contract price). The notification of award will constitute the

Contractor

Executive Engineer
ECD-M; UAF

formation of the contract.

30. At the time, the Engineer-in-charge notifies acceptance of the tender to the tenderer he will send the tenderer the Form of Agreement provided in the tender documents, incorporating all agreements between the parties. Within fifteen (15) days of receipt of the of Agreement, the successful tenderer shall furnish the performance security (10% of the Contract Price) and sign the contract in the presence of the Engineer-in-charge.
31. After the successful tenderer has signed the contract furnished adequate performance security the Engineer-in-charge will notify to the un-successful tenderers that they were unsuccessful.
32. The completion period will be reckoned from the date of delivering the award or the handing over of the site to the contractor, whichever is later.
33. A copy of the contract agreement may be obtained by the contractor at his own cost.

Contractor

**Executive Engineer
ECD-M; UAF**

TENDER FOR WORK

To

The Executive Engineer,
Engineering Construction Department, (Maintenance)
University of Agriculture,
Faisalabad

Dear Sir,

I/We.....

(Name of the contractor)

The undersigned tenderer, having examined the conditions of contract, specification, drawing
bid schedule and addenda Nos..... thereto, for the work of
.....
.....
.....

(Name of the work)

and the works associated therewith, and having examined the site of the above named works,
or having caused the site to be visited OR our behalf by my/our competent and reliable agent,
and having satisfied myself/ourselves as to all conditions under which the above named work
must be performed, hereby offer to execute, complete and maintain the whole of the
above mentioned work including its ancillary works associated therewith, in accordance with
the said contract documents, including the addenda indicated above, at tender
price of Rs. (Rupees).....
Or such other sums as may be ascertained in accordance with the said conditions of
contract and the rates, and the prices set forth in the bid schedule.

2. As security for the due performance of the undertaking and obligations of this tender,
I/We submit herewith a deposit at call receipt No..... dated.....
In the amount of Rs. (Rupees)
From theBranch ofBank
drawn in your favour or may payable to you as earnest money, the full value of which
will be absolutely forfeited to Government,, without prejudice to any other rights or
remedies of the said *Government*, should I/We withdraw or modify' the tender within its
validity period of sixty (60) days, following the date of receipt of tender.
- 3 .I/We understand that if my/our tender is accepted, the foil value of the earnest money as
attached with the tender shall be detained by *University* towards the amount of security
deposit specified in clause 48 of the said conditions of contract and item (d) of the
Memorandum of work.
4. Should this tender be accepted by you, I/We hereby undertake:-

(a) To sign ail the necessary documents for entering into a contract agreement in the form
set out In the contract document within fifteen (15) days following your notification of
such acceptance.

(b) To commence the work within the stipulated time named in item (f) of memorandum
hereto annexed following the date of issuance of your order to proceed with or the
handing over of the site, whichever is later and in the event of my/our failure to do so,

Contractor

Executive Engineer
ECD-M; UAF

the entire amount of earnest money deposited by me/us for which deposit at a call receipt is enclosed herewith, is to be absolutely forfeited to the University.. On the commencement of work, I/We hereby also agree to abide by and fulfill all the terms or provisions of the said conditions of the contract annexed hereto so far as applicable and in default thereof, to forfeit and pay to the University the sums of money mentioned in the said conditions.

- (c) To complete and deliver the whole work comprised in the contract within the time stipulated in item No. (g) of the Memorandum hereto annexed, subject to such extension in the time limit as may be granted under the conditions of contract.
 - (d) the furnishing of performance security under item (h) of the memorandum annexed hereto, in the sum equal to 10 (ten) percent of the cost of the work in same form sum equal to 10 (ten) percent of the cost of the work in the same form and on the same condition as are prescribed by and to the satisfaction of the Engineer-in-charge.
- 5. I/We also agree that when materials and/or equipment for the work are provided by the t, the rates to be paid for them shall be as provided in Appendices annexed hereto.
 - 6. I/We agree to abide by this tender for the period of sixty (60) days following the date set for receiving of tenders and it shall remain binding upon me/us and may be accepted by you at any time before the expiration of that period.
 - 7. Unless and until a formal agreement is prepared and executed, this tender, together with your written acceptance thereof, shall constitute a binding contract between us, and shall be deemed for all purposes to be the contract agreement.
 - 8. I/We understand that you are not bound to accept the lowest or any tender you may receive, and that you will not defray any expenses incurred by me/us in tendering.

Thanking you,

Yours faithfully,
(Signature of Tenderer)

NAME.....

*
Address

Dated thisDay of 2022

I hereby accept the above tender on behalf of the Tender Committee UAF / Government.

(Signature of Executive Engineer)

*
In case the above address is changed, the contractor will immediately notify in writing to the *Executive Engineer*, his new address.

Contractor

Executive Engineer
ECD-M; UAF

MEMORANDUM OF WORK

a)	General Description:	i. Providing and fixing of barbed wire fencing for fate and Climax Lab in Agronomy Department, UAF. (2nd Bi Annual 2022). ii. Providing and fixing of fiber glass shed for product harvest Lab near the Generator outside of CAS building UAF. (2nd Bi Annual 2022). iii. Replacement of main water supply line feeding to American Colony and Firdous Hall, UAF. (2nd Bi Annual 2022). iv. Repair/Replacement of 200 KVA Transformer at Tariq Hall Main Campus, UAF. (2nd Bi Annual 2022). v. Restoration of electric supply of Directorate of P&D Quality Enhancement cell, Museum, etc by up-gradation of burnt LT main branch distribution panel installed in back corridor of Old Campus Building UAF. (2nd Bi Annual 2022). vi. Repair of House No. 16 Firdous Hall, UAF. (2nd Bi Annual 2022).
	Estimated Cost:	PKR: 788,600/- PKR: 1,036,200/- PKR: 465,200/- PKR: 253,989/- PKR: 200,000/- PKR: 250,400/-
i.	Amount of earnest money to accompany the tender (to be furnished by the tenderer in the shape of “deposit at call” from a scheduled Bank of Pakistan)	i. PKR: 15,772/- ii. PKR: 20,724/- iii. PKR: 9,304/- iv. PKR: 5,080/- v. PKR: 4,000/- vi. PKR: 5,008/-
ii.	Percentage of security deposit to be retained from the bills.	Ten (10) percent Five (5) percent
	i) On the amount of work done up to Rs.5.0 million ii) On the amount of work done beyond Rs.5.0 million.	
iii.	Minimum amount of interim running bills	Rupees five million (Rs.----- only
iv.	Mobilization period	Fifteen (-) calendar days
v.	Time allowed for completing the work after the expiry of mobilization period	-----NA-----calendar months
vi.	Amount of performance security in the form of Bank Guarantee (see contract conditions clause 7 and General direction 26 (a)	Five (05) percent of the accepted tender price in the case of tenders with cost of exceeding Rs.50.00 million and as per general condition 26(a) for all tenders.
vii.	Period of maintenance (after the date of issuance of certificate of completion)	Twelve (06) calendar months.

Contractor

Executive Engineer
ECD-M; UAF

BID SCHEDULE

1. Schedule of item (MRS & Input Rates)

Name of work: _____

(To be filled in by the tenderer)

Sr. No.	<u>Items in schedule of rates</u>		Description	Estimated quantity	Unit of Rates	<u>Schedule of rates</u>		Amount (Rs....
	Page No.	Serial No.				Labour	Composite	
1	2	3	4	5	6	7	8	9

Mandatory to Write in Words: (Urdu/English)

Contractor

Executive Engineer
ECD-M; UAF

BID SCHEDULE

1. Schedule of item (N.S. Items)

Name of work _____
(To be filled in by the tenderer)

Sr. No	Pay item No. of reference to special specification supplied	Description of item	Estimated quantity	Unit of Rates	Unit rate To be filled in the contractors where not already filled by the Executive Engineer		Amount (To be filled in by the contractor when not already filled in by the project director for items against which the unit rate have already been filled in by him)
					In figure	In Words	
1	2	3	4	5	6	7	8

Mandatory to Write in Words: (Urdu/English)

Total cost of item rates Rs. _____

Contractor

Executive Engineer
ECD-M; UAF

BID SCHEDULE

Name of Work _____

(To be filled in by the tenderer)

Total tendered amount of the work:
(To be filled in by the tenderer)

1. Total Cost.

Rs. _____

2. Total Cost of Item Rates

Rs. _____

Grand Total Rs. _____

Rupees _____

Mandatory to Write in Words: (Urdu/English)

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 19/2022 Sr. No. 01					
Name of Work:		Providing and fixing of barbed wire fencing for fate and Climax Lab in Agronomy Department, UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Excavation in foundation of building, bridges and other structures, including dabbling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) ordinary soil	253.97	%0cft		
2	Providing, laying, watering and ramming brick ballast 1½ to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects	47.89	%cft		
3	Pacca brick work other than building upto 10ft. (3 m) Ratio 1:4	32.66	%cft		
4	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40	24.56	%kg		
5	Reinforced cement concrete in roof slab, beams columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast 3) This item shall not be applicable in situ, complete in all respect c) 3c type 1:2:4	7.88	p.cft		
6	Providing and fixing barbed wire fencing, with 4 horizontal and two cross wires, with R.C.C. 1:2:4 posts, 5.5'x6"x9"(1.68mx150mmx225 mm) at 8 ft. (2.45 m) centre to centre, reinforced with 4 No. 3/8" (10 mm) dia vertical bars and 1/8" (3 mm) dia stirrups 12" (300 mm) centre to centre, complete in all respects in cement concrete 1:4:8 base of size 12"x12"x21"	1080.00	%rft		
7	Providing and installing M.S. blind pipe socketed/welded joint, M.S. reducer (where necessary), in tubewell bore hole, including jointing/welding with strainer, etc.complet a)2" i/d, 1/8" (50 mm i/d 3 mm) thick	180.00	rft		
8	Preparing surface and painting of fillets, framing, skirtings, pipes, gutters, and similar linear work not exceeding 6" (150 mm) girth:- 3 coats on new surface	936.00	%rft		
9	P/F 3/4"dia heavy duty sliding bolt of specified material i/c the cost of hardware complete in all respect as approved and directed by the Engineer Incharge(B) Brass (iii)18" (450 mm) long	2.00	each		
TOTAL:					
PST@_____%					
G. TOTAL:					
Mandatory to Write in Words: (Urdu/English)					

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 19/2022 Sr. No. 02					
Name of Work:		Providing and fixing of fiber glass shed for product harvest Lab near the Generator outside of CAS building UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Providing and laying Tuff pavers, having 7000 PSI, crushing strength of approved manu facturer, over 2" to 3" sand cushion i/c grouting with sand in joints i/c finishing to require slope . complete in all respect. (50% Grey / 50% Colored b) 60-mm thick(lab our only)	72.00	sft		
2	Dismantling cement concrete 1:4:8 plain	11.88	%cft		
3	Supply and Erection of Car Parking Shed consisting of 3 mm thick fiber glass sheet roof (3-layers) fixed / riveted on moulded curved frame of M.S box pipe 1-1/2"x1-1/2"16-SWG supported on trusses of MS angle iron 1-1/2"x1-1/2"x3/16" all around duly supported on M.S sheet 6"x6"x1/4" welded on GI pipe post (Medium Quality) of specified diameter embeded in P:C:C (1:2:4) i/c the cost of excavation, cutting straightening assembling, bending as per design, welding / grinding of joints and painting three coats complete in all respect as approved and directed by the Engineer Incharge.(i) 4" dia GI Pipe Supports	400.00	sft		
4	Supply and Erection of Car Parking Shed consisting of 3 mm thick fiber glass sheet roof (3-layers) fixed / riveted on moulded curved frame of M.S box pipe 1-1/2"x1-1/2"16-SWG supported on trusses of MS angle iron 1-1/2"x1-1/2"x3/16" all around duly supported on M.S sheet 6"x6"x1/4" welded on GI pipe post (Medium Quality) of specified diameter embeded in P:C:C (1:2:4) i/c the cost of excavation,cutting straightening assembling, bending as per design, welding / grinding of joints and painting three coats complete in all respect as approved and directed by the Engineer Incharge.(i) 4" dia GI Pipe Supports(deduction of 4"dia pipe amoun 2x10x1134= 22680(479008- 22680 = 456328	640.00	sft		
5	P/F Iron door comprising of specified leaves made of 1-1/4"x1-1/4"x3/16" MS angle iron for leaf frame, diagonal and horizontal braces duly welded with MS. sheet 18-SWG i/c the cost of sliding bolt, tower bolt and painting 3-coats but excluding the cost of Chowkat complete in all respect as approved and directed by the Engineer incharge	28.00	sft		
6	Providing and fixing mild steel chowkat of doors, windows, C.window, etc. including holdfast, making and threading holes for hinges, etc. complete:-a)M.S. angle iron 1½"x 1½"x ¼" (40x40x6 mm) welded with M.S. flat 2"x ¼" (50 mm x 6 mm)	29.79	sft		
7	Providing and fixing Copper winded Exhaust fan with louver and shutter made of Pak/Younas/G.F.C. i/c the cost of necessary cable and hardware for connection from ceiling rose complete as approved and directed by Engineer Incharge.Steel body ii) 18" sweep	2.00	each		

Contractor

Executive Engineer
ECD-M; UAF

Tender No. 19/2022			Page 16 of 23		
8	Providing of Pedestal Fan made of Pak/Younas/G.F.C or Equivalent including cable and hardware for connection from socket complete in working condition as approved by the Engineer incharge	2.00	each		
9	Supply and Fitting of LED Flood light 50 watts IP65 BVP 172 Philips Made	3.00	each		
10	Supply and erection of single core PVC insulated, PVC sheathed copper conductor, 250/440 volts grade cable (BSS-2004),in prelaid PVC pipes/M.S. conduit/G.I. pipe/wooden strip batten/wooden casing and capping/trenches, etc. (rate for cable only i) 3/0.74 mm (3/0.029")	200.00	rft		
11	P/F wall mounted DB (Distribution Board) made with 16SWG Sheet (Recessded/Surface mounted Type), Powder coated Paint, i/c the cost of Lock, Indication lights,Thimble, Copper Comb, Wiring, Netural & Earth Bar, Door Earthing, Digital Voltmeter,Digital Ammeter,Volt Selector Switch,Ammeter selector switch,Current Transformers and Controles Complete in all respect as approved and directed by the Engineer Incharge (Breakers will be Paid Separately).b) 12" deep (ii) 160~200A	12.00	p.cft		
12	Supply and erection of PVC pipe for wiring on surface including clamps inspection boxes, pull boxes,bends,tees, repairing surface, etc., complete with all specials iii)25 mm i/d	200.00	rft		
TOTAL:					
PST@_____%					
G. TOTAL:					
Mandatory to Write in Words: (Urdu/English)					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 19/2022 Sr. No. 03					
Name of Work:		Replacement of main water supply line feeding to American Colony and Firdous Hall, UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
American Colony					
1	Excavation of trenches in all kinds of soil, except cutting rock, for water supply pipe lines upto 5 ft. (1.5 m) depth from ground level, including trimming, dressing sides,leveling the beds of trenches to correct grade and cutting pits for joints, etc.complete in all respects.	1680.00	%0cft		
2	Rehandling of earthwork:a)Lead upto a single throw of Kassi, phaorah or shovel	1120.00	%0cft		
3	Providing, laying, cutting, jointing, testing and disinfecting High Density Polyethylene Pipe (HDPE-100) working presure pipe in trenches. complete in all respects c)PN-10 (SDR-17) iv) 160 mm	210.00	rft		
4	Providing and fixing of Stub end LC for PE PIPE 160mm PN-10 dadex made	2.00	each		
5	Providing and fixing of bend 90° for PE PIPE 160mm PN-10 dadex made	3.00	each		
6	Providing and fixing of jablet joint 6" dia	2.00	each		
Total. A					
Firdous Hall.					
1	Dismantling and removing road metalling	19.20	%cft		
2	Dismantling cement concrete with brick aggregate	39.60	%cft		
3	Excavation of trenches in all kinds of soil, except cutting rock, for water supply pipe lines upto 5 ft. (1.5 m) depth from ground level, including trimming, dressing sides,leveling the beds of trenches to correct grade and cutting pits for joints, etc.complete in all respects.	2000.00	%0cft		

Contractor

Executive Engineer
ECD-M; UAF

Tender No. 19/2022			Page 18 of 23		
4	Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:-(b) Ratio 1: 4: 8	39.60	%cft		
5	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	25.20	%cft		
6	Rehandling of earthwork:a)Lead upto a single throw of Kassi, phaorah or shovel	1333.33	%0cft		
7	Providing, laying, cutting, jointing, testing and disinfecting High Density Polyethylene Pipe (HDPE-100) working presure pipe in trenches. complete in all respects c)PN-10 (SDR-17) iv) 160 mm	250.00	rft		
Total. B					
TOTAL: A+B					
PST@_____%					
G. TOTAL:					
Mandatory to Write in Words: (Urdu/English)					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) <i>Tender No. 19/2022 Sr. No. 04</i>					
Name of Work:		Repair/Replacement of 200 KVA Transformer at Tariq Hall Main Campus, UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Copper wire 16 SWG for HT coil (11 KV) side of 200 KVA (11KV/415V) Transformer with standing insulation strength in transformer oil above 15 KV, wound with 17 SWG enameled (1 coil weight=26 kg) with following Technical Details:- Weight of 100 MTR 16 SWG Copper Wire=1.85KG Weight of One coil= 26 Kg No of Coils = 2 No Weight of two coil= 26 x2=52 kg Minimum Length of Wire in Two Coils >= (52/1.85)*100= 2810 Meters Including Labour charges for installation of HT Coils of 200KVA Transformers Complete in All respects	2810.00	MTR		
2	a) Installation charges of repaired transformer at transformer ADD after repair from Power House through Crane. 20 TON	2.00	hr.		
3	Dehydration/Degasification/Filtration of the transformer rating 200 KVA (Lowest Market Rates)	1.00	Job		
Total. A					
<u>Deduction/Auction of old material:</u>					
1	Burnt Copper Wire of Old Coils 90% of new coils	46.80	kg		
Net Total After Deduction:					
PST @ _____ %					
G.TOTAL					

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 19/2022 Sr. No. 05					
Name of Work:		Restoration of electric supply of Directorate of P&D Quality Enhancement cell, Museum, etc by up-gradation of burnt LT main branch distribution panel installed in back corridor of Old Campus Building UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Boring for tubewell in all types of soil except shingle and rock, from ground level to 100 ft. (30 m) depth, including sinking and withdrawing of casing pipe, complete4" dia	Nil	rft		
2	Supply and erection of G.I. pipes for wiring purposes, including pull boxes, inspection boxes, bends, tees, etc. complete with all specials recessed in walls, including hooks, cutting jharries and repairing surface: (80mm)	Nil	rft		
3	Supply and erection of copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches, etc. PVC insulated, PVC sheathed 4 core, 600/1000 volt non armored cable (37/0.083")	Nil	rft		
4	P/F floor mounted Electric Panel board of required depth and size, fabricarted with 14SWG M.S sheet (Indoor/Outdoor Type),derusting, zinc Phosphated, finish with electro static powder coating in approved colour i/c the cost of Lock, Indication lights,thimbles, Copper Comb, Wiring, Netural & Earth Bar, glands,Current Transformers of specified capacity ,Door Earthing, Brass glands,bus bars,controles complete in all respects as approved and directed by the Engineer Incharge (Breakers will be Paid Separately). (Service only 25%) 2.50 Ft deep 300~600A	12.50	cft		
5	Supplying ,Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the Engineer Incharge.300-630 Amp(36 KA)(May be repaired up to 50% cost of the new one complete in all respect)	1.00	No		
6	S/E of Copper Thimble 120mm size	44.00	No		
Total Part. A					
Part-B Mandatory					
1	P/F wall mounted DB (Distribution Board) made with 16SWG Sheet (Recessded/Surface mounted Type), Powder coated Paint, i/c the cost of Lock, Indication lights,Thimble, Copper Comb, Wiring, Netural & Earth Bar, Door Earthing, Digital Voltmeter,Digital Ammeter,Volt Selector Switch,Ammeter selector switch,Current Transformers and Controles Complete in all respect as approved and directed by the Engineer Incharge (Breakers will be Paid Separately). (1.5'x2'x0.75)= 2.25 cft Deduction:- Selector Switch, Current Transformer coil, digital Ammeter and Control etc Complete= 7766 42056-7766= 34290	2.25	rft		

Contractor

Executive Engineer
ECD-M; UAF

Tender No. 19/2022		Page 21 of 23			
2	Suppling,Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMANY/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screwes,necessary wire complete in all respect as approved and directed by the Engineer Incharge. Single pole 6-40 Amp (6 KA)	24.00	rft		
3	Supplying ,Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the Engineer Incharge. (i) 200-250 Amp(36 KA)	1.00	No		
4	S/E of P.G Connectors	4.00	No		
5	Supply and erection of single core PVC insulated copper conductor cables, in prepaid PVC pipe/M.S. conduit/G.I pipe/wooden strip batten/wooden casing an capping/G.I. wire/trenches (i) (7/0.044") s/core	550.00	rft		
Total Part. B					
Total Part A+B:					
PST @ _____%					
G.TOTAL					
Mandatory to Write in Words: (Urdu/English)					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING TENDER (DNIT) Tender No. 19/2022 Sr. No. 06					
Name of Work:		Repair of House No. 16 Firdous Hall, UAF.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Removing cement or lime plaster	492.75	%sft		
2	Removing door with chowkhat	1.00	each		
3	Dismantling brick work in lime or cement mortar.	131.67	%cft		
4	Dismantling 2nd class tile roofing	117.00	%sft		
5	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) ordinary soil	73.20	%0cft		
6	Providing, laying, watering and ramming brick ballast 1½ to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects	12.08	%cft		
7	Pacca brick work in foundation and plinth in 1:6 cement sand mortor	37.50	%cft		
8	Providing and laying damp proof course of cement concrete 1:2: 4(using cement, sand and shingle), including bitumen coating 1½" thick (40 mm)	15.00	%sft		
9	Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:6	140.67	%cft		
10	Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position	191.40	%kg		

Contractor

Executive Engineer
ECD-M; UAF

Tender No. 19/2022		Page 23 of 23			
11	First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly then sheet	117.00	%sft		
12	Khuras on roof 2'x2'x6" (600 x 600 x 150 mm	2.00	each		
13	cement plaster 1:4 ratio upto 20 ft height ½" thickness	1085.75	%sft		
14	Applying floating coat of cement 1/32" (0.8 mm) thick.	492.75	%sft		
15	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	280.00	%sft		
16	Providing and fixing mild steel chowkat of doors, windows,C.window, etc. including holdfast, making and threading holes for hinges, etc. complete:-a) M.S. angle iron 1½"x 1½"x ¼" (40x40x6 mm) welded with M.S. flat 2"x ¼" (50 mm x 6 mm)	17.50	p.sft		
17	P/F1½" thick solid flush door comprising of 2.5mm thick Commercial ply compressed over 2.5 mm thick commercial ply over 1" thick packing wood in style and rail sunder proper pressure i/c the cost of nails ,tower bolt, handles, glue, sawing charges, Painting charges, sand papering and 3/8" thick matching wooden lipping as approved and directed by the Engineer Incharge	17.50	p.sft		
TOTAL:					
PST@_____%					
G. TOTAL:					
Mandatory to Write in Words: (Urdu/English)					

Contractor

Executive Engineer
ECD-M; UAF