


Bidders are directed to comply the following checklist along with the sealed envelope of bidding documents while participating the quotation as per schedule date and time.

SR. NO	BIDDER DOCUMENTS	MENTIONED PAGE NO. (To Filled By the Tenderer)
Required Documents to Participate in Bidding for F.Y 2023-24:-		
1	<u>Written Application</u> * on Firm’s Letter Head Pad for the Work you are going to participate under this bidding document.	
2	Copy of Registration Certificate, (Active NTN Certificate) with Federal Board of Revenue.	
3	Copy of Registration Certificate, (Active PNTN Certificate) with Punjab Revenue Authority Punjab	
4	Copy of STN Registration Certificate, (Active STN Certificate) with Federal Board of Revenue. (For Purchase items Only)	
		

*
Not required for the Downloaded Tendering Documents

Note: Bidders may be directed to provide forth-said information, prior to the opening, of the Quotation if the Executive Engineer ECD-M deems necessary.

Contractor

Executive Engineer
ECD-M; UAF

UNIVERSITY OF AGRICULTURE, FAISALABAD

Item Rate (Details Notice of Inviting DNIQ) / Percentage Age Rate Quotation & Contract for Works

Name of the Firm:		(To Whom the Quotation is Issued)		
Sr.#	Name of Work	Amount (Rs.)	Quotation Fee	Time Limit*
1	Up-gradation of Transformer of rating 200 KVA (Emergency trolley) available at ECD-M, UAF	178,790/-	100/-	One Week
2	Replacement of water supply and sanitary fitting at various places in main UAF	109,098/-	100/-	One Week
3	Construction of Culvert at Bulk Supply of PBI PARS, UAF	88,662/-	100/-	One Week
4	Provision of 11 KV Termination Kits, Locks, Allied Civil work of the Panel room, cost of security bonds and overhead charges complete in all respects.	199,999/-	100/-	One Week
5	Up-gradation of oil Circuit Breaker OCB 630A installed at old campus feeder bulk supply system Main Campus, UAF	199,844/-	100/-	One Week
6	Replacement of water supply and Sanitary items at student bath room in department of Agronomy, UAF	98,433/-	100/-	One Week
7	Purchase of Street light Material for Up-gradation of street lights at Bilal Colony Main Campus, UAF	198,218/-	100/-	One Week
8	Replacement of Bath damaged sewerage line to house No. 18 Lalazar Colony, UAF	90,063/-	100/-	One Week
9	Purchase of AC Material for various places at main Campus, UAF	109,407	100/-	One Week
* Note: - Time Extension (if any) should not be more than original completion time mentioned in the W.O. In case of any contradiction, this provision will prevail. However, this can be right off with the prior approval of the Competent Authority, UAF any time during the execution of the work under specific circumstances.				
Dead Line for submission of Quotation:			---22-10-2024-----	
Opening of Quotation :			---22-10-2024-----	

Issued by:

Executive Engineer (ECD-M)
University of Agriculture,
Faisalabad.

Date: -----

Signature: -----
(OFFICE STAMP)

Note:

The officer / Quotation Opening committee is competent to reject the Quotation, which does not bear the signature and stamp of the issuing officer in favor of the contractor/firm to whom the tender-documents was issued against prescribed fee (Non-Refundable) for the purpose/ work requested thereto. However, the Quotation documents can be downloaded Free of Cost from UAF website. The Quotation documents in a sealed envelope must reach to the **Office of Executive Engineer, University of Agriculture Faisalabad** up to schedule of closing.

Contractor

Executive Engineer
ECD-M; UAF

GENERAL DIRECTIONS

FOR

THE GUIDANCE OF THE QUOTATIONER

1. These directions are provided to assist the quotationer in preparing and submitting his quotation. The quotation shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.
2. All necessary documents, such as copies of specifications (excluding standard specification books, **MRS, 2nd Bi-Annual 2024 District Faisalabad**), contract documents, including bill of quantities, estimated scheduled rates and any other documents required in connection with the preparation of quotation or execution of works, signed by the engineer-in-charge will accompany the quotation form and the cost of such annexed documents will be reflected in the cost of the quotation form.
3. The quotationer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his quotation.
4. No single quotation shall include more than one work. A quotationer who wishes to quotation for two or more works shall submit quotation for each work, separately.
5. The memorandum of work quotation for, and the schedule of materials and equipment to be supplied by the engineer-in-charge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the engineer-in-charge before the quotation form is issued. At this stage the quotationer should ensure that the quotation form so issued is complete in all respects.
6. The quotationer shall note that the ultimate responsibility for the quality of work and its conformity with the specifications and drawings rests solely with the successful bidder whose quotation is accepted.
7. The quotationer shall, at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the quotation and entering into contract, and shall determine and satisfy himself by such means as he may consider necessary or desirable as to all matters pertaining to the quotation. The quotationer shall also satisfy himself before submitting his quotation as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and transportation facilities in the area. The quotationer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his quotation. The engineer-in-charge shall not assume any responsibility regarding information gathered interpretation or deduction, which the quotationer may arrive at, from the date that may be furnished with the contract documents.
8. (a) The quotationer shall fill up the Bill of Quantities and indicate the percentage rate above or below the MRS of rates for the "MRS items" on which he is willing to undertake each item of work. No premium will be quoted by the contractor against non-MRS/item rates, for which the rate and amount has already been filled in by the engineer-in-charge in the bid schedule. (b) In case quotations are called on item rate basis (DNIT), the quotationer shall quote his own unit rate in the Bill of quantities on which he is willing to undertake each item of work.
9.
 - i. The quotation shall work out the amount against each item of work in the Bill of Quantities and will indicate the total amount of his quotation (including the cost of Non-MRS items rates for which the rate and amount has already been filled in by the engineer-in-charge in the Bill of Quantities) on which he is willing to complete the works. The total amount worked out in the Bill of Quantities shall be entered by the quotationer in his quotation as his quotation price for the work. In case of discrepancy between amounts in figures and in words, the amount in words shall prevail.
 - ii. Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the quotationer will be extended in working out of the amount of the quotation and the total amount of the bid schedule will be adjusted accordingly.
 - iii. If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule.
 - iv. If it is found that the quotationer has not entered any unit rate and amount against any of the pay items of the bid schedule, the engineer-in-charge shall fill in the blanks by noting the word "NIL" In such blanks at the time of opening of the quotation. Such pay items shall be deemed to be covered by the rates of other items.
 - v. If the quotationer does not accept the adjusted/corrected amount of quotation according to the above provision, his quotation shall be rejected, and the earnest money forfeited.
10. The quotation, which proposes any alteration in the works specified in the Bill of quantities or in the time allowed for carrying out the works or any other condition mentioned by the Engineer-in-charge, will be liable to rejection. The quotationer shall sign each and every page of the quotation and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the quotation duly signed by the quotationer. Any addition or alteration made after filing the forms shall duly have attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection.

Contractor

**Executive Engineer
ECD-M; UAF**

11. The quotationer shall fill in the quotation documents, in ink. Errors, if any, shall be scored out, and corrections re-written legibly and attested by the quotationer. Any addition or alteration made after filling the form shall be duly attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection. Any quotation with unattested correction shall be attested by the quotationer in the presence of other quotationers at the time of opening of the quotation except that no correction shall be permissible in the rate or amount of the bid schedule or in the quoted price after the opening of the quotation.
12. Additional Clause (s) for a particular work shall be typed on separate sheet(s) by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets. The quotationer shall not add or delete any additional clause(s) in the additional clauses sheet (s), provided by the Engineer-in-charge.
13. The quantities mentioned in the Bill of Quantities are estimated quantities, to be used for preparing quotations, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein.
14. (i) The quotation shall be signed by the person (s) duly authorized to do so. In the event of the quotation being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the quotation and it must disclose that the firm is duly registered under the Partnership Act, 1932, or any other law in force.

(ii) The quotation submitted by a joint venture of two or more firms shall be accompanied by a document of formation of the joint venture, duly registered and authenticated by competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person (s) authorized to represent it and accept it obligate, the participation of several firms forming the joint venture and any other information of necessary to permit a full appraisal of its function.
(iii) A quotation submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.
(iv) In all cases, the quotation must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.
15. Each quotationer shall be deemed to have satisfied himself before quotation as to the correctness and sufficiency of his quotation and of the rates and prices stated in the bid schedule which rates and prices shall, except in so far as it is otherwise expressly provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.
16. The quotationer may modify or withdraw his quotation after submission, provided that the modification or notice of withdrawal is received in writing by the engineer-in-charge prior to the prescribed deadline for submission of quotations. The quotationer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "MODIFICATION or WITHDRAWAL as appropriate. No quotation may be modified subsequent to the deadline for submission of quotation. Withdrawal of a quotation during the interval between the deadline for submission of quotations and the expiration of the period of quotation validity i.e. sixty (60) days as specified by the quotationer in the Form of Quotation may result in the forfeiture of the quotation security.
17. The quotationer shall submit the original Quotation Documents complete in all respects and keep a copy of the quotation for his own record. The original should be sealed in an inner and an outer envelope, duly marking the envelopes as "ORIGINAL". The sealed envelope shall (a) be addressed to engineer-in-charge (b) and bear the following identification: Quotation for (Name of Contract), (Reference Number of Quotation), and the words "DO NOT OPEN BEFORE (Time and Date, set for opening)". The envelopes shall indicate the name and address of the quotationer to enable the quotation to be returned unopened in case it is declared to have been received late or is otherwise unacceptable. If the envelope is not sealed the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the quotation submitted. A quotation opened prematurely because of improper identification will be rejected.
18. The quotationer shall indicate in the space provided in the quotation his full and proper address at which notice may be legally served on him and to which all correspondence in connection with his quotation and the contract is to be sent.
19. The presentation of a quotation implies full acceptance on the part of the quotationer of these instructions and all

Contractor**Executive Engineer
ECD-M; UAF**

other conditions set forth in the contract document.

- 20. Any quotation received by the Executive Engineer (Engineer-in-charge) after the deadline for submission offenders prescribed in the Notice Inviting Quotations will be returned unopened to the quotationer.
- 21. The Engineer-in-charge or his duly authorized officer (not below the rank of Assistant Engineer) will open quotations in the presence of intending quotationers or their authorized agents, who may be present at the time. The officer opening the quotation will announce the names of the quotationer, quotation rates and the presence of requisite quotation security.
- 22. Promptly after the opening of Quotations, the Engineer-in-charge will undertake a detailed evaluation of quotations. The Engineer-in-charge will determine whether each quotation is substantially responsive to the requirements of the quotation documents and conforms to all the terms, conditions and specifications of the quotation documents without material deviation or reservation. If a quotation is not substantially responsive to the requirements of the quotation documents, it will be rejected by the engineer-in-charge and may not subsequently be made responsive by the quotationer having corrected or withdrawn the non-confirming deviation or reservation.
- 23. Except for information to be read out by the Engineer-in-charge at the time of opening quotations in accordance with Para 21 above, no information relating to the examination, clarification, evaluation and comparison of quotations and recommendations concerning the award of contract shall not be disclosed to quotationers or other persons not officially concerned with such process. Any effort by the quotationer to influence the process of examination, clarification, evaluation and comparison of quotations, and in decisions concerning award of contact/work, may-result in the rejection of his quotation.
- 24. The Engineer-in-charge shall have the right of the rejecting all or any of the quotations without assigning any reason thereof. The Engineer-in-charge will not be bound to award the contract to the lowest or to any other quotationer.
- 25. Contractor/ Venders are instructed to attach/ Print the detail Notice of inviting Tender/Quotation (DNIT) to whom the plan to participate.
- 26. Separate bidding documents is required for each work under this Quotation.

I/We.....

(Name of the contractor)

The undersigned Quotationer, having examined the GENERAL DIRECTIONS for work of
.....
.....*(Name of the work)*

and the works associated therewith, and having examined the site of the above named works, or having caused the site to be visited OR our behalf by my/our competent and reliable agent, and having satisfied myself/ourselves as to all conditions under which the above named work must be performed, hereby offer to execute, complete and maintain the whole of the above mentioned work including its ancillary works associated therewith, in accordance with entire satisfaction of the Executive Engineer /Assistant Executive Engineer & I/We understand that you are not bound to accept the lowest or any quotation you may receive, and you will not defray any expenses incurred by me/us in bidding.

Yours faithfully,
(Signature of Quotationer)/Seal

Dated this Day of 2024

Contractor

Executive Engineer
ECD-M; UAF

BID SCHEDULE

1. Schedule of item (MRS & Input Rates)

Name of work: _____

(To be filled in by the quotationer)

Sr. No.	<u>Items in schedule of rates</u>		Description	Estimated quantity	Unit of Rates	<u>Schedule of rates</u>		Amount (Rs....
	Page No.	Serial No.				Labour	Composite	
1	2	3	4	5	6	7	8	9

Mandatory to Write in Words: (Urdu/English)

Total cost of MRS Items Rs. _____

Contractor

Executive Engineer

ECD-M; UAF

BID SCHEDULE

1. Schedule of item (N.S. Items)

Name of work _____

(To be filled in by the quotationer)

Sr. No	Pay item No. of reference to special specification supplied	Description of item	Estimated quantity	Unit of Rates	Unit rate To be filled in the contractors where not already filled by the Executive Engineer		Amount (To be filled in by the contractor when not already filled in by the project director for items against which the unit rate have already been filled in by him)
					In figure	In Words	
1	2	3	4	5	6	7	8

Mandatory to Write in Words: (Urdu/English)

Total cost of item rates Rs. _____

Contractor

Executive Engineer

ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 28/2024 Sr. No. 01					
Name of Work:		Up-gradation of Transformer of rating 200 KVA (Emergency trolley) available at ECD-M, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Supply and Errection of HT coil (11 KV) side of 200 KVA (11KV/415V) Transformer with standing insulation strength in transformer oil above 15 KV, wound with 17 SWG enameled copper wire (1 coil weight=25 kg) with follwing Technical Details:- Weight of 100 MTR 16 SWG Copper Wire=1.85KG Weight of One coil= 25 Kg No of Coils = 1 No Weight of two coil= 25 x 01 = 25 kg Minimum Length of Wire in one Coils >= (25/1.85)*100= 1351 Meters Including Labour charges for installation of HT Coils of 200KVA Transformers Complete in All respects	1351.00	MTR		
2	Labour Charges Only for Rewinding and Errection of LT coil (415 KV) side of 200 KVA (11KV/415V) Transformer with standing insulation strength in transformer oil above 15 KV, wound with 17 SWG enameled copper wire (1 coil weight=13.5 kg) with follwing Technical Details:- Weight of 100 MTR 16 SWG Copper Wire=1.85KG Weight of One coil= 13.5 Kg No of Coils = 1 No Weight of two coil= 13.5 x 01 = 13.5 kg Equivlant Max. Length of Wire in One Coils >= (13.5/1.85)*100= 729 Meters Including Labour charges for installation of LT/HT Coils of 200KVA Transformers Complete in All respects	729.00	MTR		
3	Dehydration/Degasification/Filtration of the transformer rating 200 KVA	1.00	Job		
Total (A):					
Deduciton/Auction of old material:					
2	Burnt Copper Wire of Burnt HT Coils 90% of new coils Input Rates Material Item No 24.391	22.50	kg		
Net Total After Deduction					
ADD PST @ 16%					
G. TOTAL					
<u>Mandatory to Write in Words: (Urdu/English)</u>					

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 28/2024 Sr. No. 02					
Name of Work:		Replacement of water supply and sanitary fitting at various places in main UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Providing, fixing, testing and commissioning of μ-PVC (Unplasticized Polyvinyl Chloride) Nikasi/ SWV pipe, Dadex/ Popular/ Beta or approved equivalent manufacturer, plain/ Bell Ended /Z-Joints conforming to BS 4514/ BS 5255-EN 1329 including the cost of specials and Solvents complete in all respects, as per drawings & specifications and/ or as approved and directed by the Engineer In-charge (v) 110 mm	40.00	rft		
2	Providing and installing P.V.C. bends, of B.S.S.i) Class `B' working pressure b) 4" i/d (100 mm)	10.00	each		
3	Providing and installing P.V.C. bends, of B.S.S.i) Class `B' working pressure a) 3" i/d (90 mm)	2.00	each		
4	Providing, laying, cutting, jointing, testing and disinfecting G.I. pipeline in trenches, with socket joints, using G.I.pipes of B.S.S. 1387-1967 complete in all respects, with specials and valves.ii) Medium Quality a) ½" i/d (15 mm) 2.65mm thick	20.00	rft		
5	Providing and fixing, waste pipe of PVC:-repalacement item i) 3 cm (1¼")	1.00	each		
6	Providing, fixing, testing and commissioning of μ-PVC (Unplasticized poly vinyl Chloride) Nikasi/ waste pipe Fittings make of dadex/Popular/Beta/BBJ conforming to code EN-140 1including the cost of Solvents complete in all respect as approved and directed by the EngineerIn charge(a) P-Trap(i) 4" dia	3.00	each		
7	Providing and fitting glazed earthen ware wash hand basin / vanity 56x40 cm (22"x16") including bracket set, waste pipe and waste coupling, etc.i) white, with pedestal	1.00	each		
8	Providing and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tees top cocks, lever type BasinMixer, doubleBibCock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge 3 No Tee Stop Cock (set	3.00	3 no.s		
9	Providing and fixing, chromium plated mixing valve, for wash hand basin, sink or shower	1.00	each		
10	Providing and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tees top cocks, lever type BasinMixer, doubleBibCock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge (iv) Open Type Wall Shower	1.00	each		
11	Providing and fixing of Bib cock ½"dia	1.00	each		
12	Providing and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tees top cocks, lever type BasinMixer, doubleBibCock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge (ii) Lever Type Basin Mixer	1.00	each		
13	Providing and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tees top cocks, lever type BasinMixer, doubleBibCock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge (vi) Waste Coupling	2.00	each		
14	Providing and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tees top cocks, lever type BasinMixer, double Bib	1.00	each		

Quotation No 28/2024		Page 10 of 18			
	Cock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge (v) Muslim shower				
15	Providing and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tees top cocks, lever type BasinMixer, doubleBibCock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge (iii) Double Bib Cock	1.00	each		
16	Providing and fitting plastic made low down flushing cistern 13.63 litre (3 gallons) capacity, including bracket set, copper connection, etc. complete i) white color	1.00	each		
17	Providing and fixing BATHROOM ACCESSORIES (7-piece set) MASTER BRAND - One Cosmetic Shelf, One Towel rod with bracket, One soap dish, One double hook, One towel ring, brush holder, toilet paper holder & looking glass i/c the cost of hardwares etc complete in all respect as approved and directed by the Engineer incharge	1.00	each		
Total					
ADD PST @ 16%					
G. TOTAL					
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 28/2024 Sr. No. 03					
Name of Work:		Construction of Culvert at Bulk Supply of PBI PARS, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Pacca brick work other than building upto 10ft. (3 m) height cement, sand mortar Ratio 1:4	27.00	%Cft		
2	Cement plaster 1:4 upto 20' (6.00 m) height:- ¾" (20 mm) thick	54.00	%Sft		
3	Reinforced cement concrete in roof slab, beams, columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast in situ, complete in all respects:- Type C (nominal mix 1: 2: 4)	31.50	Cft		
4	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40	132.90	%kg		
				Total	
				ADD PST @ 5%	
				G. TOTAL	
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 28/2024 Sr. No. 04					
Name of Work:		Provision of 11 KVA Termination Kits, Locks, Allied Civil work of the Panel room, cost of security bonds and overhead charges complete in all respects.			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Provision of 11 KV Cable (4AWG/2AWG Pre-Installed Cable) testing at site a. From FESCO HT Line to Metering Panel b. From Metering Panel to Protection Panel c. From Protection Panel to Internal HT Line	03	Job		
2	P/F of 11 KV Termination Kits Raychem Germany (95/120 mm) 3/Core Complete in all respects Indoor 2 No & Outdoor One No	03	Job		
3	P/F Door Locks with Keys with desired additional 2No of Keys (Best Quality as per satisfaction of WAPDA for PBI Bulk Supply Room)	01	No		
4	Allied Civil work for 90-degree rotation of the Both Panels (Protection Panel and Metering Panel) Front Side of the Panel Should be at the Entry Side ofthe rooms Complete in all respects.	02	Job		
5	LT Connection for Both Metering Panel and ProtectionPanel from the nearest available PBI LT-Bus Bar as per requirement of engineer In-Charge Compete in all respects	01	Job		
				Total	
				ADD PST @ 16%	
				G. TOTAL	
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Quotation No 28/2024

Page 13 of 18

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 28/2024 Sr. No. 05					
Name of Work:		Up-gradation of oil Circuit Breaker OCB 630A installed at old campus feeder bulk supply system Main Campus, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Silver electro plating of fixed copper point (FM) HT-Plunger of 630A- OCB	6.00	No.		
2	P/F of NEW Copper Rods/Linkers (moving copper point (M) HT-Rod) (Size L: 220mm-225mm Dia: 16mm- 18mm Weight: 480gm, Rating 630Amp) with Silver electro plating complete in all respects	6.00	No.		
3	P/F of Transformer Oil (mineral based) with DES Value >= 45KV, Flash Point 140°C (284 °F), Specification meets with IEC 60296 (2012), Kinematic Viscosity @ 40°C (cSt) (ISO 3104) <12 including the Labour charges of oil replacement, oil shell cleaning, sealing to avoid any leakage of transformer oil complete in all respects (Shell Diala S4 ZX-I_1*209L or Equivlant)	45.00	Ltr		
4	General cleaning of all mechanical parts, testing of CTs & PTs, including wiring and energy analyser setting & testing including cost of petrol, Lubricant oil, Greace, contact cleaning WD-40, Red Oxide, Lacer missing nuts bolts (if any) complete in all respects.	1.00	Job		
Total					
Deduction of Old Material 2.5 kg copper					
Net Total					
ADD PST @ 16%					
G. TOTAL					
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 28/2024 Sr. No. 06					
Name of Work:		Replacement of water supply and Sanitary items at student bath room in department of Agronomy, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Providing, fixing, testing and commissioning of μ-PVC (Unplasticized Polyvinyl Chloride) Nikasi/ SWV pipe, Dadex/ Popular/ Beta or equivalent, plain/ Bell Ended/ Z-Joints conforming to BS 4514/ BS 5255 EN-1329 including the cost of special sand Solvents complete in all respects, as per drawings & specification sand/ or as approved and directed by the Engineer In-charge Type b) (SDR 32.5/SN-8) (v(110 mm)	20.00	rft		
2	Providing and installing P.V.C. bends, of B.S.S.i) Class `B' working pressure b) 4" i/d (100 mm)	1.00	each		
3	Providing and installing P.V.C. tees, of B.S.S (i) Class `B' working pressure:-b) 4" i/d (100 mm)	1.00	each		
4	Constructing gully grating chamber, 12"x12", (300x300mm) complete in all respects:B) concrete Gully trap 6,688.80 - 471.25= 6217.55	2.00	each		
5	Making Sewerage connection to Existing Manhole of main sewerage pipe line including cost of Plugging dewatering desilting making hole in wall repairing and restoration etc complete in working condition	1.00	one job		
6	Providing, laying, testing and commissioning of POLYPROPYLENE RANDOM COPOLYMER (PPRC) water supply pipe made of (Dadex/Popular/Beta/BBJ) with specified pressure rating PN (PRESSURE NOMINAL) and conforming to DIN 8077-8078 code i/c cost of solvent, specials, making jharries complete in all respect as approved and directed by Engineer Incharge.(Internal/External Diameters mentioned b)PN-20 pipe (iii)(1") 32 mm	91.00	p.rft		
7	Providing, laying, testing and commissioning of POLYPROPYLENE RANDOM COPOLYMER (PPRC) water supply pipe made of (Dadex/Popular/Beta/BBJ) with specified pressure rating PN (PRESSURE NOMINAL) and conforming to DIN 8077-8078 code i/c cost of solvent, specials, making jharries complete in all respect as approved and directed by Engineer In-charge. (Internal/External Diameters mentioned b)PN-20 pipe ii)(3/4") 25 mm	26.00	p.rft		
8	Providing and fixing CP heavy duty brass Ball valve with CP handle of specified diameter made of Faisal/ Sonex/ Master best quality or equivalent complete in all respect as approved and directed by the Engineer Incharge.iii) 1" dia	1.00	each		
9	P/Fixing PPRC L-bow 32mmx¾" dadex made as approved site Engineer	12.00	each		
10	P/Fixing PPRC L-bow 32mmx1" dadex made as approved site Engineer	1.00	each		
11	P/Fixing PPRC L-BOW 32/ 25mmx1/2" dadex made as approved site Engineer	10.00	each		
12	P/Fixing of C.P Nipple 1"x½"	9.00	each		

Quotation No 28/2024			Page 15 of 18		
13	Providing and Replacement of Couple set Syphone complete in all respects	1.00	each		
14	Providing and fixing chromium plated tee stop cock 15mm (½").	2.00	each		
15	Providing and fixing chromium plated pillar-cock, heavy:- ii) 1.5 cm (½")	2.00	each		
16	Providing and fixing of Bib cock ½"dia	5.00	each		
17	Cutting hole 4"x6" (100x150 mm) in stone masonry or brick wall with chisel, repairing masonry and removing debris within one chain lead.	8.00	p.hol e		
				Total	
				ADD PST @ 5%	
				G. TOTAL	
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 28/2024 Sr. No. 07					
Name of Work:		Purchase of Street light Material for Up-gradation of street lights at Bilal Colony Main Campus, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Supply and erection of single core PVC insulated copper conductor cables, in prelaid PVC pipe/M.S. conduit/G.I pipe/wooden strip batten/wooden casing an capping/G.I. wire/trenches (rate for cables only):- 250/440 volts, PVC insulated: (i) 3/0.74 mm (3/0.029") If Required.	300.00	Rft		
2	Supply and erection of Bakelite button holder shade, large size	25.00	No.		
3	Supply and erection of pole mounted street light, holders, shade and glass, etc., for fitting 125/250 watts mercury vapour lamp (excluding cost of lamps) ii) Philips OSKA LOCAL design	12.00	No.		
4	Supply and erection of LED Blub (36-40 watts, 200-240V), 6500k, (Philips's, FAST or equivalent) including connection from ceiling rose, etc., complete.	20.00	No.		
5	Supply and erection of street light pole bracket 30 mm (1¼") Each 720.50 3,389.50 Each G.I. pipe 2 meter long, complete with 2 No. pole clamp.	4.00	No.		
6	2P Surge Protective Device 20-40KA Flame Retardant 36mm Rail Surge Protector (SPD)	2.00	No.		
7	Providing and fixing DB/Panel accessories of required rating and size i/c copper screws of approved brand Complete in all respect as approved and directed by the Engineer In-charge. (a) 25 A (AC 3)	2.00	No.		
8	P/F floor mounted Electric Panel board of required depth and size, fabricated with 14SWG M.S sheet (Indoor/Outdoor Type),derusting, zinc Phosphate, finish with electro static powder coating in approved color i/c the cost of Lock, Indication lights, Brass glands, Natural & Earth bar, Digital volt meter/ Amp meter, Selector switches, Current Transformers, Controls, Channels, Copper bus bars of specified capacity ,Door Earthling, complete in all respects as approved and directed by the Engineer In-charge (Breakers will be Paid Separately). 1. LT Switchboards a) 2.50 Ft deep	3.00	Cft		
9	Shifting and installation of a street light Pole / LT Structure Pole	2.00	HR		
10	Suppling, Installation and commissioning of MCB (Miniature Circuit Breaker)of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDERGERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABBSWITZERLAND or approved equivalent manufacturer in prelaid DBs andPanels i/c the cost of screws, necessary wire complete in all respect asapproved and directed by the Engineer In-charge. b) Double Pole (ii) 6-40 Amp (6 KA)	2.00	No.		
				Total	
				ADD GST @ 18%	
				G. TOTAL	
<u>Mandatory to Write in Words: (Urdu/English)</u>					

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 28/2024 Sr. No. 08					
Name of Work:		Replacement of Bath damaged sewerage line to house No. 18 Lalazar Colony, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Dismantling cement concrete 1:2:4 plain	20.69	%cft		
2	Dismantling cement concrete with brick aggregate	46.31	%cft		
3	Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:-(b) Ratio 1: 4: 8	46.31	%cft		
4	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	20.69	%cft		
5	Providing and laying superb quality Ceramic tile floors of Master brand of specified size ,Glossy /Matt /Texture of approved Color and Shade as per approved design with adhesive bond ,over 3/4" thick (1;2) cement sand plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects and as approved and directed by the Engineer In-charge i)12"x18"/12"x24"/10"x24" /8"x24"/12"x36"	47.01	sft		
6	Providing, fixing, testing and commissioning of μ-PVC (Unplasticized Polyvinyl Chloride) Nikasi/ SWV pipe, Dadex/ Popular/ Beta or approved equivalent manufacturer, plain/ Bell Ended /Z-Joints conforming to BS 4514/ BS 5255-EN 1329 including the cost of specials and Solvents complete in all respects, as per drawings & specifications and/ or as approved and directed by the Engineer In-charge (v) 110 mm	20.00	rft		
7	Constructing gully grating chamber, 12"x12", (300x300mm) complete in all respects:B)concrete Gully trap 6,688.80 -471.25= 6217.55	2.00	each		
8	Making Sewerage connection to Existing Manhole of main sewerage pipe line including cost of Plugging dewatering desiliting making hole in wall repairing and restoration etc complete in working condition	2.00	one job		
9	Providing, fixing, testing and commissioning of μ-PVC (Unplasticized poly vinyl Chloride) Nikasi/ waste pipe Fittings make of dadex/Popular/Beta/BBJ conforming to code EN-140 Including the cost of Solvents complete in all respect as approved and directed by the Engineer charge(a) P-Trap(i) 4" dia	4.00	each		
10	Providing and fitting glazed earthen ware water closet, squatter type (Orisa pattern), combined with foot rest i) white	2.00	each		
11	Providing and Fixing of Plastic Body Double Cover Jali Good Quality	2.00	each		
12	Providing and fixing, flushing bend of PVC.ii)4 cm (1½")	2.00	each		
13	Cutting hole 4"x6" (100x150 mm) in stone masonry or brick wall with chisel, repairing masonry and removing debris within one chain lead.	3.00	p.hole		
14	Removing Malba up to 10 KM	67.00	%cft		
Total					
ADD PST @ 5%					
G. TOTAL					
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 28/2024 Sr. No. 09					
Name of Work:		Purchase of AC Material for various places at main Campus, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
Supply Items					
1	Fridge Stand VC House= 02 No	2.00	No.		
2	Variable Supply timer VC House= 02 No Old VC Office/Consultant Fridge= 01 No	3.00	No.		
3	Refrigerant Gas R-22 Gentron USA Registrar office= 02 Kg For Old VC/Consultant House= 02 Kg Director P&D Office= 1.5 Kg Entomology Department Growth Chamber= 02 Kg VC House= 02 Kg XEN ECD-M Office= 02 Kg	11.50	Kg.		
4	Refrigerant Gas R-410 Gentron USA Director P&D Office= 02 Kg	2.00	Kg.		
5	Capacitor Fuji 50 Amp Registrar Office= 01 No	1.00	No.		
6	Thermostat for Fridge Old VC Office= 01 No	1.00	No.		
7	Copper Rod for soldering/welding Old VC/Consultant Office= 03 No	3.00	No.		
8	LPG Old VC/Consultant Office= 01 Kg	1.00	Kg.		
9	Flyer Nut 3/4" with a piece of copper tube upto 1' Old VC/Consultant Office= 01No	1.00	No.		
10	Oxygen filling in pre-provided Std. Cylinder for:- Old VC/Consultant Office= 0.25 No	0.25	Std. Cyl		
11	Water Dispenser Nozel Dean Agriculture= 01 No	1.00	No.		
12	PVC Pipe (Drain) Entomology Department= 01 No	1.00	No.		
				Total	
				ADD GST @ 18%	
				Sub .Total (A)	
Services					
13	Repair Mitsubishi AC (1.5 Ton) PCB kit	1.00	Job		
				Total	
				ADD PST @ 16%	
				Sub .Total (B)	
				G. Total (A+B)	
<u>Mandatory to Write in Words: (Urdu/English)</u>					