


Bidders are directed to comply the following checklist along with the sealed envelope of bidding documents while participating the quotation as per schedule date and time.

SR. NO	BIDDER DOCUMENTS	MENTIONED PAGE NO. (To Filled By the Tenderer)
Required Documents to Participate in Bidding for F.Y 2023-24:-		
1	<u>Written Application</u> [*] on Firm's Letter Head Pad for the Work you are going to participate under this bidding document.	
2	Copy of Registration Certificate, (Active NTN Certificate) with Federal Board of Revenue.	
3	Copy of Registration Certificate, (Active PNTN Certificate) with Punjab Revenue Authority Punjab	
4	Copy of STN Registration Certificate, (Active STN Certificate) with Federal Board of Revenue. (For Purchase items Only)	
		

^{*}
Not required for the Downloaded Tendering Documents

Note: Bidders may be directed to provide forth-said information, prior to the opening, of the Quotation if the Executive Engineer ECD-M deems necessary.

Contractor

Executive Engineer
ECD-M; UAF

UNIVERSITY OF AGRICULTURE, FAISALABAD

Item Rate (Details Notice of Inviting DNIQ) / Percentage Age Rate Quotation & Contract for Works

Name of the Firm:		(To Whom the Quotation is Issued)		
Sr.#	Name of Work	Amount (Rs.)	Quotation Fee	Time Limit*
1	Provision of Miscellaneous stainer fabrication item for commissioning of Biogas plants at Proka farm, UAF	178,170/-	100/-	Two Weeks
2	Purchase of Window roller blind for VC office Admin Block 3 rd Floor, UAF	189,939/-	100/-	Two Weeks
3	Repair of road in front of House No. 1 & 2 at Main Campus, UAF	164,394/-	100/-	Two Weeks
4	Up-gradation of oil Circuit Breaker-OCB (630 A) with Ring Main Unit-RMU installed at Sub Station No. 05 to restore the supply of Sub-station No. 05 to restore the supply of Sub-station No. 4 & 3 in reverse order at main Campus, UAF	199,520/-	100/-	Two Weeks
5	Up-gradation of Electric work for the month of (September & October) at Various places, UAF	187,096/-	100/-	Two Weeks
6	Rehabilitation of boundary wall and raising bath room at House No. 17 New Young wala, UAF	189,200/-	100/-	Two Weeks
7	Repair and Maintenance of MV Protection Panel FICO Made (11 KV 630 A VCB) Installed at Bulk Supply System at UAF Sub Campus Depalpur; District Okara , University of Agriculture Faisalabad UAF	197,200/-	100/-	Two Weeks
* Note: - Time Extension (if any) should not be more than original completion time mentioned in the W.O. In case of any contradiction, this provision will prevail. However, this can be right off with the prior approval of the Competent Authority, UAF any time during the execution of the work under specific circumstances.				
Dead Line for submission of Quotation:			---15-12-2023-----	
Opening of Quotation :			---15-12-2023-----	

Issued by:

Executive Engineer (ECD-M)
University of Agriculture,
Faisalabad.

Date: -----

Signature: -----
(OFFICE STAMP)

Note:

The officer / Quotation Opening committee is competent to reject the Quotation, which does not bear the signature and stamp of the issuing officer in favor of the contractor/firm to whom the tender-documents was issued against prescribed fee (Non-Refundable) for the purpose/ work requested thereto. However, the Quotation documents can be downloaded Free of Cost from UAF website. The Quotation documents in a sealed envelope must reach to the **Office of Executive Engineer, University of Agriculture Faisalabad** up to schedule of closing.

Contractor

Executive Engineer
ECD-M; UAF

GENERAL DIRECTIONS FOR THE GUIDANCE OF THE QUOTATIONER

1. These directions are provided to assist the quotationer in preparing and submitting his quotation. The quotation shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.
2. All necessary documents, such as copies of specifications (excluding standard specification books, **MRS, 2nd Bi-Annual 2023 District Faisalabad**), contract documents, including bill of quantities, estimated scheduled rates and any other documents required in connection with the preparation of quotation or execution of works, signed by the engineer-in-charge will accompany the quotation form and the cost of such annexed documents will be reflected in the cost of the quotation form.
3. The quotationer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his quotation.
4. No single quotation shall include more than one work. A quotationer who wishes to quotation for two or more works shall submit quotation for each work, separately.
5. The memorandum of work quotation for, and the schedule of materials and equipment to be supplied by the engineer-in-charge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the engineer-in-charge before the quotation form is issued. At this stage the quotationer should ensure that the quotation form so issued is complete in all respects.
6. The quotationer shall note that the ultimate responsibility for the quality of work and its conformity with the specifications and drawings rests solely with the successful bidder whose quotation is accepted.
7. The quotationer shall, at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the quotation and entering into contract, and shall determine and satisfy himself by such means as he may consider necessary or desirable as to all matters pertaining to the quotation. The quotationer shall also satisfy himself before submitting his quotation as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and transportation facilities in the area. The quotationer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his quotation. The engineer-in-charge shall not assume any responsibility regarding information gathered interpretation or deduction, which the quotationer may arrive at, from the date that may be furnished with the contract documents.
8. (a) The quotationer shall fill up the Bill of Quantities and indicate the percentage rate above or below the MRS of rates for the "MRS items" on which he is willing to undertake each item of work. No premium will be quoted by the contractor against non-MRS/item rates, for which the rate and amount has already been filled in by the engineer-in-charge in the bid schedule. (b) In case quotations are called on item rate basis (DNIT), the quotationer shall quote his own unit rate in the Bill of quantities on which he is willing to undertake each item of work.
9. i. The quotation shall work out the amount against each item of work in the Bill of Quantities and will indicate the total amount of his quotation (including the cost of Non-MRS items rates for which the rate and amount has already been filled in by the engineer-in-charge in the Bill of Quantities) on which he is willing to complete the works. The total amount worked out in the Bill of Quantities shall be entered by the quotationer in his quotation as his quotation price for the work. In case of discrepancy between amounts in figures and in words, the amount in words shall prevail.
ii. Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the quotationer will be extended in working out of the amount of the quotation and the total amount of the bid schedule will be adjusted accordingly.
iii. If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule.
iv. If it is found that the quotationer has not entered any unit rate and amount against any of the pay items of the bid schedule, the engineer-in-charge shall fill in the blanks by noting the word "NIL" In such blanks at the time of opening of the quotation. Such pay items shall be deemed to be covered by the rates of other items.
v. If the quotationer does not accept the adjusted/corrected amount of quotation according to the above provision, his quotation shall be rejected, and the earnest money forfeited.
10. The quotation, which proposes any alteration in the works specified in the Bill of quantities or in the time allowed for

Contractor

**Executive Engineer
ECD-M; UAF**

carrying out the works or any other condition mentioned by the Engineer-in-charge, will be liable to rejection. The quotationer shall sign each and every page of the quotation and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the quotation duly signed by the quotationer. Any addition or alteration made after filing the forms shall duly have attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection.

11. The quotationer shall fill in the quotation documents, in ink. Errors, if any, shall be scored out, and corrections re-written legibly and attested by the quotationer. Any addition or alteration made after filling the form shall be duly attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection. Any quotation with unattested correction shall be attested by the quotationer in the presence of other quotationers at the time of opening of the quotation except that no correction shall be permissible in the rate or amount of the bid schedule or in the quoted price after the opening of the quotation.
12. Additional Clause (s) for a particular work shall be typed on separate sheet(s) by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets. The quotationer shall not add or delete any additional clause(s) in the additional clauses sheet (s), provided by the Engineer-in-charge.
13. The quantities mentioned in the Bill of Quantities are estimated quantities, to be used for preparing quotations, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein, except as determined in accordance with the provisions of Clause 42 of the general conditions of contract.
14. (i) The quotation shall be signed by the person (s) duly authorized to do so. In the event of the quotation being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the quotation and it must disclose that the firm is duly registered under the Partnership Act, 1932, or any other law in force.

(ii) The quotation submitted by a joint venture of two or more firms shall be accompanied by a document of formation of the joint venture, duly registered and authenticated by competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person (s) authorized to represent it and accept it obligate, the participation of several firms forming the joint venture and any other information of necessary to permit a full appraisal of its function.
(iii) A quotation submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.
(iv) In all cases, the quotation must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.
15. Each quotationer shall be deemed to have satisfied himself before quotation as to the correctness and sufficiency of his quotation and of the rates and prices stated in the bid schedule which rates and prices shall, except in so far as it is otherwise expressly provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.
16. The quotationer may modify or withdraw his quotation after submission, provided that the modification or notice of withdrawal is received in writing by the engineer-in-charge prior to the prescribed deadline for submission of quotations. The quotationer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "MODIFICATION or WITHDRAWAL as appropriate. No quotation may be modified subsequent to the deadline for submission of quotation. Withdrawal of a quotation during the interval between the deadline for submission of quotations and the expiration of the period of quotation validity i.e. sixty (60) days as specified by the quotationer in the Form of Quotation may result in the forfeiture of the quotation security.
17. The quotationer shall submit the original Quotation Documents complete in all respects and keep a copy of the quotation for his own record. The original should be sealed in an inner and an outer envelope, duly marking the envelopes as "ORIGINAL". The sealed envelope shall (a) be addressed to engineer-in-charge (b) and bear the following identification: Quotation for (Name of Contract), (Reference Number of Quotation), and the words "DO NOT OPEN BEFORE (Time and Date, set for opening)". The envelopes shall indicate the name and address of the quotationer to enable the quotation to be returned unopened in case it is declared to have been received

Contractor

**Executive Engineer
ECD-M; UAF**

late or is otherwise unacceptable. If the envelope is not sealed the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the quotation submitted. A quotation opened prematurely because of improper identification will be rejected.

- 18. The quotationer shall indicate in the space provided in the quotation his full and proper address at which notice may be legally served on him and to which all correspondence in connection with his quotation and the contract is to be sent.
- 19. The presentation of a quotation implies full acceptance on the part of the quotationer of these instructions and all other conditions set forth in the contract document.
- 20. Any quotation received by the Executive Engineer (Engineer-in-charge) after the deadline for submission offenders prescribed in the Notice Inviting Quotations will be returned unopened to the quotationer.
- 21. The Engineer-in-charge or his duly authorized officer (not below the rank of Assistant Engineer) will open quotations in the presence of intending quotationers or their authorized agents, who may be present at the time. The officer opening the quotation will announce the names of the quotationer, quotation rates and the presence of requisite quotation security.
- 22. Promptly after the opening of Quotations, the Engineer-in-charge will undertake a detailed evaluation of quotations. The Engineer-in-charge will determine whether each quotation is substantially responsive to the requirements of the quotation documents and conforms to all the terms, conditions and specifications of the quotation documents without material deviation or reservation. If a quotation is not substantially responsive to the requirements of the quotation documents, it will be rejected by the engineer-in-charge and may not subsequently be made responsive by the quotationer having corrected or withdrawn the non-confirming deviation or reservation.
- 23. Except for information to be read out by the Engineer-in-charge at the time of opening quotations in accordance with **Para 21 above**, no information relating to the examination, clarification, evaluation and comparison of quotations and recommendations concerning the award of contract shall not be disclosed to quotationers or other persons not officially concerned with such process. Any effort by the quotationer to influence the process of examination, clarification, evaluation and comparison of quotations, and in decisions concerning award of contact/work, may-result in the rejection of his quotation.
- 24. The Engineer-in-charge shall have the right of the rejecting all or any of the quotations without assigning any reason thereof. The Engineer-in-charge will not be bound to award the contract to the lowest or to any other quotationer.

I/We.....

(Name of the contractor)

The undersigned Quotationer, having examined the GENERAL DIRECTIONS for work of

.....(*Name of the work*)
and the works associated therewith, and having examined the site of the above named works, or having caused the site to be visited OR our behalf by my/our competent and reliable agent, and having satisfied myself/ourselves as to all conditions under which the above named work must be performed, hereby offer to execute, complete and maintain the whole of the above mentioned work including its ancillary works associated therewith, in accordance with entire satisfaction of the Executive Engineer /Assistant Executive Engineer & I/We understand that you are not bound to accept the lowest or any quotation you may receive, and you will not defray any expenses incurred by me/us in bidding.

Yours faithfully,
(Signature of Quotationer)/Seal

Contractor

**Executive Engineer
ECD-M; UAF**

Dated this Day of 2023

Contractor

**Executive Engineer
ECD-M; UAF**

BID SCHEDULE

1. Schedule of item (MRS & Input Rates)

Name of work: _____

(To be filled in by the quotationer)

Sr. No.	<u>Items in schedule of rates</u>		Description	Estimated quantity	Unit of Rates	<u>Schedule of rates</u>		Amount (Rs....
	Page No.	Serial No.				Labour	Composite	
1	2	3	4	5	6	7	8	9

Mandatory to Write in Words: (Urdu/English)

Total cost of MRS Items Rs. _____

Contractor

Executive Engineer

ECD-M; UAF

BID SCHEDULE

1. Schedule of item (N.S. Items)

Name of work _____

(To be filled in by the quotationer)

Sr. No	Pay item No. of reference to special specification supplied	Description of item	Estimated quantity	Unit of Rates	Unit rate To be filled in the contractors where not already filled by the Executive Engineer		Amount (To be filled in by the contractor when not already filled in by the project director for items against which the unit rate have already been filled in by him)
					In figure	In Words	
1	2	3	4	5	6	7	8

Mandatory to Write in Words: (Urdu/English)

Total cost of item rates Rs. _____

Contractor

Executive Engineer

ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 044/2023 Sr. No. 01					
Name of Work:		Provision of Miscellaneous stainer fabrication item for commissioning of Biogas plants at Proka farm, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Small iron work, such as gusset plates, knees, bends, stirrups, straps, rings, etc. including cutting, drilling, riveting, handling, assembling and fixing	137.76	%kg		
2	Providing and Fixing of Nut Bolt with Washers	24.00	each		
3	Providing and fixing cast iron special of B.S.S. Class `B (such as bend, tee cross collar, reducer, tail piece flanged spigot, cap, flanged socket, etc.) for cast iron pipe line , complete:-a) C.I.S.S. Specials, with spigot. And i) 3" to 6" (75 to 150 mm) i/d	131.50	kg		
4	Providing, laying, testing and commissioning μ-PVC (Unplasticized Polyvinyl Chloride) Schedule pipe of nominal diameter, Dadex/ Popular/ Beta or equivalent, i/c the cost of solvent and specials complete as approved and directed by the Engineer Incharge b) Schedule 80 (iii) 1"	100.00	rft		
5	Supply and erection of PVC pipe for surface wiring (main and sub-main) including clamps, inspection boxes, pull boxes bends etc., complete with all specials ii)80 mm i/d	30.00	rft		
6	Providing, laying, cutting, jointing, testing and disinfecting G.I. pipeline in trenches, with socket joints, using G.I.pipes of B.S.S. 1387-1967 complete in all respects, with specials and valves.ii) Medium Quality e) 1½" i/d (40 mm) 3.25mm thick	5.00	rft		
7	Providing and Fixing 1½" dia rubber Plastic Pipe	40.00	rft		
8	Providing and fixing CP heavy duty brass Ball valve with CP handle of specified diameter made of Faisal/ Sonex/ Master best quality or equivalent complete in all respect as approved and directed by the Engineer Incharg (v) 1-1/2" dia	2.00	each		
Total					
ADD PST @ 5%					
G. TOTAL					
Mandatory to Write in Words: (Urdu/English)					

DETAILED NOTICE INVITING QUOTATION (<i>DNIT</i>) QUOTATION. 044/2023 Sr. No. 02					
Name of Work:		Purchase of Window roller blind for VC office Admin Block 3 rd Floor, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	S/o Roller Blind with Imported Machine and Fabric Black out Shutter Including Cost of Hard Ware, Lift of Material etc Complete in all respects as Direction of Relevant Commite/ Authority window blind size= 2x18.25x7 = 255.50 sft	255.5	No		
Total					
ADD GST @ 18%					
G. TOTAL					
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (<i>DNIT</i>) QUOTATION. 044/2023 Sr. No. 03					
Name of Work:		Repair of road in front of House No. 1 & 2 at Main Campus, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40	135.45	%cft		
2	Reinforced cement concrete in slab of rafts / strip foundation, base slab of column and retaining walls; etc and footing beams, other structural members other than those mentioned in 6(a) (i)&(ii) above not requiring form work (i.e. horizontal shuttering) complete in all respect 2) Type B (nominal mix 1: 1½: 3)	196.00	%kg		
3	Cement concrete plain including placing compacting, finishing and curing complete (including screening and washing of stone aggregate):1:2:4	135.45	p.cft		
4	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40	7.56	%cft		
Total					
ADD PST					
G. TOTAL					
<i>Mandatory to Write in Words: (Urdu/English)</i>					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 044/2023 Sr. No. 04					
Name of Work:		Up-gradation of oil Circuit Breaker-OCB (630 A) with Ring Main Unit-RMU installed at Sub Station No. 05 to restore the supply of Sub-station No. 05 to restore the supply of Sub-station No. 4 & 3 in reverse order at main Campus, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	silver electro plating of fixed copper point (FM) HT-Plunger	6.00	No.		
2	silver electro plating of moving copper point (M) HT-Rod	6.00	No.		
3	Polishing of change over/grounding contactor (i) Incoming compartment (ii) Out going compartment	2.00	No.		
4	Replacement of Jain kit of change over/grounding compartment in/out	2.00	No.		
5	Dehydration/replacement Labour charges of transformer oil (i) main trolley = 50 Ltr (ii) Incoming compartment= 40 Ltr (iii) Out going compartment= 40 Ltr Oil provided by department.	130.00	Ltr		
6	P/F of 11 kv termination kit 35 mm (china)	1.00	No.		
7	P/F of 11 kv termination kit 240 mm (china)	1.00	No.		
8	P/F of 11 kv bakelite termination box local assembeld with 10 mm bakelite sheet	1.00	No.		
9	P/F of OCB wiring (630 Amp)	1.00	No.		
10	General cleaning of all mechanical parts, fitting of CTs*, & testing including cost of petrol, Lubricant oil, Greace, contact cleaning WD-40, Red Oxide, Lacer missing nuts bolts complete in all respects. *CTs are provided by department.	1.00	No.		
				Total	
				ADD PST @ 5%	
				G. TOTAL	
Mandatory to Write in Words: (Urdu/English)					

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 044/2023 Sr. No. 05					
Name of Work:		Up-gradation of Electric work for the month of (September & October) at Various places, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	S/E of copper conductor cables for service connection, in prelaid pipe /G.I. wire/trenches, etc. (rate for cable only):- PVC insulated, PVC sheathed twin core, 250/440 volts. 3/0.74 mm (i) (3/0.029") S. S. No 05 = 15 Mtr Treasure House= 10 Mtr	25.00	Mtr		
2	Suppling,Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screws,necessary wire complete in all respect as approved and directed by the Engineer Incharge. Double Pole: 20-30 Amp (6 KA) S. S. No 05= 01 No	1.00	No.		
3	Supplying ,Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the Engineer Incharge. Triple Pole 125-250 Amp(18 KA) Social Science= 01 No	1.00	No.		
4	S/E of LED bulb 20 watt VC house= 01+01= 02 No Treasure House= 01 No	3.00	No.		
5	Supply and erection of button holder. bakelite large size Treasure House= 01 No	1.00	No.		
6	S/E of PVC aluminium cable (7/0.052) 2/c For Street Light Main road= 156 Rft Street Light Tippu Hall= 94 Rft Firdous hall disposal= 50 Rft House No. 05= 125 Rft	425.00	Rft		
7	S/E of Execuitive pannel light 2'x2' (Philips Brand) New Senat hall= 02 No Treasure office= 02 No	4.00	No.		
8	P/F Copper Winded Exhaust Fan with louver and shutter made of Pak/Younas/G.F.C. i/c the cost of necessary cable and hardware for connection from ceiling rose complete as approved and directed by Engineer Incharge. Plastic body: 12 " dia size For VC House= 01 No	1.00	No.		
9	P/F PVC double layer Switch kit Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge(i) Three Pin UniversalFor VC Office= 01 No	1.00	No.		
	(ii) 2 Gange	1.00	No.		

Quotation No 044/2023			Page 14 of 18		
	For VC Office= 01 No				
10	S/E of 3 pin switch and plug combined, recessed type. 10/15 Amp Power House= 01++01= 02 No	2.00	No.		
11	P/F of lock Teicircle Power House= 01 No Bulk Supply= 01 No S. S. No 05= 01 No	3.00	No.		
12	S/E of G.I. pipes for wiring purposes, including pull boxes, inspection boxes, bends, tees, etc. complete with all specials. 20 mm i/d size Lab Junior School= 12 Rft	12.00	Rft		
13	S/E of PVC insulated copper conductor cable (40/0.076) Flexible Power House= 4.57 Mtr	4.57	Mtr		
14	S/E of G.I. wire of all sizes, including binding wire No. 16 SWG for support of rubber wire or earthing wire, pole to pole etc. Lalazar-05= 3 Kg	3.00	Kg		
15	P/F of electric change over 60/100 Amp	1.00	No.		
16	Supply,Installation and commissioning of wiring with 4-pair data Cable, 23 AWG UL/EN listed cable *Conforming to following standards: TIA/EIA568 /ISO/ IEC11801, inprelaid conduit/cable tray from including all accessories, Manufacturer/OEM Authorization, Make: Schneider/i-connect UK/3M Corning USA/D-Link/Pollo Australian or equivalent complete in all respect as approved and directed by Engineer Incharge. UTP (Unshielded Twisted pair): CAT-6 (Min.1G @ 250MHz or higher) Lalazar-41 No= 15 Mtr	15.00	Mtr		
17	Crane chargesFor (i) Removed from GP road (NABA road) to Power house 100 KVA Simens 2002 model(ii) Day Care canteen/Main road 05 100 kva TIPC 2013 model(iii) Emergency Transformer Trolley 200 KVA - SKY power(iv) DSA building 200 KVA transformer- Climax 2009 model(v) 200 KVA transformer sky power 2019 model (KOICA Project)(vi) Club rest house/Forigion faculty 100 KVA Climax transformer	8.00	hr.		
18	Replacement of HT Insulator	3.00	No.		
	Replacement of Seals	3.00	No.		
	Replacement of HT wire clump	3.00	No.		
19	Replacement of LT Insulator	1.00	No.		
	Replacement of Seals	1.00	No.		
Total					
ADD PST @ 5%					
G. TOTAL					
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (<i>DNIT</i>) <i>QUOTATION. 044/2023 Sr. No. 06</i>					
Name of Work:		Rehabilitation of boundary wall and raising bath room at House No. 17 New Young wala, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) ordinary soil	112.80	%0cft		
2	Providing, laying, watering and ramming brick or stone ballast 1½"to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects.	24.82	%cft		
3	Pacca brick work in foundation and plinth in 1:6 cement sand mortor	63.75	%cft		
4	Providing and laying damp proof course of cement concrete 1:2: 4(using cement, sand and shingle), including bitumen coating 1½" thick (40 mm)	45.00	%sft		
5	Pacca brick work in ground floor:-i) cement, sand mortar Ratio 1:6	96.75	%cft		
6	Pacca Brick work other then building in ground floor level 1:6 c/s mortor	227.72	%cft		
7	Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position	55.27	%kg		
8	First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly theen sheet	42.75	%sft		
				Total	
				ADD PST @ 5%	
				G. TOTAL	
<i>Mandatory to Write in Words: (Urdu/English)</i>					

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 044/2023 Sr. No. 07					
Name of Work:		Repair and Maintenance of MV Protection Panel FICO Made (11 KV 630 A VCB) Installed at Bulk Supply System at UAF Sub Campus Depalpur; District Okara , University of Agriculture Faisalabad			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	<div>1. General Overhauling and Testing of VCB 630A Hyundai Made</div> <div>2. Removal of sludge/ rust from the Copper Bus Bar By:-<ul style="list-style-type: none">Rubbing, Soldering & Polishing of Bus Bar all coupling Pieces with PVC Shrinkable sleeves replacement M10x100x240 09 Nos.Panel Coupling bolts M10x25 10 Nos.Nuts M10 with plain and spring washer 10 Nos.Bus Bar coupling bolts 12x75 mm with nuts with 2 Plain and spring washers 4 Nos.<u>(Defective minor parts "nuts, bolts & washers" will be replaced with new)</u></div> <div>3. Service and oiling of trolley extension guide plate with trolley</div> <div>4. Cleaning of fiber glass insulation</div> <div>5. Cleaning of lighting arrestors 12 KV, 10 KA (R+Y+B)</div> <div>6. Testing Of CTs and its replacement if found defective (R+Y+B) (Should be provided by the Client "UAF")</div> <div>7. Testing Of PTs and its replacement if found defective (R+Y+B) (Should be provided by the Client "UAF")</div> <div>8. Removal of water contents through heating from all electro mechanical parts</div> <div>9. Testing & Calibration of O/C, E/F and G/F Relay</div> <div>10. Connection/ Coupling of HT Cables after Meger testing with the WAPDA (LESCO) metering panel</div> <div>11. Fixing of existing HT Termination KIT of 3/core 4AWG HT Cables Raychem Brand (Germany Made) by cleaning, rubbing and fixing of PVC Shrinkable sleeves at each phase (R+Y+B)</div>	1	Job		
Total					
ADD PST @ 16%					
G. TOTAL					
Mandatory to Write in Words: (Urdu/English)					

Contractor

Executive Engineer
ECD-M; UAF

DETAILED NOTICE INVITING QUOTATION (<i>DNIT</i>) QUOTATION. 044/2023 Sr. No. 08					
Name of Work:		UP-GRADATION OF ELECTRIC WORK AT CLASSROOM IN THE FACULTY OF AGRICULTURE AT MAIN CAMPUS, UAF			
Sr. No	Item Details/ Description of works	Qty	Unit	To be filled by the Bidder	
				Rate Quoted	Amount (PKR)
1	Supply and erection of single core PVC insulatedcopper conductor cables, in prelaid PVC pipe/M.S. conduit/G.I pipe/wooden strip batten/wooden casing and capping/G.I. wire/trenches (rate for cables only):- i) 3/0.74 mm (3/0.029")	450	rft		
2	Supply and erection of single core PVC insulatedcopper conductor cables, in prelaid PVC pipe/M.S. conduit/G.I pipe/wooden strip batten/wooden casing and capping/G.I. wire/trenches (rate for cables only):- i) iii) 7/0.74 mm (7/0.029")	300	rft		
3	pipe/wooden strip batten/wooden casing an capping/G.I.	1.00	No.		
4	wire/trenches (rate for cables only	1.00	No.		
5	(iii) Three Pin Power Plug 15-32 Amp	3.00	No.		
6	S/E of switches 10/15 Amp. recessed type	12.00	No.		
7	Supply and erection of button holder. bakelite large size (Chori wala)	7.00	No.		
8	S/E of fan dimmer	1.00	No.		
9	S/E of M.S. sheet box of 16 SWG, 10 cm (4") deep, with 4.75 mm thick (3/16") bakelite sheet top, for recessed wiring, including making holes for regulators, switches, plugs, etc. 22.5 x 10 cm (4"x4")	3.00	No.		
10	Suppling,Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screws,necessary wire complete in all respect as approved and directed by the Engineer Incharge. Single Pole: 6-40 Amp (6 KA)	2.00	No.		
11	S/E of LED tube rod 18 watt Made in Philips	13.00	No.		
12	S/E of Fan Suspension pad std.	1.00	No.		
13	S/E of LED bulb 20 watt	10.00	No.		
14	S/E of capacitor 2.2 uf	4.00	No.		
15	Supply and erection of 3 pin switch and plug combined, recessed type. 5 Amp	6.00	No.		
16	Supply and erection of 3 pin switch and plug combined, recessed type.10/15 Amp	4.00	No.		

Contractor

Executive Engineer
ECD-M; UAF

Quotation No 044/2023			Page 18 of 18		
17	S/E of wooden board with baklite sheet (4x4) size For universal =02 Power pulg= 02 one hole= 01	5.00	No.		
18	P/F Copper winded wall bracket fan made of Pak/Younas/G.F.C or NEECA approved equivalent i/c the cost of necessary cable and hardware for connection as approved and directed by Engineer 18" Sweep dia	5.00	No.		
19	P/F of LED pannel light 2x2 (Philips)	5.00	No.		
20	S/E of 3 pin 10/15 Amp. wall socket with shoe, open type shoe only	3.00	No.		
21	P/F Copper Winded Exhaust Fan with louver and shutter made of Pak/ Younas /G.F.C. i/c the cost of necessary cableand hardware for connection from ceiling rose complete as approved and directed by Engineer Incharge. Steel body: 18" sweep	1.00	No.		
22	S/E of steel nail2x1/2"	12.00	No.		
23	S/E of steel nail 1"	12.00	No.		
24	S/E of MS screw (3/4"+1"+1x1/2")	60.00	No.		
25	S/E of PVC tape	2.00	No.		
Total					
ADD PST @ 5%					
G. TOTAL					
<u>Mandatory to Write in Words: (Urdu/English)</u>					

Contractor

Executive Engineer
ECD-M; UAF