

UNIVERSITY OF AGRICULTURE, FAISALABAD

Engineering Construction Department (M)
(Office of the Executive Engineer)

QUOTATION NOTICE No.93/2022

Sealed quotations are invited from the firms/contractors Pre-qualified with the University of Agriculture, Faisalabad (UAF) in category E, D, and C-6 (PEC) or above for the following works on the **Item Rate** (DNIT-Basis) or the **Percentage Rate** (**MRS**-2nd Bi Annual 2022 / **TS-Estimate**) circulated by the Finance Department, Government of the Punjab as per PPRA rules.

QUO	QUOTATION NOTICE Last date for the issuance of Quotation Do		ocuments:0	11:00 a.m.		
	No /93	Date of	Opening: 0	Opening: 04-11-2022		
Sr.#		Name of Work	Amount (Rs.)	Quotati on Fee	Time Limit	
1	Purchase of 2 Nos. main Campus, UAF	of Drums of Transformer Oil for various Transformer at	197,947/-	100/-	One Week	
2	Repair of 100 KVA	Transformer Installed at American Colony, UAF	180,000/-	100/-	One Week	
3	Repair/ Replacemer Hall, UAF	at of main Electric Cable damage part feeding to Teepu	114,155/-	100/-	One Week	
4	Repair and UpgraduAF	ation of Panel DBs in the department of Entomology,	167,000/-	100/-	One Week	
5	Purchase of L.P.G C	Cylinder/ Gas for Regional center Rawalpindi, UAF	133,806/-	100/-	One Week	
6	Repair of House No	. 37 Lalazar Colony, UAF	198,850/-	100/-	One Week	
7	Repair of House No	. 06 University Villas, UAF	194,400/-	100/-	One Week	
8	Repair of House No	. 15 Firdous Hall, UAF	87,550/-	100/-	One Week	
9	Repair of House No. 17 Firdous Hall, UAF			100/-	One Week	
10	Repair of House No	. 52 Firdous Colony, UAF	189,650/-	100/-	One Week	

- 1. Tender/Quotation Documents can be obtained on payment of prescribed tender fee (Rs.100) into the account No. 11-9/NBP (NDIA), Agri. University Branch through E-Challah Form issued by the Office of Treasure, UAF on advice of the Executive Engineer, ECD-M, UAF or free download from the UAF website http://web.uaf.edu.pk/Main/Tenders?iYear=0
- 2. Tender/Quotation rate and amount should be filled in figure as well as in words and tender should be signed and stamped by the vender.
- 3. The bid/quotation must be dropped in the Tender Box available in Executive Engineer Room and not to be handed over to any person of the Department ECD (M) if the bid/quotation is sent by in person or through post, the same instructions be passed on the Courier/Postal Services.
- 4. Tempered Quotations and Conditional Quotations will not be entertained.
- 5. The UAF will not be responsible for any cost and expense incurred by the bidder in connection with the preparation or delivery of bids/quotations. In case of official holiday on the day of submission, the next day will be treated as closing date.

(Muhammad Ikram)
Executive Engineer, (ECD-M)
University of Agriculture

Faisalabad

Quotation No 93/2022 Page 1 of 19

Bidders are directed to comply the following checklist along with the sealed envelope of bidding documents while participating the quotation as per schedule date and time.

SR. NO	BIDDER DOCUMENTS	MENTIONED PAGE NO. (To Filled By the Tenderer)
Requi	red Documents to Participate in Bidding for F.Y 2022-23:-	
1	Written Application* on Firm's Letter Head Pad for the Work you are going to participate under this bidding document.	
2	License of Pakistan Engineering Council (Not-Required for Pre-Qualified Contractors in D and E Category and involved in repair works of ECD-M) A. Valid License Copy is mandatory from the PEC Registered contractors for the said PEC- Class as per prescribed guidelines "Can be provided on request / published for Pre-Qualification of Contractors for related PEC Category for F.Y. 2022-23." B. Copy of the Prequalification Certificate/Notification with ECD, UAF for the current Financial Year Dully issued by the Executive Engineer (M)/(P)	
3	Copy of Registration Certificate, (Active NTN Certificate) with Federal Board of Revenue.	
4	Copy of Registration Certificate, (Active PNTN Certificate) with Punjab Revenue Authority Punjab	
	Save Paper. Save Trees. Save the World.	

^{*}Not required for the Downloaded Tendering Documents

<u>Note:</u> Bidders may be directed to provide forth-said information, prior to the opening, of the Quotation if the Executive Engineer ECD-M deems necessary.

Quotation No 93/2022 Page 2 of 19

UNIVERSITY OF AGRICULTURE, FAISALABAD

Item Rate (Details Notice of Inviting DNIQ)/Percentage Age Rate Quotation & Contract for Works

Nai	me of the Firm:		(n	F- WI 4b- O	
Sr.#		Name of Work	Amount (Rs.)	Quotation Fee	Time Limit*
1		of 2 Nos. of Drums of Transformer Oil for various ner at main Campus, UAF	197,947/-	100/-	One Week
2	Repair of UAF	100 KVA Transformer Installed at American Colony,	180,000/-	100/-	One Week
3		Replacement of main Electric Cable damage part Teepu Hall, UAF	114,155/-	100/-	One Week
4	Repair an Entomolog	d Upgradation of Panel DBs in the department of gy, UAF	167,000/-	100/-	One Week
5	Purchase of L.P.G Cylinder/ Gas for Regional center Rawalpindi, UAF			100/-	One Week
6	Repair of House No. 37 Lalazar Colony, UAF			100/-	One Week
7	Repair of House No. 06 University Villas, UAF			100/-	One Week
8	Repair of House No. 15 Firdous Hall, UAF			100/-	One Week
9	Repair of House No. 17 Firdous Hall, UAF			100/-	One Week
10	Repair of	House No. 52 Firdous Colony, UAF	189,650/-	100/-	One Week
provisio	on will prevail.	sion (if any) should not be more than original completion time menti- However, this can be right off with the prior approval of the Compet c circumstances.			
Dead 1	Line for subr	nission of Quotation:		04-11-2022	<u></u>
Openi	Opening of Quotation :				<u></u>
Issued	by:			Executive Eng University of A Faisalabad.	tineer (ECD-M) Agriculture,
Date: -		Signature:(OFFICE STA			

Note:

The officer / Quotation Opening committee is competent to reject the Quotation which does not bear the stamp and signature of the officially issued bidding documents and which is not submitted by the same contractor to whom the quotation documents was issued against prescribed fee (Non-Refundable). However, the quotation documents can be downloaded Free of Cost from UAF website, The Quotations must be reached to Executive Engineer (ECD-M), UAF in

Executive Engineer ECD-M; **UAF**

Quotation No 93/2022 Page 3 of 19

sealed envelope up to schedule of closing.

GENERAL DIRECTIONS

FOR

THE GUIDANCE OF THE QUOTATIONER

1. These directions are provided to assist the quotationer in preparing and submitting his quotation. The quotation shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.

- 2. All necessary documents, such as copies of specifications (excluding standard specification books, MRS, 2nd Bi-Annual 2022 District Faisalabad), contract documents, including bill of quantities, estimated scheduled rates and any other documents required in connection with the preparation of quotation or execution of works, signed by the engineer-in-charge will accompany the quotation form and the cost of such annexed documents will be reflected in the cost of the quotation form
- 3. The quotationer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his quotation.
- 4. No single quotation shall include more than one work. A quotationer who wishes to quotation for two or more works shall submit quotation for each work, separately.
- 5. The memorandum of work quotation for, and the schedule of materials and equipment to be supplied by the engineer-in-charge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the engineer-in-charge before the quotation form is issued. At this stage the quotationer should ensure that the quotation form so issued is complete in all respects.
- 6. The quotationer shall note that the ultimate responsibility for the quality of work and its conformity with the specifications and drawings rests solely with the successful bidder whose quotation is accepted.
- 7. The quotationer shall, at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the quotation and entering into contract, and shall determine and satisfy himself by such means as he may consider necessary or desirable as to all matters pertaining to the quotation. The quotationer shall also satisfy himself before submitting his quotation as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and transportation facilities in the area. The quotationer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his quotation. The engineer-in-charge shall not assume any responsibility regarding information gathered interpretation or deduction, which the quotationer may arrive at, from the date that may be furnished with the contract documents.
- 8. (a) The quotationer shall fill up the Bill of Quantities and indicate the percentage rate above or below the MRS of rates for the "MRS items" on which he is willing to undertake each item of work. No premium will be quoted by the contractor against non-MRS/item rates, for which the rate and amount has already been filled in by the engineer-in-charge in the bid schedule. (b) In case quotations are called on item rate basis (DNIT), the quotationer shall quote his own unit rate in the Bill of quantities on which he is willing to undertake each item of work.
- 9. i. The quotation shall work out the amount against each item of work in the Bill of Quantities and will indicate the total amount of his quotation (including the cost of Non-MRS items rates for which the rate and amount has already been filled in by the engineer-in-charge in the Bill of Quantities) on which he is willing to complete the works. The total amount worked out in the Bill of Quantities shall be entered by the quotationer in his quotation as his quotation price for the work. In case of discrepancy between amounts in figures and in words, the amount in words shall prevail.
 - ii. Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the quotationer will be extended in working out of the amount of the quotation and the total amount of the bid schedule will be adjusted accordingly.
 - iii. If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule.
 - iv. If it is found that the quotationer has not entered any unit rate and amount against any of the pay items of the bid schedule, the engineer-in-charge shall fill in the blanks by noting the word "NIL" In such blanks at the time of opening of the quotation. Such pay items shall be deemed to be covered by the rates of other items.
 - v. If the quotationer does not accept the adjusted/corrected amount of quotation according to the above provision, his quotation shall be rejected, and the earnest money forfeited.
- 10. The quotation, which proposes any alteration in the works specified in the Bill of quantities or in the time allowed for carrying out the works or any other condition mentioned by the Engineer-in-charge, will be liable to rejection. The

Executive Engineer ECD-M; UAF

Quotation No 93/2022 Page 4 of 19

quotationer shall sign each and every page of the quotation and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the quotation duly signed by the quotationer. Any addition or alteration made after filing the forms shall duly have attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection.

- 11. The quotationer shall fill in the quotation documents, in ink. Errors, if any, shall be scored out, and corrections rewritten legibly and attested by the quotationer. Any addition or alteration made after filling the form shall be duly attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection. Any quotation with unattested correction shall be attested by the quotationer in the presence of other quotationers at the time of opening of the quotation except that no correction shall be permissible in the rate or amount of the bid schedule or in the quoted price after the opening of the quotation.
- 12. Additional Clause (s) for a particular work shall be typed on separate sheet(s) by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets. The quotationer shall not add or delete any additional clause(s) in the additional clauses sheet (s), provided by the Engineer-in-charge.
- 13. The quantities mentioned in the Bill of Quantities are estimated quantities, to be used for preparing quotations, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein, except as determined in accordance with the provisions of Clause 42 of the general conditions of contract.
- 14. (i) The quotation shall be signed by the person (s) duly authorized to do so. In the event of the quotation being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the quotation and it must disclose that the firm is duly registered under the Partnership Act, 1932, or any other law in force.
 - (ii) The quotation submitted by a joint venture of two or more firms shall be accompanied by a document of formation of the joint venture, duly registered and authenticated by competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person (s) authorized to represent it and accept it obligate, the participation of several firms forming the joint venture and any other information of necessary to permit a full appraisal of its function.
 - (iii) A quotation submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.
 - (iv) In all cases, the quotation must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.
- 15. Each quotationer shall be deemed to have satisfied himself before quotation as to the correctness and sufficiency of his quotation and of the rates and prices stated in the bid schedule which rates and prices shall, except in so far as it is otherwise expressly provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.
- 16. The quotationer may modify or withdraw his quotation after submission, provided that the modification or notice of withdrawal is received in writing by the engineer-m-charge prior to the prescribed deadline for submission of quotations. The quotationer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "MODIFICATION or WITHDRAWAL as appropriate. No quotation may be modified subsequent to the deadline for submission of quotation. Withdrawal of a quotation during the interval between the deadline for submission of quotations and the expiration of the period of quotation validity i.e. sixty (60) days as specified by the quotationer in the Form of Quotation may result in the forfeiture of the quotation security.
- 17. The quotationer shall submit the original Quotation Documents complete in all respects and keep a copy of the quotation for his own record. The original should be sealed in an inner ant an outer envelope, duly marking the envelops as "ORIGINAL". The sealed envelope shall (a) be addressed to engineer-in-charge (b) and bear the following identification: Quotation for (Name of Contract), (Reference Number of Quotation), and the words "DO NOT OPEN BEFORE (Time and Date, set for opening)". The envelops shall indicate the name and address of the quotationer to enable the quotation to be returned unopened in case it is declared to have been received late or is otherwise unacceptable. If the envelope is not sealed the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the quotation submitted. A quotation opened prematurely because of improper identification will be rejected.

Executive Engineer ECD-M; UAF

Quotation No 93/2022 Page 5 of 19

18. The quotationer shall indicate in the space provided in the quotation his full and proper address at which notice may be legally served on him and to which all correspondence in connection with his quotation and the contract is to be sent.

- 19. The presentation of a quotation implies full acceptance on the part of the quotationer of these instructions and all other conditions set forth in the contract document.
- 20. Any quotation received by the Executive Engineer (Engineer-in-charge) after the deadline for submission offenders prescribed in the Notice Inviting Quotations will be returned unopened to the quotationer.
- 21. The Engineer-in-charge or his duly authorized officer (not below the rank of Assistant Engineer) will open quotations in the presence of intending quotationers or their authorized agents, who may be present at the time. The officer opening the quotation will announce the names of the quotationer, quotation rates and the presence of requisite quotation security.
- 22. Promptly after the opening of Quotations, the Engineer-in-charge will undertake a detailed evaluation of quotations. The Engineer-in-charge will determine whether each quotation is substantially responsive to the requirements of the quotation documents and conforms to all the terms, conditions and specifications of the quotation documents without material deviation or reservation. If a quotation is not substantially responsive to the requirements of the quotation documents, it will be rejected by the engineer-in-charge and may not subsequently be made responsive by the quotationer having corrected or withdrawn the non-confirming deviation or reservation.
- 23. Except for information to be read out by the Engineer-in-charge at the time of opening quotations in accordance with Para 21 above, no information relating to the examination, clarification, evaluation and comparison of quotations and recommendations concerning the award of contract shall not be disclosed to quotationers or other persons not officially concerned with such process. Any effort by the quotationer to influence the process of examination, clarification, evaluation and comparison of quotations, and in decisions concerning award of contact/work, may-result in the rejection of his quotation.
- 24. The Engineer-in-charge shall have the right of the rejecting all or any of the quotations without assigning any reason thereof.

 The Engineer-in-charge will not be bound to award the contract to the lowest or to any other quotationer.

I/We
(Name of the contractor)
The undersigned Quotationer, having examined the GENERAL DIRECTIONS for work of
and the works associated therewith, and having examined the site of the above named works, or having caused the site to be visited OR our behalf by my/our competent and reliable agent, and having satisfied myself/ourselves as to all conditions under which the above named work must be performed, hereby offer to execute, complete and maintain the whole of the above mentioned work including its ancillary works associated therewith, in accordance with entire satisfaction of the Executive Engineer /Assistant Executive Engineer & I/We understand that you are not bound to accept the lowest or any quotation you may receive, and you will not defray any expenses incurred by me/us in bidding.
Yours faithfully,

Dated this Day of 2022

Executive Engineer ECD-M; UAF

(Signature of Quotationer)/Seal

Quotation No 93/2022 Page 6 of 19

BID SCHEDULE

1.	Schedule of item (MRS & Input Rates)	Name of work:
		CTT T CATT TA T .T

(To be filled in by the quotationer)

Sr. No.	<u>Items in schedule of rates</u>		Description	Estimated	Unit of Schedu		<u>lle of rates</u>	Amount
S1. NO.	Page No.	Serial No.	Description	quantity	Rates	Labour	Composite	(Rs
1	2	3	4	5	6	7	8	9

Mandatory to Write in Words: (Urdu/English)

Total cost of MRS	Items I	Rs.
I OULL COST OF THIRD		

Contractor

Executive Engineer

Quotation No 93/2022 Page 7 of 19

BID SCHEDULE

1. Schedule of item (N.S. Items)

Name of work _____

(To l	be filled	in by	the o	(uotationer)

Sr. No	Pay item No. of reference to special specification supplied		Estimated quantity	Unit of Rates	contractors	where not led by the	Amount (To be filled in by the contractor when not already filled in by the project director for items against which the unit rate have already been filled in by him
1	2	3	4	5	6	7	8

Mandatory to Write in Words: (Urdu/English)

Total cost	of item rates	Rs.	

Contractor

Executive Engineer

ECD-M; UAF

Quotation No 93/2022 Page 8 of 19

	DETAILE	D NOTICE INVITING QUOTATION (<i>DI</i>	NIT) QUOTA	ATION. 9.	3/2022 Sr. I	No. 01
Na	me of Work:	PURCHASE OF 2 NOS OF DRUMS OIL FOR V	ARIOUS TRA	NSFORM	ER AT MAIN (CAMPUS UAF
					To be fill	ed by the Bidder
Sr. No	r. No Stem Details/ Description of works		Qty	Unit	Rate Quoted	Amount (PKR)
Supply	/ Item					
1	Transformer O IEC- 60296 spe	il (2 Drums) 205 litter x 2 No= 410 litter cification	410.00	Ltr.		
			·		Total (A):	
Servic	e Item					
2		es for dehydration degasification and DES sformer oil through dehydrator potable	2.00	Drum		
					Total (B):	
		•	Add GST on	item No	o. (01) 17%	
			Add PST on	item No	o. (02) 16%	
					G.TOTAL	
<u>Mandat</u>	ory to Write in Wo	rds: (Urdu/English)				

Quotation No 93/2022 Page 9 of 19

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 93/2022 Sr. No. 02 Name of Work: REPAIR OF TRANSFORMER RATING 100 KVA INSTALLED AT H-Adda of American Colony UAF To be filled by the Bidder Sr. No Item Details/ Description of works Unit Qty. Rate Amount (PKR) Quoted Supply and Errection of HT coil (11 KV) side of 100 KVA (11KV/415V) Transformer with standing insulation strength in transformer oil above 15 KV, wound with 19 SWG enameled copper wire with following Technical Details:-Weight of 100 MTR 16 SWG Copper Wire=1.85KG Weight of One coil= 15.100 2448.65 **MTR** 1 No of Coils = 3 No Weight of three coil= 15.100 x3=45.300 kg Minimum Length of Wire in Three Coils >= (45.300/1.85)*100= 2449 Meters Including Labour charges for installation of HT Coil of 100KVA Transformers Complete in All respects a) Shifting charges of damaged transformer from Transformer Adda to Power House for repair purpose through crane (2 hours) 2 4.50 hr. b) Installation charges of repaired transformer at tranformer ADD after repair from Power House through crane (2 hours) 3 S/E of HT-Insulator 1.00 No S/E of HT-Insulator Seals Synthetic Rubber with Base Jain 4 1.00 No P/F Transformer Oil with Dehydration Machine to make level of the Transformer 20.00 5 Ltr. **Shell Pakistan** Dentax GT 80W_1*209L_A227 Total (A): **Deduction/Auction of old material:** Burnt Copper Wire of Old Coils 90% of new coils 6 40.77 kg **Input Rates Material Net Total After Deduction:** Add PST **G.TOTAL**

Mandatory to Write in Words: (Urdu/English)

Quotation No 93/2022 Page 10 of 19

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 93/2022 Sr. No. 03 Name of Work: REPAIR/ REPLACEMENT OF MAIN ELECTRIC CABLE DAMAGE PART FEEDING TO TEEPU HALL, UAF To be filled by the Bidder Sr. No Item Details/ Description of works Qty Unit Rate Amount (PKR) Quoted Excavation of trenches in all kinds of soil, except cutting after laying of pipeline, which is from ground level, including trimming, "/,cft 1 dressing sides, payable separately. Leveling the beds of trenches 180.00 to correct grade and cutting pits for joints, etc. complete in all P/Fixing of LT Termination kit (good quality) complete in all 2 respect 2.00 rft Re-handling of earthwork: 3 "/,cft 180.00 Lead upto a single throw of Kassi, phaorah or shovel Supply and erection of copper conductor cables for service connection, in pre-laid pipe/G.I. wire/trenches, etc. 4 6.00 Mtr PVC insulated, PVC sheathed 4 Core, 600/1000 volt armored cable (37/0.083)TOTAL: PST@_ G. TOTAL: Mandatory to Write in Words: (Urdu/English)

Quotation No 93/2022 Page 11 of 19

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 93/2022 Sr. No. 04 Name of Work: REPAIR AND UP GRADATION OF PANEL DBs IN THE DEPARTMENT OF ENTOMOLGY UAF To be filled by the Bidder Sr. No Item Details/ Description of works Qty Unit Rate Amount (PKR) Quoted Supply and erection of PVC pipe for wiring recessed in walls, including inspection boxes, pull boxes, hooks, cutting jharries, and 60.00 1 rft repairing surface, etc., complete with all specials. 25 mm i/d S/E of PVC insulated copper conductor cable in pipe/trenches. 2 260.00 rft (7/0.064") s/core P/F wall mounted DB (Distribution Board) made with 16SWG Sheet (Recessded/Surface mounted Type), Powder coated Paint, i/c the cost of Lock, Indication lights, Thimble, Copper Comb, Wiring, Netural & Earth Bar, Door Earthing, Digital oltmeter, Digital Ammeter, Volt Selector Switch, Ammeter selector switch, Current Transformers and Controls Complete in all respect as approved 3 5.62 cft and directed by the Engineer Incharge (Breakers will be Paid Separately). 6" deep 20~60A 4x(15"x18"x9") 4x(1.25'x1.5'x0.75) (Deduction of digital Ammeter, Ammeter Selector Switch, Current **Transformer and Controls** Suppling, Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of 36.00 No screwes,necessary wire complete in all respect as approved and 4 directed by the Engineer Incharge. (i) Single Pole 6-40 Amp (6 KA) (ii) Tripple Pole 4.00 No. TOTAL: PST@ G. TOTAL: Mandatory to Write in Words: (Urdu/English)

Quotation No 93/2022 Page 12 of 19

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 93/2022 Sr. No. 05								
Name of Work: PURCHASE OF L.P.G CYLINDER/ GAS FOR REGIONAL CENTER RAWALPINDI UAF						F		
					To be fil	led by the Bidder		
Sr. No	Item Details/ Description of works		Qty	Unit	Rate Quoted	Amount (PKR)		
1	S/o LPG Commercial Cylinder (approved by SNGPL) Empty 45.4Kg Capacity		4.00	No				
2	S/o LPG Filling in Cylinder (45.4kg x 4)=181.40 kg capacity		181.40	kg				
			•		TOTAL:			
				GST@				
G. TOTAL:								
<u>Mandat</u>	ory to Write in Wo	rds: (Urdu/English)						

Quotation No 93/2022 Page 13 of 19

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 93/2022 Sr. No. 06 Name of Work: REPAIR AND MAINTENANCE WORK TO HOUSE NO.37 LALAZAR COLONY UAF To be filled by the Bidder Sr. No Item Details/ Description of works Qty Unit Rate Amount (PKR) Quoted Grouting 4½"(113 mm) dry brick work with cement mortar 453.75 %sft 1 ratio 1: 5 cement plaster 1:4 ratio upto 20 ft height ¾" thickness+ 2 565.29 %sft applying cement floating coat 1/32" thick 3 Distempering 2 coats on old surface %sft 6822.72 4 2729.09 %sft Scaraping old distemper or paint on wall 5 painting door and window any typ 2coats on old surface 1364.58 %sft painting saches fanlight wire guazed or glazed door and 6 664.78 %sft window 7 color wash old surface 2 coats 2424.50 %sft Glazing with panes (24 oz. to 26 oz.), using putty and deodar 8 17.69 sft wooden fillets Cement pointing struck joints, on walls, upto 20' (6.00 m) 500.00 %sft 9 hiehgt:-a)ratio 1:2 G.I. wire gauze 22 SWG, 12x12 meshes per square inch, (5x5 in cm2) fixed to chowkat, with ¾" ('20 mm) thick deodar 21.96 10 sft wood strip and screws TOTAL: PST@ G. TOTAL: Mandatory to Write in Words: (Urdu/English)

Quotation No 93/2022 Page 14 of 19

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 93/2022 Sr. No. 07

Name of Work: REPAIR AND MAINTENANCE WORK TO HOUSE NO.06 UNIVERSITY VILLAS UAF To be filled by the Bidder Sr. No Item Details/ Description of works Unit Qty Rate Amount (PKR) Quoted 1 Distempering 2 coats on old surface 2147.98 %sft 2 Scarping old distemper or paint on wall 859.19 %sft 3 painting door and window any typ 2coats on old surface 301.00 %sft painting saches fanlight wire gauzed or glazed door and 4 194.50 %sft window 5 Dismantling cement concrete 1:2:4 plain 12.80 %cft Providing, laying, watering and ramming brick ballast 1½ to 6 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor 26.40 %cft foundation, complete in all respects Providing and fixing marble strip of any shade for dividing 7 the mosaic flooring into panels a) Size 1½" x 3/8" (40 x 10 52.00 p.rft 1½"(40 mm) thick mosaic flooring, consisting of ½ "(13mm) mosaic topping of one part of cement and marble powder in the ratio of 3:1 and two parts of marble chips laid over 1"(25 80.00 8 %sft mm) thick floor of 1:2:4 cement concrete, including rubbing and polishing complete with finishing :-(a) using grey cement Marble powder in the ratio of 3:1 and two parts of marble chips, laid over ½"(13 mm) thick cement plaster 9 20.50 %sft 1:3, including rubbing and polishing, complete with finishing (a) using grey cement ii) ½"(13 mm) thick G.I. wire gauze 22 SWG, 12x12 meshes per square inch, (5x5 10 in cm2) fixed to chowkat, with ¾"('20 mm) thick deodar 72.13 sft wood strip and screws cement plaster 1:4 ratio upto 20 ft height ½" thickness I/C 11 365.80 %sft **FLOATING** coat Grouting 4½"(113 mm) dry brick work with cement mortar 12 504.00 %sft ratio 1: 5

Quotation No 93/2022 Page 15 of 19

13	Providing and fixing Vin board cabinet 3/4" thick with drawers 3"deep in 'Kitchen including termite proofing and polishing with synthetic enamel as specified, with handles hinges, screws etc., complete in all respects. iv) 2' deep, with back	14.00	p.sft		
14	Providing and fixing Vin board cabinet 3/4" thick with drawers 3"deep in 'Kitchen including termite proofing and polishing with synthetic enamel as specified, with handles hinges, screws etc., complete in all respects. iii) 2' deep, without back	22.50	p.sft		
15	Providing and laying Prepolished Granite of specified thicknes sand shade of full width of approved quality laid with adhesive bond over 3/4" thick (1:2) cement sand mortor bed,complete in all respectas approved and directed by the Engineer Incharge (i) 3/4" thick	20.00	p.sft		
				TOTAL:	
			PST@		
				G. TOTAL:	
Mandat	ory to Write in Words: (Urdu/English)			L	

Quotation No 93/2022 Page 16 of 19

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 93/2022 Sr. No. 08

Name of Work: REPLACEMENT AND REPLACEMENT WORK TO HOUSE NO.15 FIRDOUS HALL UAF To be filled by the Bidder Sr. No Item Details/ Description of works Unit Qty Rate Amount (PKR) Quoted 1 Removing cement or lime plaster 599.50 %sft 36.00 2 Dismantling 2nd class tile roofing %sft Pacca brick work in ground floor:-i) cement, sand mortar 3 8.30 %cft Ratio 1:6 Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, 4 65.10 %kg etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 5 36.00 %sft layers of tiles 12"x6"x11/4" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly theen sheet 2nd class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 6 single layers of tiles 12"x6"x1%" (300x150x30 mm) laid in 45.00 %sft 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly theen sheet Single layer of tiles 9"x4½"x1½" (225x113x40 mm) laid over 4"(100 mm) earth and 1" (25 mm) mud plaster without Bhoosa, grouted with cement sand 1:3 on top of RCC roof 7 45.00 %sft slab, provided with 34 lbs. per %Sft. or 1.72 Kg/Sq.m bitumen coating sand blinded.+poly theen sheet **Labour only** Grouting 4½"(113 mm) dry brick work with cement mortar 8 45.00 %sft 9 Khuras on roof 2'x2'x6" (600 x 600 x 150 mm 1.00 each 10 cement plaster 1:4 ratio upto 20 ft height ½" thickness 447.50 %sft Applying floating coat of cement 1/32" (0.8 mm) thick. 11 599.50 %sft cement plaster 1:4 ratio upto 20 ft height ¾" thickness 208.00 12 %sft TOTAL: PST@ G. TOTAL: Mandatory to Write in Words: (Urdu/English)

Quotation No 93/2022 Page 17 of 19

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 93/2022 Sr. No. 09

					To be filled by the Bidder	
Sr. No	It	em Details/ Description of works	Qty	Unit	Rate Quoted	Amount (PKR)
1	Dismantling cer	ment concrete 1:2:4 plain	31.20	%cft		
2	Removing ceme	ent or lime plaster	567.00	%sft		
3	Dismantling bri	ck work in lime or cement mortar.	3.59	%cft		
4	Dismantling 2nd	d class tile roofing	72.48	%sft		
5	Pacca brick wor Ratio 1:6	k in ground floor:-i) cement, sand mortar	3.59	%cft		
6	round iron and etc., including o	neavy steel work, with angle, tees, flat iron sheet iron for making trusses, girders, tanks, cutting, drilling, revitting, handling, lixing, but excluding erection in position	130.20	%kg		
7	(25 mm) mud p thick cement pl Kg/sq.m hot bit layers of tiles 1 cement mortar 1:6 cement mo	oofing, consisting of 4" (100 mm) eart and 1" laster with Gobri leeping over ½" 13mm) aster 1:6 with 34 lbs. per %Sft or 1.72 tumen coating sand blinded, provided over 2 2"x6"x1½" (300x150x30 mm) laid in 1:6 with ½" (13 mm) thick sand wiched layer of rtar, including 1:2 cement pointing underside te, including curing, etc. i/c poly theen sheet	72.00	%sft		
8	cement plaster	1:4 ratio upto 20 ft height ½" thickness	586.13	%sft		
9		ng coat of cement 1/32" (0.8 mm) thick.	567.00	%sft		
10	_	ixing marble strip of any shade for dividing ring into panels Size 1½" x 3/8" (40 x 10 mm	156.00	rft		
11	_	aying topping of cement concrete surface finishing and dividing in panels:-(c) ick	260.00	%sft		
					TOTAL:	
				PST@		
				PST@_	G. TOTAL:	

Contractor

Quotation No 93/2022 Page 18 of 19

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 93/2022 Sr. No. 10

Name of Work: REPLACEMENT AND REPLACEMENT WORK TO HOUSE NO.52 FIRDOUS HALL UAF To be filled by the Bidder Sr. No Item Details/ Description of works Unit Qty Rate Amount (PKR) Quoted 1 592.00 %sft Removing cement or lime plaster 2 15.89 %cft Dismantling brick work in lime or cement mortar. 3 84.00 %sft Dismantling 2nd class tile roofing Dismantling cement concrete reinforced separating 4 reinforcement from concrete, cleaning and straightening the 81.41 %cft Pacca brick work in ground floor:-i) cement, sand mortar 5 15.89 %cft Ratio 1:6 Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints 6 and fastenings, including cost of binding wire and labour 77.31 %kg charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40 Reinforced cement concrete in roof slab, beams columns lintels, girders and other structural members laid in situ or 7 precast laid in position, or prestressed members cast 3) This 32.00 p.cft item shall not be applicable in situ, complete in all respect c) 3c type 1:2:4 Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, 8 111.60 %kg etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 9 84.00 %sft layers of tiles 12"x6"x11/4" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly theen sheet Cement pointing struck joints, on walls, upto 20' (6.00 m) 10 40.00 %sft hiehgt:-a)ratio 1:2

Quotation No 93/2022 Page 19 of 19

11	Single layer of tiles 9"x4½"x1½" (225x113x40 mm) laid over 4"(100 mm) earth and 1" (25 mm) mud plaster without Bhoosa, grouted with cement sand 1:3 on top of RCC roof slab, provided with 34 lbs. per %Sft. or 1.72 Kg/Sq.m bitumen coating sand blinded.	64.00	%sft		
12	Khuras on roof 2'x2'x6" (600 x 600 x 150 mm	2.00	each		
13	cement plaster 1:4 ratio upto 20 ft height ½" thickness	84.75	%sft		
14	Applying floating coat of cement 1/32" (0.8 mm) thick.	592.00	%sft		
15	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	676.75	%sft		
16	Providing, fixing, testing and commissioning of μ-PVC (Unplasticized polyvinyl Chloride) Nikasi/waste pipe make of dadex/ Popular/ Beta/ BBJ plain/ socket ended conforming to code EN-1401 of specified SDR (Standard Dimension Ratio) including the cost of specials and Solvents complete in all respect as approved and directed by the Engineer Incharge.Type (SDR 32.5/SN-8)v)4"(110 mm)	5.00	rft		
	, , , , , , , , , , , , , , , , , , , ,		1	TOTAL:	
			PST@_		
				G. TOTAL:	
Mandat	ory to Write in Words: (Urdu/English)			1	