

UNIVERSITY OF AGRICULTURE, FAISALABAD

Engineering Construction Department (M)
(Office of the Executive Engineer)

QUOTATION NOTICE No.96/2022

Sealed quotations are invited from the firms/contractors Pre-qualified with the University of Agriculture, Faisalabad (UAF) in category E, D, and C-6 (PEC) or above for the following works on the **Item Rate** (DNIT-Basis) or the **Percentage Rate** (**MRS-**2nd Bi Annual 2022 / **TS-Estimate**) circulated by the Finance Department, Government of the Punjab as per PPRA rules.

QUO	OTATION NOTICE Last date for the issuance of Quotation D			8-11-2022	11:00 a.m.
	No /96		Date of Opening: 2	8-11-2022	11:30 a.m.
Sr.#		Name of Work	Amount (Rs.)	Quotati on Fee	Time Limit
1	Repair of House No	. 26 Firdous Colony, UAF	125,200/-	100/-	One Week
2	Repair of House No	. 58 Firdous Colony, UAF	179,000/-	100/-	One Week
3	Repair of House No. 38 New Youngwala, UAF			100/-	One Week
4	Repair of House No. 05 Firdous Colony, UAF			100/-	One Week
5	Repair of House No	. 69 Firdous Hall, UAF	105,000/-	100/-	One Week
6	Repair of House No	. 55 Firdous Colony, UAF	167,000/-	100/-	One Week

- 1. Tender/Quotation Documents can be obtained on payment of prescribed tender fee (Rs.100) into the account No. 11-9/NBP (NDIA), Agri. University Branch through E-Challah Form issued by the Office of Treasure, UAF on advice of the Executive Engineer, ECD-M, UAF or free download from the UAF website http://web.uaf.edu.pk/Main/Tenders?iYear=0
- 2. Tender/Quotation rate and amount should be filled in figure as well as in words and tender should be signed and stamped by the vender.
- 3. The bid/quotation must be dropped in the Tender Box available in Executive Engineer Room and not to be handed over to any person of the Department ECD (M) if the bid/quotation is sent by in person or through post, the same instructions be passed on the Courier/Postal Services.
- 4. Tempered Quotations and Conditional Quotations will not be entertained.
- 5. The UAF will not be responsible for any cost and expense incurred by the bidder in connection with the preparation or delivery of bids/quotations. In case of official holiday on the day of submission, the next day will be treated as closing date.

(Muhammad Ikram)

Executive Engineer, (ECD-M) University of Agriculture Faisalabad Quotation No 96/2022 Page 1 of 14

Bidders are directed to comply the following checklist along with the sealed envelope of bidding documents while participating the quotation as per schedule date and time.

SR. NO	BIDDER DOCUMENTS	MENTIONED PAGE NO. (To Filled By the Tenderer)
Requi	red Documents to Participate in Bidding for F.Y 2022-23:-	
1	Written Application* on Firm's Letter Head Pad for the Work you are going to participate under this bidding document.	
2	License of Pakistan Engineering Council (Not-Required for Pre-Qualified Contractors in D and E Category and involved in repair works of ECD-M) A. Valid License Copy is mandatory from the PEC Registered contractors for the said PEC- Class as per prescribed guidelines "Can be provided on request / published for Pre-Qualification of Contractors for related PEC Category for F.Y. 2022-23." B. Copy of the Prequalification Certificate/Notification with ECD, UAF for the current Financial Year Dully issued by the Executive Engineer (M)/(P)	
3	Copy of Registration Certificate, (Active NTN Certificate) with Federal Board of Revenue.	
4	Copy of Registration Certificate, (Active PNTN Certificate) with Punjab Revenue Authority Punjab	
	Save Paper. Save Trees. Save the World.	

^{*}Not required for the Downloaded Tendering Documents

<u>Note:</u> Bidders may be directed to provide forth-said information, prior to the opening, of the Quotation if the Executive Engineer ECD-M deems necessary.

Quotation No 96/2022 Page 2 of 14

UNIVERSITY OF AGRICULTURE, FAISALABAD

Item Rate (Details Notice of Inviting DNIQ)/Percentage Age Rate Quotation & Contract for Works

Nar	ne of the				
	Firm:			To Whom the Ou	otation is Issued)
Sr.#		Name of Work	Amount (Rs.)	Quotation Fee	Time Limit*
1	Repair of 1	House No. 26 Firdous Colony, UAF	125,200/-	100/-	One Week
2	Repair of 1	House No. 58 Firdous Colony, UAF	179,000/-	100/-	One Week
3	Repair of 1	House No. 38 New Youngwala, UAF	144,750/-	100/-	One Week
4	Repair of	House No. 05 Firdous Colony, UAF	165,550/-	100/-	One Week
5	Repair of House No. 69 Firdous Hall, UAF			100/-	One Week
6	Repair of 1	House No. 55 Firdous Colony, UAF	167,000/-	100/-	One Week
provisio	n will prevail.	sion (if any) should not be more than original completion time mention. However, this can be right off with the prior approval of the Competer circumstances.			
	•	nission of Quotation:		28-11-2022	
Openia	ng of Quotati	ion:		28-11-2022	
Issued by:					ineer (ECD-M)
ъ.				University of A Faisalabad.	griculture,
Date: -				Signature:	
Note) •			(OFFICE STA	MP)

The officer / Quotation Opening committee is competent to reject the Quotation, which does not bear the signature and stamp of the issuing officer in favor of the contractor/firm to whom the tender-documents was issued against prescribed fee (Non-Refundable) for the purpose/ work requested thereto. However, the Quotation documents can be downloaded Free of Cost from UAF website. The Quotation documents in a sealed envelope must reach to the **Office of Executive Engineer**, **University of Agriculture Faisalabad** up to schedule of closing.

Quotation No 96/2022 Page 3 of 14

GENERAL DIRECTIONS

FOR

THE GUIDANCE OF THE QUOTATIONER

1. These directions are provided to assist the quotationer in preparing and submitting his quotation. The quotation shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.

- 2. All necessary documents, such as copies of specifications (excluding standard specification books, MRS, 2nd Bi-Annual 2022 District Faisalabad), contract documents, including bill of quantities, estimated scheduled rates and any other documents required in connection with the preparation of quotation or execution of works, signed by the engineer-in-charge will accompany the quotation form and the cost of such annexed documents will be reflected in the cost of the quotation form.
- 3. The quotationer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his quotation.
- 4. No single quotation shall include more than one work. A quotationer who wishes to quotation for two or more works shall submit quotation for each work, separately.
- 5. The memorandum of work quotation for, and the schedule of materials and equipment to be supplied by the engineer-incharge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the engineer-incharge before the quotation form is issued. At this stage the quotationer should ensure that the quotation form so issued is complete in all respects.
- 6. The quotationer shall note that the ultimate responsibility for the quality of work and its conformity with the specifications and drawings rests solely with the successful bidder whose quotation is accepted.
- 7. The quotationer shall, at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the quotation and entering into contract, and shall determine and satisfy himself by such means as he may consider necessary or desirable as to all matters pertaining to the quotation. The quotationer shall also satisfy himself before submitting his quotation as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and transportation facilities in the area. The quotationer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his quotation. The engineer-in-charge shall not assume any responsibility regarding information gathered interpretation or deduction, which the quotationer may arrive at, from the date that may be furnished with the contract documents.
- 8. (a) The quotationer shall fill up the Bill of Quantities and indicate the percentage rate above or below the MRS of rates for the "MRS items" on which he is willing to undertake each item of work. No premium will be quoted by the contractor against non-MRS/item rates, for which the rate and amount has already been filled in by the engineer-in-charge in the bid schedule. (b) In case quotations are called on item rate basis (DNIT), the quotationer shall quote his own unit rate in the Bill of quantities on which he is willing to undertake each item of work.
- 9. i. The quotation shall work out the amount against each item of work in the Bill of Quantities and will indicate the total amount of his quotation (including the cost of Non-MRS items rates for which the rate and amount has already been filled in by the engineer-in-charge in the Bill of Quantities) on which he is willing to complete the works. The total amount worked out in the Bill of Quantities shall be entered by the quotationer in his quotation as his quotation price for the work. In case of discrepancy between amounts in figures and in words, the amount in words shall prevail.
 - ii. Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the quotationer will be extended in working out of the amount of the quotation and the total amount of the bid schedule will be adjusted accordingly.
 - iii. If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule.
 - iv. If it is found that the quotationer has not entered any unit rate and amount against any of the pay items of the bid schedule, the engineer-in-charge shall fill in the blanks by noting the word "NIL" In such blanks at the time of opening of the quotation. Such pay items shall be deemed to be covered by the rates of other items.
 - v. If the quotationer does not accept the adjusted/corrected amount of quotation according to the above provision, his quotation shall be rejected, and the earnest money forfeited.
- 10. The quotation, which proposes any alteration in the works specified in the Bill of quantities or in the time allowed for carrying out the works or any other condition mentioned by the Engineer-in-charge, will be liable to rejection. The quotationer shall sign each and every page of the quotation and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the quotation duly signed by the quotationer. Any addition or alteration made after filing the forms shall duly have attested by the quotationer. Non-

Executive Engineer ECD-M; UAF

Quotation No 96/2022 Page 4 of 14

compliance of this condition shall render the quotation liable to rejection.

11. The quotationer shall fill in the quotation documents, in ink. Errors, if any, shall be scored out, and corrections rewritten legibly and attested by the quotationer. Any addition or alteration made after filling the form shall be duly attested by the quotationer. Non-compliance of this condition shall render the quotation liable to rejection. Any quotation with unattested correction shall be attested by the quotationer in the presence of other quotationers at the time of opening of the quotation except that no correction shall be permissible in the rate or amount of the bid schedule or in the quoted price after the opening of the quotation.

- 12. Additional Clause (s) for a particular work shall be typed on separate sheet(s) by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets. The quotationer shall not add or delete any additional clause(s) in the additional clauses sheet (s), provided by the Engineer-in-charge.
- 13. The quantities mentioned in the Bill of Quantities are estimated quantities, to be used for preparing quotations, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein, except as determined in accordance with the provisions of Clause 42 of the general conditions of contract.
- 14. (i) The quotation shall be signed by the person (s) duly authorized to do so. In the event of the quotation being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the quotation and it must disclose that the firm is duly registered under the Partnership Act, 1932, or any other law in force.
 - (ii) The quotation submitted by a joint venture of two or more firms shall be accompanied by a document of formation of the joint venture, duly registered and authenticated by competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person (s) authorized to represent it and accept it obligate, the participation of several firms forming the joint venture and any other information of necessary to permit a full appraisal of its function.
 - (iii) A quotation submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.
 - (iv) In all cases, the quotation must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.
- 15. Each quotationer shall be deemed to have satisfied himself before quotation as to the correctness and sufficiency of his quotation and of the rates and prices stated in the bid schedule which rates and prices shall, except in so far as it is otherwise expressly provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.
- 16. The quotationer may modify or withdraw his quotation after submission, provided that the modification or notice of withdrawal is received in writing by the engineer-m-charge prior to the prescribed deadline for submission of quotations. The quotationer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "MODIFICATION or WITHDRAWAL as appropriate. No quotation may be modified subsequent to the deadline for submission of quotation. Withdrawal of a quotation during the interval between the deadline for submission of quotations and the expiration of the period of quotation validity i.e. sixty (60) days as specified by the quotationer in the Form of Quotation may result in the forfeiture of the quotation security.
- 17. The quotationer shall submit the original Quotation Documents complete in all respects and keep a copy of the quotation for his own record. The original should be sealed in an inner ant an outer envelope, duly marking the envelops as "ORIGINAL". The sealed envelope shall (a) be addressed to engineer-in-charge (b) and bear the following identification: Quotation for (Name of Contract), (Reference Number of Quotation), and the words "DO NOT OPEN BEFORE (Time and Date, set for opening)". The envelops shall indicate the name and address of the quotationer to enable the quotation to be returned unopened in case it is declared to have been received late or is otherwise unacceptable. If the envelope is not sealed the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the quotation submitted. A quotation opened prematurely because of improper identification will be rejected.
- 18. The quotationer shall indicate in the space provided in the quotation his full and proper address at which notice may be legally served on him and to which all correspondence in connection with his quotation and the contract

Quotation No 96/2022 Page 5 of 14

is to be sent.

19. The presentation of a quotation implies full acceptance on the part of the quotationer of these instructions and all other conditions set forth in the contract document.

- 20. Any quotation received by the Executive Engineer (Engineer-in-charge) after the deadline for submission offenders prescribed in the Notice Inviting Quotations will be returned unopened to the quotationer.
- 21. The Engineer-in-charge or his duly authorized officer (not below the rank of Assistant Engineer) will open quotations in the presence of intending quotationers or their authorized agents, who may be present at the time. The officer opening the quotation will announce the names of the quotationer, quotation rates and the presence of requisite quotation security.
- 22. Promptly after the opening of Quotations, the Engineer-in-charge will undertake a detailed evaluation of quotations. The Engineer-in-charge will determine whether each quotation is substantially responsive to the requirements of the quotation documents and conforms to all the terms, conditions and specifications of the quotation documents without material deviation or reservation. If a quotation is not substantially responsive to the requirements of the quotation documents, it will be rejected by the engineer-in-charge and may not subsequently be made responsive by the quotationer having corrected or withdrawn the non-confirming deviation or reservation.
- 23. Except for information to be read out by the Engineer-in-charge at the time of opening quotations in accordance with Para 21 above, no information relating to the examination, clarification, evaluation and comparison of quotations and recommendations concerning the award of contract shall not be disclosed to quotationers or other persons not officially concerned with such process. Any effort by the quotationer to influence the process of examination, clarification, evaluation and comparison of quotations, and in decisions concerning award of contact/work, may-result in the rejection of his quotation.
- 24. The Engineer-in-charge shall have the right of the rejecting all or any of the quotations without assigning any reason thereof.

 The Engineer-in-charge will not be bound to award the contract to the lowest or to any other quotationer.

I/We
(Name of the contractor)
The undersigned Quotationer, having examined the GENERAL DIRECTIONS for work of
Yours faithfully,

Dated this Day of 2022

(Signature of Quotationer)/Seal

Quotation No 96/2022 Page 6 of 14

BID SCHEDULE

1.	Schedule of item (MRS & Input Rates)	Name of work:	
	•	(To be filled in by the quotationer)	

Sr. No.	<u>Items in schedule of rates</u>		Description	Estimated Unit of		Schedu	Amount	
S1. NO.	Page No.	Serial No.	Description	quantity	Rates	Labour	Composite	(Rs
1	2	3	4	5	6	7	8	9

Mandatory to Write in Words: (Urdu/English)

Total cost of MR	S Items Rs.	
I OTHER COST OF THE		

Contractor

Executive Engineer

Quotation No 96/2022 Page 7 of 14

BID SCHEDULE

1. Schedule of item (N.S. Items)

Name of work _____

(To be	filled	in	by	the	quotationer)

Sr. No	Pay item No. of reference to special specification supplied		Estimated quantity	Unit of Rates	contractors	where not led by the	Amount (To be filled in by the contractor when not already filled in by the project director for items against which the unit rate have already been filled in by him
1	2	3	4	5	6	7	8

Mandatory to Write in Words: (Urdu/English)

'ntal cost	of item ra	ites Rs	

Contractor

Executive Engineer

Quotation No 96/2022 Page 8 of 14

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 96/2022 Sr. No. 01

	Name of Work:	REPAIR OF HOUSE NO. 26 FIRDOUS	COLONY	, UAF			
					To be filled by the Bidder		
Sr. No	lte	em Details/ Description of works	Qty	Unit	Rate Quoted	Amount (PKR)	
1	Removing ceme	nt or lime plaster	590.00	%sft			
2	Removing door	with chowkhat	3.00	each			
3	Dismantling bric	k work in lime or cement mortar.	9.84	%cft			
4	_	nent concrete reinforced separating rom concrete, cleaning and straightening the	36.00	%cft			
5	Pacca brick worl Ratio 1:6	k in ground floor:-i) cement, sand mortar	9.84	%cft			
6	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40			%kg			
7	Reinforced cement concrete in roof slab, beams columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast 3) This item shall not be applicable in situ, complete in all respect c) 3c type 1:2:4			p.cft			
8	Single layer of tiles 9"x4½"x1½" (225x113x40 mm) laid over 4"(100 mm) earth and 1" (25 mm) mud plaster without Bhoosa, grouted with cement sand 1:3 on top of RCC roof slab, provided with 34 lbs. per %Sft. or 1.72 Kg/Sq.m bitumen coating sand blinded.			%sft			
9	Khuras on roof 2	2'x2'x6" (600 x 600 x 150 mm	1.00	each			
10	cement plaster	1:4 ratio upto 20 ft height ½" thickness	907.00	%sft			
11	Applying floating	g coat of cement 1/32" (0.8 mm) thick.	590.00	%sft			
12	cement plaster 1:4 ratio upto 20 ft height ¾" thickness			%sft			
					TOTAL:		
				PST@			
					G. TOTAL:		
<u>Mandata</u>	ory to Write in Woi	rds: (Urdu/English)					

Quotation No 96/2022 Page 9 of 14

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 96/2022 Sr. No. 02

Name of Work: REPAIR OF HOUSE NO. 58 FIRDOUS COLONY, UAF To be filled by the Bidder Sr. No Item Details/ Description of works Unit Qty Rate Amount (PKR) Quoted 1 Removing cement or lime plaster 590.00 %sft Removing door with chowkhat 3.00 2 each 3 Dismantling brick work in lime or cement mortar. 14.34 %cft 4 Dismantling 2nd class tile roofing 72.00 %sft Dismantling cement concrete reinforced separating reinforcement 5 36.00 %cft from concrete, cleaning and straightening the same. Providing, laying, watering and ramming brick ballast 1½ to 6 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor 247.50 %cft foundation, complete in all respects Pacca brick work in ground floor:-i) cement, sand mortar 7 14.34 %cft Ratio 1:6 Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, 8 106.00 %kg etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of tiles 9 84.00 %sft 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly theen sheet Grouting 4½"(113 mm) dry brick work with cement mortar 10 204.50 %sft ratio 1:5 Providing and fixing mild steel chowkat of doors, windows, C. window, etc. including holdfast, making and 11 threading holes for hinges, etc. complete:-a) M.S. angle iron 75.00 p.sft $1\frac{1}{2}$ "x $1\frac{1}{2}$ "x $\frac{1}{4}$ " (40x40x6 mm) welded with M.S. flat 2"x $\frac{1}{4}$ " (50 mm x 6 mm) P/F Iron door comprising of specified leaves made of 1-1/4"x1-1/4"x3/16" MS angle iron for leaf frame, diagonal and horizontal braces duly welded with MS. sheet 18-SWG i/c the 12 cost of sliding bolt, tower bolt and painting 3-coats but 28.00 p.sft excluding the cost of Chowkat complete in all respect as approved and directed by the Engineer incharge.(ii) Double Leaf **TOTAL:** PST@ G. TOTAL: Mandatory to Write in Words: (Urdu/English)

Quotation No 96/2022 Page 10 of 14

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 96/2022 Sr. No. 03 Name of Work: REPAIR OF HOUSE NO. 38 New Youngwala, UAF To be filled by the Bidder Sr. No Item Details/ Description of works Unit Qty Rate Amount (PKR) Quoted Dismantling sirki sarkanda or thatched roofing, supported on 1 85 %sft battens or bellies 2 30.94 %cft Dismantling brick work in lime or cement mortar Pacca brick work in ground floor:-i) cement, sand mortar 3 30.94 %cft Ratio 1:6 Fabrication of mild steel reinforcement for cement concrete, including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and 4 3.28 %kg labour charges for binding of steel reinforcement (also includes removal of rust from bars):-b) Deformed bars (Grade-40) Reinforced cement concrete in roof slab, beams, columns lintels, girders and other structural members laid in situ or 5 1.31 per cft precast laid in position, or prestressed members cast in situ, complete in all respects:(c) Type C (nominal mix 1: 2: 4) Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, 6 190.40 %kg etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position First class tile roofing, consisting of 4" (100 mm) earth and 1" (25 mm) mud plaster with Gobri leeping over ½" (13mm) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of 7 165.00 %sft tiles 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. 8 Cement plaster 1:4 upto 20' (6.00 m) heigh:=½" (13 mm) thick 572.00 %sft Preparing surface and painting guard bars, gates of iron bars, 9 gratings, railing (including standards, braces, etc.) and in 112.00 %sft similar open work 3 coats on new surface **TOTAL:** PST@ G. TOTAL: Mandatory to Write in Words: (Urdu/English)

Quotation No 96/2022 Page 11 of 14

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 96/2022 Sr. No. 04

	Name of Work:	REPAIR OF HOUSE NO. 05 FIRDOUS COLONY,	, UAF				
					To be filled by the Bidder		
Sr. No	lte	em Details/ Description of works	Qty	Unit	Rate Quoted	Amount (PKR)	
1	Removing ceme	nt or lime plaster	590.00	%sft			
2	Removing door	with chowkhat	3.00	each			
3	Dismantling brid	k work in lime or cement mortar.	14.34	%cft			
4	Dismantling 2nd	class tile roofing	72.00	%sft			
5	_	ment concrete reinforced separating rom concrete, cleaning and straightening the	36.00	%cft			
6	Pacca brick work Ratio 1:6	k in ground floor:-i) cement, sand mortar	14.34	%cft			
7	round iron and setc., including co	eavy steel work, with angle, tees, flat iron sheet iron for making trusses, girders, tanks, utting, drilling, revitting, handling, assembling xcluding erection in position	106.00	%kg			
8	First class tile ro (25 mm) mud pl cement plaster: bitumen coating 12"x6"x1¼" (300 ½" (13 mm) thic including 1:2 cer	pofing, consisting of 4" (100 mm) eart and 1" aster with Gobri leeping over ½" 13mm) thick 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot g sand blinded, provided over 2 layers of tiles 0x150x30 mm) laid in 1:6 cement mortar with k sand wiched layer of 1:6 cement mortar, ment pointing underside of tiles, complete, etc. i/c poly theen sheet	84.00	%sft			
9	Grouting 4½"(11 ratio 1: 5	13 mm) dry brick work with cement mortar	378.00	%sft			
10	Khuras on roof 2	2'x2'x6" (600 x 600 x 150 mm	1.00	each			
11	cement plaster	1:4 ratio upto 20 ft height ½" thickness	907.00	%sft			
12		g coat of cement 1/32" (0.8 mm) thick.	590.00	%sft			
13	cement plaster	1:4 ratio upto 20 ft height ¾" thickness	295.00	%sft			
14	Commercial ply ply over 1" thick pressure i/c the sawing charges,	id flush door comprising of 2.5mm thick compressed over 2.5 mm thick commercial packing wood in style and rail sunder proper cost of nails ,tower bolt, handles, glue, Painting charges, sand papering and 3/8" wooden lipping as approved and directed by charge	35.00	p.sft			
15	P/F 3/4" dia hea the cost of hard	vy duty sliding bolt of specified material i/c ware complete in all respect as approved and Engineer Incharge (iii) 18" (450 mm) long	2.00	each			
				PST@	TOTAL:		
					G. TOTAL:		
Mandate	ory to Write in Wol	rds: (Urdu/English)					

Contractor

Quotation No 96/2022 Page 12 of 14 DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 96/2022 Sr. No. 05 Name of Work: REPAIR OF HOUSE NO. 69 FIRDOUS HALL, UAF To be filled by the Bidder Sr. No Item Details/ Description of works Qty Unit Rate Amount (PKR) Quoted 1 86.40 %cft Dismantling cement concrete 1:2:4 plain 2 994.00 Removing cement or lime plaster %sft 3 Removing door with chowkhat 2.00 each Providing, laying, watering and ramming brick ballast 1½ to 4 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor 237.60 %cft foundation, complete in all respects Grouting 4½"(113 mm) dry brick work with cement mortar 5 45.00 %sft ratio 1:5 6 Khuras on roof 2'x2'x6" (600 x 600 x 150 mm 1.00 each 7 644.00 %sft cement plaster 1:4 ratio upto 20 ft height ½" thickness Providing and fixing mild steel chowkat of doors, windows, C. window, etc. including holdfast, making and 42.00 8 threading holes for hinges, etc. complete:-a) M.S. angle iron p.sft $1\frac{1}{2}$ "x $1\frac{1}{2}$ "x $\frac{1}{4}$ " (40x40x6 mm) welded with M.S. flat 2"x $\frac{1}{4}$ " (50 mm x 6 mm) P/F1½" thick solid flush door comprising of 2.5mm thick Commercial ply compressed over 2.5 mm thick commercial ply over 1" thick packing wood in style and rail sunder proper 9 42.00 pressure i/c the cost of nails ,tower bolt, handles, glue, p.sft sawing charges, Painting charges, sand papering and 3/8" thick matching wooden lipping as approved and directed by the Engineer Incharge P/F 3/4" dia heavy duty sliding bolt of specified material i/c 10 the cost of hard ware complete in all respect as approved and 1.00 each

Mandatory to Write in Words: (Urdu/English)	
---	--

directed by the Engineer Incharge (iii) 18" (450 mm) long

TOTAL:

G. TOTAL:

PST@

Quotation No 96/2022 Page 13 of 14

DETAILED NOTICE INVITING QUOTATION (DNIT) QUOTATION. 96/2022 Sr. No. 06

Name of Work: REPAIR OF HOUSE NO. 55 FIRDOUS COLONY, UAF To be filled by the Bidder Sr. No Item Details/ Description of works Unit Qty Rate Amount (PKR) Quoted 272.00 1 Removing cement or lime plaster %sft 15.89 2 Dismantling brick work in lime or cement mortar. %cft 3 Dismantling 2nd class tile roofing 84.00 %sft Dismantling cement concrete reinforced separating 4 reinforcement from concrete, cleaning and straightening the 81.41 %cft same. Pacca brick work in ground floor:-i) cement, sand mortar 5 %cft 15.89 Ratio 1:6 Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints 6 and fastenings, including cost of binding wire and labour 77.31 %kg charges for binding of steel reinforcement (also includes removal of rust from bars):(b) Deformed bars (Grade-40 Reinforced cement concrete in roof slab, beams columns lintels, girders and other structural members laid in situ or 7 precast laid in position, or prestressed members cast 3) This 32.00 p.cft item shall not be applicable in situ, complete in all respect c) 3c type 1:2:4 Fabrication of heavy steel work, with angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks, 8 111.60 %kg etc., including cutting, drilling, revitting, handling, assembling and fixing, but excluding erection in position First class tile roofing, consisting of 4" (100 mm) eart and 1" (25 mm) mud plaster with Gobri leeping over ½" 13mm) thick cement plaster 1:6 with 34 lbs. per %Sft or 1.72 Kg/sq.m hot bitumen coating sand blinded, provided over 2 layers of tiles 9 84.00 %sft 12"x6"x1¼" (300x150x30 mm) laid in 1:6 cement mortar with ½" (13 mm) thick sand wiched layer of 1:6 cement mortar, including 1:2 cement pointing underside of tiles, complete, including curing, etc. i/c poly theen sheet Cement pointing struck joints, on walls, upto 20' (6.00 m) 10 40.00 %sft hiehgt:-a)ratio 1:2 Single layer of tiles 9"x4½"x1½" (225x113x40 mm) laid over 4"(100 mm) earth and 1" (25 mm) mud plaster without 64.00 11 Bhoosa, grouted with cement sand 1:3 on top of RCC roof %sft slab, provided with 34 lbs. per %Sft. or 1.72 Kg/Sq.m bitumen

coating sand blinded.

Quotation No 96/2022 Page 14 of 14

12	Khuras on roof 2'x2'x6" (600 x 600 x 150 mm	2.00	each				
13	cement plaster 1:4 ratio upto 20 ft height ½" thickness	84.75	%sft				
14	Applying floating coat of cement 1/32" (0.8 mm) thick.	272.00	%sft				
15	cement plaster 1:4 ratio upto 20 ft height ¾" thickness	356.75	%sft				
16	Providing, fixing, testing and commissioning of μ-PVC (Unplasticized polyvinyl Chloride) Nikasi/waste pipe make of dadex/ Popular/ Beta/ BBJ plain/ socket ended conforming to code EN-1401 of specified SDR (Standard Dimension Ratio) including the cost of specials and Solvents complete in all respect as approved and directed by the Engineer Incharge.Type (SDR 32.5/SN-8)v)4"(110 mm)	5.00	rft				
Mandatory to Write in Words: (Urdu/English)							